


DATA SHEET

TECHNOWRAP™ CUNIFER



Technowrap™ Cunifer is a repair system designed specifically for the repair of cunifer pipework. Cunifer; being a soft material, implies that when preparing the pipe surface the achievable surface profile is less than ideal from an adhesion perspective. This repair system overcomes this surface profile problem by improving the crack initiation resistance of the repair system. This improvement in crack initiation resistance results in increased pressure containment capacity and also increased strengthening.

Fibre	E-glass – tri-axial stitched cloth 0°/+45°/-45°
Resin	Toughened epoxy resin
Application	Complex geometries on pipework systems Strengthening, pressure retention and leak sealing
Defect type	Internal, external, through-wall
Max design pressure	Up to 50 bar
Max design temp	Up to 65°C
Approx cure time	24 to 36 hours

