

Structure, Vibrations and Raman Modes in Electron Doped Metal Phthalocyanines - Supplement

Jaroslav Tóbič^{1*} and Erio Tosatti^{1,2}

¹ International School for Advanced Studies (SISSA),
and INFN Democritos National Simulation Center,
Via Beirut 2-4, I-34014 Trieste, Italy

² The Abdus Salam International Centre for Theoretical Physics (ICTP)
P.O.Box 586, I-34014 Trieste, Italy

Before giving tables with calculated quantities we would like to make some remarks about symmetry properties of D_{2h} group, the symmetry group of JT distorted molecule. Quantities tabulated in table III are related to this. In the parallel with equation (4) from our paper, proper vibrations can be classified according irreducible representations as follows:

$$\Gamma_{\text{vib}} = 28A_g + 27B_{1g} + 13B_{2g} + 13B_{3g} + 13A_u + 15B_{1u} + 28B_{2u} + 28B_{3u} \quad (1)$$

Among these, infrared active modes are of B_{1u} , B_{2u} and B_{3u} symmetry.

Raman active modes have A_g , B_{1g} , B_{2g} and B_{3g} symmetry. In parallel with equation (5) from our paper, Raman tensors in D_{2h} symmetry are constrained to have form

$$A_g : \begin{pmatrix} a & 0 & 0 \\ 0 & b & 0 \\ 0 & 0 & c \end{pmatrix}, \quad B_{1g} : \begin{pmatrix} 0 & d & 0 \\ d & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix}, \quad B_{2g} : \begin{pmatrix} 0 & 0 & e \\ 0 & 0 & 0 \\ e & 0 & 0 \end{pmatrix}, \quad B_{3g} : \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & f \\ 0 & f & 0 \end{pmatrix} \quad (2)$$

Infrared active modes are B_{1u} , B_{2u} and B_{3u} .

In the following tables we give frequency of vibration modes, symmetry assignment and Raman tensor components or amplitude of vibration induced dipole moments. The ordering of tensor components is alphabetical. Atomic units are used in tables, namely $1a_0$ for distance, 1Ry for energy, $1e$ for charge, and 1amu for mass.

frequency	symmetry	Raman or Infra red intensity	Jahn-Teller parameters
24	E_g	Ra $e=0.54$, $f=3.73$	-
35	B_{2g}	Ra $d=18.48$	$k=0.006$, $q=0.0691$, $L=0.4$
73	B_{2u}	-	-
116	E_u	IR 0.121465	-
117	A_{2u}	IR 0.400072	-
125	B_{1u}	-	-
141	E_g	Ra $e=0.27$, $f=2.96$	-
146	A_{1u}	-	-
162	B_{2u}	-	-
168	A_{2u}	IR 0.694770	-
184	B_{1g}	Ra $c=49.50$	$k=0.281$, $q=0.0267$, $L=7.5$
197	A_{2g}	-	-
219	B_{2g}	Ra $d=32.85$	$k=0.581$, $q=0.0589$, $L=34.2$
232	E_g	Ra $e=-0.38$, $f=2.39$	-
232	B_{1u}	-	-
233	B_{2u}	-	-
262	A_{1g}	Ra $a=57.78$, $b=5.18$	$k=0.539$, $q=0.0841$ (0.0774), $L=45.3$ (41.7)
264	A_{2u}	IR 0.177599	-
276	E_u	IR 0.302859	-
288	E_g	Ra $e=0.79$, $f=-0.20$	-
349	A_{2u}	IR 0.087985	-
415	E_g	Ra $e=0.12$, $f=-0.07$	-
421	B_{2u}	-	-
427	E_u	IR 0.158089	-
435	A_{1u}	-	-
441	A_{2u}	IR 0.527469	-
477	B_{2g}	Ra $d=24.06$	$k=1.271$, $q=0.0681$, $L=86.5$

frequency	symmetry	Raman or Infra red intensity	Jahn-Teller parameters
500	E _g	Ra e=0.16, f=0.53	-
506	E _u	IR 0.230344	-
526	B _{1u}	-	-
561	B _{1g}	Ra c=29.10	k=2.628, q=0.0121, L=31.9
576	A _{2g}	-	-
579	E _u	IR 0.404429	-
589	A _{1g}	Ra a=1.28, b=-0.96	k=3.227, q=0.0287(0.0285), L=92.6(92.0)
614	A _{2g}	-	-
637	A _{1u}	-	-
654	E _u	IR 0.033897	-
655	E _g	Ra e=0.12, f=-0.03	-
676	A _{1g}	Ra a=20.41, b=-3.83	k=4.321, q=0.0605(0.0602), L=261.4(260.1)
692	B _{2g}	Ra d=16.86	k=3.533, q=0.0027, L=9.5
703	E _g	Ra e=0.34, f=-0.05	-
704	B _{1u}	-	-
707	B _{2u}	-	-
759	B _{1g}	Ra c=59.00	k=6.061, q=0.0393, L=238.1
760	E _u	IR 0.470902	-
769	A _{2u}	IR 1.179033	-
778	B _{2u}	-	-
779	E _g	Ra e=0.03, f=2.80	-
794	B _{1g}	Ra c=10.93	k=4.440, q=0.0247, L=109.7
798	A _{1u}	-	-
802	B _{1u}	-	-
803	E _g	Ra e=2.49, f=1.42	-
809	A _{2u}	IR 0.912525	-
817	E _u	IR 0.319912	-
839	A _{1g}	Ra a=52.92, b=8.03	k=5.339, q=0.0104 (0.0082), L=55.5(43.9)
850	A _{2g}	-	-
877	E _g	Ra e=0.09, f=1.04	-
877	B _{1u}	-	-
878	A _{1u}	-	-
894	E _u	IR 0.369663	-
934	B _{2g}	Ra d=0.38	k=9.163, q=0.0183, L=167.7
951	B _{2u}	-	-
951	E _g	Ra e=0.00, f=0.36	-
952	A _{2u}	IR 0.206490	-
983	A _{1u}	-	-
983	E _g	Ra e=0.24, f=0.08	-
984	B _{1u}	-	-
1000	E _u	IR 0.525074	-
1002	B _{1g}	Ra c=13.50	k=1.839, q=0.0063, L=11.6
1014	A _{1g}	Ra a=23.91, b=3.03	k=1.865, q=0.0139(0.0161), L=25.9(30.1)
1038	B _{2g}	Ra d=6.88	k=8.233, q=0.0052, L=42.7
1066	E _u	IR 0.059541	-
1079	A _{2g}	-	-
1092	B _{2g}	Ra d=13.23	k=1.655, q=0.0414, L=68.4
1102	E _u	IR 0.353613	-
1117	A _{1g}	Ra a=17.80, b=2.31	-
1121	B _{1g}	Ra c=12.63	k=1.535, q=0.0532, L=81.6
1124	E _u	IR 0.003464	-
1157	A _{2g}	-	-
1158	A _{1g}	Ra a=36.42, b=2.04	k=3.123, q=0.0286(0.0305), L=89.2(95.4)
1176	E _u	IR 0.255071	-
1193	A _{2g}	-	-
1195	E _u	IR 0.202789	-
1195	B _{1g}	Ra c=67.84	k=5.271, q=0.0263, L=138.4
1210	B _{2g}	Ra d=4.87	k=3.880, q=0.0587, L=227.6
1277	E _u	IR 0.226052	-
1279	A _{2g}	-	-
1289	B _{2g}	Ra d=14.26	k=3.789, q=0.0533, L=202.1
1328	B _{1g}	Ra c=238.92	k=18.812, q=0.0108, L=203.4
1344	E _u	IR 1.429662	-

frequency	symmetry	Raman or Infra red intensity	Jahn-Teller parameters
1379	A _{1g}	Ra a=200.59, b=2.08	k=23.275, q=0.0048(0.0060), L=112.6(140.5)
1403	E _u	IR 0.729572	-
1406	B _{1g}	Ra c=29.48	k=10.570, q=0.0170, L=180.0
1407	A _{1g}	Ra a=29.84, b=2.56	k=5.630, q=0.0019(0.0017), L=10.6(9.7)
1411	E _u	IR 0.654896	-
1437	A _{1g}	Ra a=21.46, b=2.21	k=16.936, q=0.0013(0.0014), L=16.9(16.9)
1443	B _{1g}	Ra c=33.20	k=7.829, q=0.0373, L=292.7
1447	B _{2g}	Ra d=37.92	k=14.366, q=0.0223, L=320.7
1467	A _{2g}	-	-
1467	E _u	IR 0.492994	-
1477	B _{2g}	Ra d=27.75	k=9.204, q=0.0013, L=12.0
1492	E _u	IR 0.761032	-
1518	A _{2g}	-	-
1521	A _{1g}	Ra a=74.16, b=-1.94	k=23.937, q=0.0139(0.0123), L=332.2(295.3)
1533	E _u	IR 0.132082	-
1587	B _{1g}	Ra c=405.18	k=29.069, q=0.0443, L=1287.6
1604	E _u	IR 0.024565	-
1606	B _{1g}	Ra c=40.20	k=21.857, q=0.0176, L=358.3
1606	A _{1g}	Ra a=19.89, b=-1.94	k=20.514, q=0.0038(0.0040), L=77.7 (81.4)
1628	A _{2g}	-	-
1630	E _u	IR 0.338197	-
1632	B _{2g}	Ra d=6.60	k=22.065, q=0.0067, L=148.2
3076	B _{2g}	Ra d=28.26	k=10.577, q=0.0000, L=0.0
3076	A _{2g}	-	-
3076	E _u	IR 0.101160	-
3086	A _{1g}	Ra a=27.38, b=-0.46	k=10.684, q=0.000, L=0.0
3086	B _{1g}	Ra c=46.79	k=10.683, q=0.000, L=0.0
3087	E _u	IR 0.141285	-
3096	A _{2g}	-	-
3096	E _u	IR 0.051209	-
3097	B _{2g}	Ra d=39.61	k=10.812, q=0.000, L=0.0
3101	B _{1g}	Ra c=52.22	k=10.889, q=0.000, L=0.0
3102	A _{1g}	Ra a=88.43, b=8.62	k=10.892, q=0.000, L=0.0
3103	E _u	IR 0.401503	-

TABLE I: Vibration spectra of MgPc neutral molecule. In the first column is energy of the vibration in cm^{-1} , next column is assignment of irreducible representation of the mode (we note that E_g and E_u modes are two-fold degenerated), then Raman tensor components for Raman active modes and induced dipole momenta per displacement amplitude for infra-red active modes. Atomic units are used (Ry for energy, e for charge, a_0 for distance and amu for mass). Notation of tensor components follows equation (5) in the paper. Last column contains parameters for linear Jahn-Teller effect - force constant k in eV/a_0^2 , displacement q after addition of one electron in a_0 , linear coupling constant L in eV/a_0 . For A_{1g} modes is possible to obtain coupling constants from the position of the minima as well as from the saddle point (in brackets).

freq. sym. Ra or IR	678 A _{1g} Ra -8.15, -4.12	1183 E _u IR 1.50
2.56i A _{2u} IR 1.13	685 B _{2g} Ra -15.83	1187 B _{2g} Ra 4.03
0.19i E _g Ra -0.05, -0.18	686 B _{1u} -	1205 E _u IR 0.08
0.11i B _{1u} -	697 B _{2u} -	1208 A _{2g} -
0.11i A _{1u} -	733 B _{1g} Ra -77.01	1263 B _{2g} Ra 9.15
0.08i B _{2u} -	757 E _u IR 1.58	1272 E _u IR 0.19
0.06i E _g Ra 1.59, -2.46	764 B _{2u} -	1275 A _{2g} -
93 E _u IR 0.26	772 E _g Ra 4.70, 0.27	1289 B _{1g} Ra -160.27
103 B _{2g} Ra -16.89	774 A _{2u} IR 0.84	1329 E _u IR 0.31
137 A _{2u} IR 1.28	793 A _{1u} -	1350 B _{1g} Ra 44.86
178 B _{2u} -	795 B _{1u} -	1369 A _{1g} Ra -163.90, -1.86
178 B _{1g} Ra 60.14	795 E _g Ra -1.50, 1.50	1399 E _u IR 0.22
201 A _{2g} -	800 B _{1g} Ra 14.92	1404 A _{1g} Ra 32.46, 2.77
205 B _{1u} -	812 E _u IR 0.44	1405 B _{1g} Ra -0.52
218 E _g Ra 0.18, 0.06	841 A _{1g} Ra -41.84, -6.31	1412 E _u IR 1.65
221 B _{2g} Ra 44.78	848 A _{2g} -	1433 B _{2g} Ra -32.17
224 A _{1g} Ra 61.08, 4.81	861 B _{1u} -	1433 A _{1g} Ra 60.48, 3.89
242 B _{2u} -	862 A _{1u} -	1466 E _u IR 1.32
244 A _{2u} IR 0.52	864 E _g Ra 0.65, -0.07	1469 A _{2g} -
269 E _u IR 0.38	893 E _u IR 0.48	1480 B _{2g} Ra 28.56
271 E _g Ra 1.02, 0.06	926 B _{2g} Ra 8.25	1482 B _{1g} Ra 57.07
347 A _{2u} IR 0.38	935 A _{2u} IR 0.05	1487 E _u IR 2.36
363 A _{2u} IR 0.66	938 E _g Ra -0.06, -2.10	1515 A _{1g} Ra 57.82, -3.10
414 E _g Ra -0.01, -0.01	938 B _{2u} -	1518 E _u IR 0.67
416 A _{1u} -	964 A _{1u} -	1520 A _{2g} -
422 E _u IR 0.09	965 E _g Ra -0.04, 0.18	1590 B _{1g} Ra 72.49
423 B _{2u} -	965 B _{1u} -	1590 E _u IR 0.93
475 B _{2g} Ra -24.81	984 A _{1g} Ra -29.91, -3.34	1593 A _{1g} Ra -53.02, 1.89
494 E _g Ra -0.04, 0.06	991 B _{1g} Ra 17.24	1612 A _{2g} -
505 E _u IR 0.85	995 E _u IR 0.73	1615 E _u IR 0.38
527 B _{1u} -	1030 B _{2g} Ra 3.89	1616 B _{2g} Ra -23.29
565 A _{2u} IR 1.23	1068 E _u IR 0.98	3061 A _{2g} -
568 B _{1g} Ra -34.79	1084 A _{2g} -	3061 E _u IR 0.17
575 A _{2g} -	1090 B _{2g} Ra 18.31	3061 B _{2g} Ra 35.39
578 E _u IR 0.46	1098 E _u IR 0.81	3075 E _u IR 0.29
586 A _{1g} Ra -11.35, 1.17	1099 B _{1g} Ra -20.20	3075 B _{1g} Ra -59.18
612 A _{2g} -	1116 A _{1g} Ra -15.33, -2.04	3076 A _{1g} Ra -45.11, -0.61
630 A _{1u} -	1120 E _u IR 0.17	3092 B _{2g} Ra 38.26
635 E _g Ra -1.14, -1.36	1152 A _{1g} Ra -32.35, -2.26	3093 E _u IR 0.51
645 E _u IR 0.23	1158 A _{2g} -	3094 A _{1g} Ra 84.52, 7.69
665 E _g Ra -0.69, 2.44	1177 B _{1g} Ra 46.43	3095 B _{1g} Ra 48.02
		3098 E _u IR 0.36
		3100 A _{2g} -

TABLE II: Vibration spectra of symmetrized D_{4h} MgPc⁻ anion.

freq. sym. Ra or IR	679 B _{1g} Ra -54.28	1199 B _{1g} Ra 5.39
1.85i B _{1u} IR 1.13	684 B _{1u} IR 0.18	1200 B _{3u} IR 0.82
0.66i A _u -	723 B _{3g} Ra 0.77	1252 B _{1g} Ra 17.03
0.64i B _{3g} Ra -2.61	747 B _{1u} IR 0.25	1270 B _{3u} IR 0.23
0.27i B _{1u} IR 0.46	749 A _u -	1277 B _{2u} IR 0.77
0.19i B _{2g} Ra 0.84	750 B _{2g} Ra 3.37	1280 B _{1g} Ra -2.33
0.13i A _u -	751 B _{3u} IR 1.48	1307 A _g Ra 107.81, -285.42, 7.08
112 B _{1g} Ra 29.50	754 B _{2u} IR 1.46	1315 B _{2u} IR 0.25
113 B _{3u} IR 0.29	755 A _g Ra -2.30, -63.88, 7.30	1338 B _{3u} IR 0.36
115 B _{1u} IR 1.05	760 B _{3g} Ra 1.52	1366 A _g Ra 137.39, 124.04, -5.92
119 B _{2u} IR 0.34	773 B _{1u} IR 0.45	1394 B _{3u} IR 0.14
133 B _{2g} Ra -5.33	783 B _{3g} Ra -3.03	1394 A _g Ra -25.24, -7.92, -4.09
165 A _u -	784 B _{1g} Ra -487.12	1395 B _{2u} IR 1.98
174 B _{1g} Ra -49.67	789 A _g Ra 24.12, 8.67, -4.02	1404 B _{2u} IR 0.79
176 A _g Ra -59.94, 58.78, 0.33	796 A _u -	1406 B _{1g} Ra -47.32
180 B _{1u} IR 0.64	799 B _{2g} Ra 0.99	1408 A _g Ra -45.71, -42.31, 0.42
191 B _{3g} Ra 0.36	804 B _{3u} IR 0.80	1424 B _{3u} IR 1.90
195 B _{3g} Ra -3.06	814 B _{2u} IR 0.04	1432 A _g Ra 28.86, -1.99, 10.80
201 B _{1g} Ra 7.09	829 A _g Ra 34.44, 46.85, 8.85	1442 A _g Ra 61.72, 64.28, -7.51
205 B _{1u} IR 0.58	837 A _u -	1461 B _{2u} IR 1.47
212 B _{3g} Ra 3.79	839 B _{3g} Ra -0.08	1462 B _{3u} IR 2.60
214 B _{2g} Ra 5.74	841 B _{1g} Ra -0.97	1466 B _{1g} Ra -7.29
225 A _g Ra -63.40, -55.35, -0.51	864 A _u -	1472 B _{3u} IR 1.16
249 B _{1u} IR 0.63	865 B _{2g} Ra -0.45	1480 B _{1g} Ra -30.81
261 B _{2g} Ra 1.63	889 B _{2u} IR 0.87	1485 B _{2u} IR 0.87
284 B _{2u} IR 0.48	894 B _{3u} IR 0.09	1506 A _g Ra 40.75, -99.25, 8.09
293 B _{3u} IR 0.23	906 B _{1u} IR 0.18	1526 B _{3u} IR 1.72
323 B _{1u} IR 0.27	919 A _u -	1533 B _{1g} Ra 102.84
324 A _u -	923 B _{3g} Ra -0.35	1547 B _{2u} IR 1.65
328 B _{1u} IR 0.60	932 B _{1u} IR 0.05	1577 B _{3u} IR 0.96
356 B _{3g} Ra -2.44	934 B _{3g} Ra -0.95	1577 A _g Ra 81.15, -95.85, 8.42
364 B _{2g} Ra -0.89	934 B _{2g} Ra -1.48	1592 A _g Ra 196.21, 527.85, -48.35
402 B _{1g} Ra 171.94	963 A _u -	1599 B _{2u} IR 0.67
415 B _{1u} IR 0.13	964 B _{2g} Ra 0.82	1602 A _g Ra -68.87, -123.31, 21.10
421 B _{3u} IR 0.26	979 B _{1g} Ra -266.85	1612 B _{1g} Ra 45.58
423 B _{3g} Ra 0.32	993 B _{3u} IR 0.77	1614 B _{2u} IR 0.76
428 B _{2u} IR 0.03	995 A _g Ra -36.18, -3.72, -0.44	1618 B _{1g} Ra -114.80
468 A _u -	1000 B _{2u} IR 0.51	1624 B _{3u} IR 0.14
500 B _{3u} IR 1.09	1001 A _g Ra 9.82, 26.07, 2.49	3071 B _{1g} Ra -12.41
500 B _{2g} Ra 0.31	1038 B _{1g} Ra -37.21	3071 B _{2u} IR 0.06
504 B _{2u} IR 0.56	1052 B _{2u} IR 0.98	3074 B _{3u} IR 0.18
550 A _g Ra -38.21, 30.43, 3.29	1062 B _{3u} IR 0.52	3074 B _{1g} Ra -8.79
555 B _{1u} IR 1.13	1073 B _{1g} Ra -0.42	3075 B _{3u} IR 0.26
565 B _{3g} Ra -1.11	1096 B _{2u} IR 0.63	3077 A _g Ra -64.26, 38.52, 0.92
572 B _{3u} IR 0.36	1097 B _{3u} IR 1.39	3079 B _{1g} Ra 8.77
575 B _{1g} Ra 18.32	1110 B _{1g} Ra 36.26	3080 B _{2u} IR 0.09
576 A _u -	1116 A _g Ra 20.21, 2.49, 2.47	3081 B _{2u} IR 0.45
578 B _{2u} IR 0.54	1120 B _{3u} IR 0.01	3082 A _g Ra 15.83, -57.72, 1.06
593 A _g Ra -1.60, -26.25, -12.45	1123 A _g Ra 20.12, 26.09, -1.83	3082 B _{3u} IR 0.31
611 B _{1g} Ra 0.30	1123 B _{2u} IR 0.40	3087 B _{1g} Ra 42.82
612 B _{2g} Ra -3.34	1153 B _{1g} Ra 4.70	3090 B _{3u} IR 0.57
634 B _{3u} IR 0.33	1153 A _g Ra -20.41, -31.20, 0.17	3092 B _{2u} IR 0.55
647 B _{2u} IR 0.13	1181 B _{2u} IR 1.57	3093 A _g Ra 42.71, -40.08, 0.38
659 B _{2g} Ra -2.78	1188 B _{3u} IR 0.84	3096 A _g Ra 96.27, 90.82, 8.07
667 A _g Ra 16.86, 8.92, 8.92	1191 A _g Ra 30.13, -74.43, 4.83	
677 A _u -	1197 B _{2u} IR 0.74	

TABLE III: Vibration frequencies, symmetry and Raman tensor components or induced dipole moment for MgPc⁻ Jahn-Teller distorted D_{2h} anion.