

# Hydroxylamine as an oxygen nucleophile. Structure and reactivity of ammonia oxide

A. J. Kirby,\* J. E. Davies, T. A. S. Brandão, P. F. da Silva, W. R. Rocha, F. Nome\*

## Electronic Supporting Information

### 1. Details of the crystallography.

#### 2. Calculations. Tables S1 – S4.

Calculated geometries and energies for hydroxylamine, ammonia oxide and hydroxylamine hydrochloride, in the gas phase and with solvation by water molecules.

### 1. Details of the crystallography.

**The crystals** were first obtained from the decomposition of 2-chloroaceto-hydroxamic acid in solution in alcohol at pH 6. They are best prepared by mixing equal volumes of 1 M  $\text{NH}_2\text{OH}\cdot\text{HCl}$  and 0.5 M KOH in hot methanol, giving a solution containing equal quantities of  $\text{NH}_2\text{OH}$  and its hydrochloride. After filtering off the KCl which immediately precipitates, slow evaporation of the solvent at room temperature gives colorless crystals, mp 86-87°C. These show two well-resolved  $^{15}\text{N}$  (natural abundance) signals, at -312.7 and -314.6 ppm (relative to  $\text{NO}_3^-$ ) in the solid state NMR.

**Crystal data:**  $\text{ClH}_7\text{N}_2\text{O}_2$ ,  $M_w=102.53$ , colourless prism  $0.35\times 0.18\times 0.07\text{mm}^3$ , monoclinic P21/c (No. 14),  $a=7.2167(1)$ ,  $b=8.1338(2)$ ,  $c=7.0381(2)\text{Å}$ ,  $\beta=92.35(1)^\circ$ ,  $Z=4$ ,  $V=412.79(2)\text{Å}^3$ ,  $T = 120(2)\text{K}$ ,  $D_X = 1.650\text{ g cm}^{-3}$ ,  $\lambda = 0.71073\text{ Å}$ ,  $\mu = 0.762\text{ mm}^{-1}$ , Nonius Kappa CCD diffractometer equipped with an Oxford Cryosystems Cryostream cooling apparatus,  $3.78^\circ < \theta < 45.27^\circ$ , 12868 measured reflections, 3441 independent ( $R_{\text{int}}=0.025$ ), 3071 with  $I > 2\sigma(I)$ . The structure was solved by direct methods (SHELXS-97) and refined by least squares (SHELXL-97) using Chebyshev weights on  $F_o^2$  to  $R_1 = 0.023$ ,  $wR_2 = 0.056$  ( $I > 2\sigma(I)$ ), 53 parameters, goodness-of-fit on  $F^2$  1.083, residual electron density  $0.39\text{ e Å}^{-3}$ . All hydrogen atoms were located unambiguously in the final difference map. For the refinement, the  $-\text{NH}_3$  groups were treated as rigid groups with idealized tetrahedral geometry and the hydrogen atoms of these groups were assigned a common isotropic displacement parameter (there are no significant differences if the structure is refined without these restraints). The coordinates of the  $-\text{OH}$  hydrogen atom were refined successfully without any restraints.

Further details of the crystal-structure investigation may be obtained from the Fachinformationszentrum Karlsruhe, 76344 Eggenstein-Leopoldshafen, Germany (fax (+49) 7247-808-666; e-mail [crysdata@fiz-karlsruhe.de](mailto:crysdata@fiz-karlsruhe.de)) on quoting the deposition number CSD-415541.

## 2. Calculations

### Geometries of 1 and 1z in the gas phase and in the presence of solvating H<sub>2</sub>O



**Table S1.** B3LYP/6-311++G(d,p) geometries for hydroxylamine and ammonia oxide in the gas phase,<sup>a</sup> and PCM/B3LYP/6-311++G(d,p) single-point energies for the optimized structures.

	<b>H<sub>2</sub>NOH</b>	<b>H<sub>3</sub>NO<sup>b</sup></b>
<i>R</i> (N-O)	1.444	1.367
<i>R</i> (O-H)	0.963	
<i>R</i> (N-H)	1.018	1.034
$\theta$ (N-O-H)	102.8	
$\theta$ (H-N-O)	104.2	113.1
$\theta$ (H-N-H)	106.2	
<i>q</i> (H <sub>a</sub> )	0.250	0.281
<i>q</i> (H <sub>b</sub> )	0.278	
<i>q</i> (N)	-0.496	-0.365
<i>q</i> (O)	-0.281	-0.478
$E_{\text{elec}}^{\text{b}}$	-131.766887	-131.728118
$G^{\text{b}}$	-131.749030	-131.710051
$E_{\text{elec}}^{\text{PCM, b}}$	-131.781612	-131.764816
$G_{\text{nuclear}}^{\text{corr}}$	-82.67	-82.00
$\Delta G_{\text{sol}} = E_{\text{elec}}^{\text{sol}} - E_{\text{elec}}^{\text{gas}}$	-9.24	-23.03
$\Delta E_{\text{elec}}$	24.3	
$\Delta G_{\text{nuclear}}$	0.67	
$\Delta G^{\circ} = \Delta G_{\text{nuclear}} + \Delta E_{\text{elec}}$	25.0	
$\Delta \Delta G_{\text{solv}}$	-13.8	
$\Delta G_{\text{sol}}^{\circ} = \Delta G^{\circ} + \Delta \Delta G_{\text{solv}}$	11.2	

<sup>a</sup> Bond lengths in Å, angles in deg. <sup>b</sup> C<sub>3v</sub> symmetry.

These values are comparable with literature values.<sup>[1,3]</sup>


**Table S2. B3LYP/6-31+G(d) geometries for hydroxylamine and ammonia oxide with six water molecules included explicitly as the first solvation shell, <sup>a</sup>and PCM/B3LYP/6-31+G(d) single-point energies for the optimized structures (shown below).**



	<b>H<sub>2</sub>NOH</b>	<b>H<sub>3</sub>NO</b>
<i>R</i> (N-O)	1.460	1.419 <sup>b</sup>
<i>R</i> (O-H)	0.995	
<i>R</i> (N-H)	1.028	1.041
$\theta$ (N-O-H)	104.1	
$\theta$ (H-N-O)	103.8	109.4
	104.5	109.5, 109.7
$\theta$ (H-N-H)	107.7	110.0, 108.9, 109.4
<i>q</i> (H <sub>a</sub> )	0.484	0.524
<i>q</i> (H <sub>b</sub> )	0.603	
<i>q</i> (N)	-0.876	-0.892
<i>q</i> (O)	-0.713	-0.680
$E_{\text{elec}}^{\text{b}}$	-590.3485852	-590.3552879
$E_{\text{elec}}^{\text{PCM, b}}$	-590.3828816	-590.3899498
$\Delta E_{\text{elec}}$	-4.21	<b>K(calc) = 1.73 e-3</b>
$\Delta E_{\text{PCM/B3LYP}}$	-4.44	<b>K(calc) = 1.22 e-3</b>

<sup>a</sup> Bond lengths in Å, angles in deg. <sup>b</sup> Cf. the value of 1.417(1) in the crystal.

**Table S3. B3LYP/6-31+G(d) geometry of hydroxylammonium in the gas phase, with four water molecules explicitly included in the first solvation-shell.<sup>a</sup>**



<b>H<sub>3</sub>N<sup>+</sup>OH</b>	
<i>R</i> (N-O)	1.418 <sup>b</sup>
<i>R</i> (O-H)	0.990
<i>R</i> (N-H)	1.042
$\theta$ (N-O-H)	106.1
$\theta$ (H-N-O)	105.2, 109.2, 109.9
$\theta$ (H-N-H)	110.7, 110.9, 110.9

<sup>a</sup> Bond lengths in Å and angles in deg. <sup>b</sup> Cf. the value of 1.415(2) in the crystal

**Table S4. Calculated energetics (kcal/mol) for the tautomeric process NH<sub>2</sub>OH → NH<sub>3</sub>O in the gas phase and in aqueous solution, at different levels of theory.**

Method	Gas Phase		Aqueous solution	
	$\Delta E$	$\Delta G$	$\Delta G(soln.)$ Rigid charges <sup>a</sup>	$\Delta G(soln.)$ PCM polarized <sup>b</sup>
B3LYP <sup>22</sup> /6-311++G(d,p) <sup>23</sup>	24.33	24.45	5.69	-5.20
MP2//B3LYP/6-311++G(d,p)	27.69	27.82	9.06	-1.83
MP4(SDTQ)// B3LYP/6-311++G(d,p)	27.47	27.60	8.84	-2.05
CCSD(T) <sup>24</sup> // B3LYP/6-311++G(d,p)	25.93	26.06	7.30	-3.59

<sup>a</sup>  $\Delta G(soln.)$  is the sum of  $\Delta G(g)$  computed at the specified level of theory and  $\Delta\Delta G_{solv}(NH_2OH \rightarrow NH_3O)$  calculated with the charges kept rigid on going from the gas phase to solution.

<sup>b</sup>  $\Delta G(soln.)$  is the sum of  $\Delta G(g)$  computed at the specified level of theory and  $\Delta\Delta G_{solv}(NH_2OH \rightarrow NH_3O)$  calculated with free energy perturbation, using PCM polarized charges.

#### References.

(22) Becke, A. D. *J. Chem. Phys.* **1993**, 98, 5648.

(23) (a) Ditchfield, R.; Hehre, W. J.; Pople, J. A. *J. Chem. Phys.* **1971**, 54, 724. (b) Hehre, W. J.; Ditchfield, R.; Pople, J. *J. Chem. Phys.* **1972**, 56, 2257.

(24) (a) Purvis, G. D.; Bartlett, R. J. *J. Chem. Phys.* **1982**, 76, 1910. (b) Urban, M.; Noga, J.; Cole, S. J.; Bartlett, R. J. *J. Chem. Phys.* **1985**, 83, 4041.