

Supporting Information for:

**Unusual Reactivity of Tris(pyrazolyl)borate Zirconium Benzyl
Complexes**

Han Lee and Richard F. Jordan*

*Department of Chemistry, The University of Chicago
5735 South Ellis Avenue, Chicago, Illinois 60637*

E-mail: rfjordan@uchicago.edu

Contents

I.	Syntheses and Characterization of New Compounds	S2
II.	X-Ray Crystallography	S18
III.	ORTEP Diagrams	S23

I. Synthesis and Characterization of New Compounds

General procedures. All reactions were performed under purified N₂ or vacuum using standard vacuum line techniques or in a N₂-filled drybox. Nitrogen was purified by passage through columns containing activated molecular sieves and Q-5 oxygen scavenger. Pentane, hexanes, and toluene were distilled from sodium/benzophenone or purified by passage through columns of activated alumina and BASF R3-11 oxygen removal catalyst. Dichloromethane and dichloromethane-*d*₂ were dried over CaH₂ and distilled. [Ph₃C][B(C₆F₅)₄] was obtained from Boulder Scientific and used as received. Benzyltributylammonium chloride was purchased from Aldrich and used as received. 2-Butyne and PMe₃ were purchased from Aldrich and dried over 4 Å molecular sieves. Tetrabenzylzirconium (Zr(CH₂Ph)₄) and KTp* (Tp* = HB(3,5-dimethylpyrazolyl)₃) were prepared by literature procedures.^{1,2} Elemental analyses were performed by Midwest Microlabs.

NMR spectra were recorded at ambient temperature unless specified otherwise. ¹H and ¹³C chemical shifts are reported relative to SiMe₄ and were determined by reference to the residual ¹H and ¹³C solvent resonances. ¹¹B chemical shifts are reported relative to external BF₃·Et₂O, ¹⁹F chemical shifts are reported relative to external CFCl₃ and ³¹P chemical are reported relative to external 85 % H₃PO₄. Coupling constants are given in Hz. ¹J_{CH} values were obtained from gated-¹H} ¹³C NMR spectra. NMR spectra of B(C₆F₅)₄⁻ salts contain resonances at the free B(C₆F₅)₄⁻ anion positions. ¹³C{¹H} NMR (CD₂Cl₂): δ 148.5 (d, *J* = 234), 138.6 (d, *J* = 246), 136.6 (d, *J* = 243),

¹ Zucchini, U., Albizzati, E., Giannini, U. *J. Organometal. Chem.* **1971**, 26, 357.

² Trofimenko, S. *J. Am. Chem. Soc.* **1967**, 89, 6288.

123.6 (br, *ipso*-C). ^{19}F NMR (CD_2Cl_2): δ -133.2 (br s, 2F, *o*-F), -163.7 (t, $J = 23$, 1F, *p*-F), -167.6 (t, $J = 19$, 2F, *m*-F). $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2 , -60 °C): δ 147.5 (d, $J = 241$), 137.8 (d, $J = 238$), 135.8 (d, $J = 249$), 123.6 (br, *ipso*-C). ^{19}F NMR (CD_2Cl_2 , -60 °C): δ -133.7 (br s, 2F, *o*-F), -163.0 (t, $J = 23$, 1F, *p*-F), -167.0 (t, $J = 19$, 2F, *m*-F). NMR spectra of cationic compounds generated in situ contain resonances for $\text{Ph}_3\text{CCH}_2\text{Ph}$. ^1H NMR (CD_2Cl_2): δ 7.29-7.12 (m, 15H, CPh_3), 7.04 (t, $J = 7.4$, 1H, *p*- CH_2Ph), 6.96 (t, $J = 7.6$, 2H, *m*- CH_2Ph), 6.63 (d, $J = 7.4$, 2H, *o*- CH_2Ph), 3.95 (s, 1H, CH_2). ^1H NMR (CD_2Cl_2 , -60 °C): δ 7.23-7.15 (m, 15H, CPh_3), 7.01 (t, $J = 7.3$, 1H, *p*- CH_2Ph), 6.92 (t, $J = 7.6$, 2H, *m*- CH_2Ph), 6.53 (d, $J = 7.6$, 2H, *o*- CH_2Ph), 3.89 (s, 2H, CH_2). $^{13}\text{C}\{^1\text{H}\}$ (CD_2Cl_2 , -60 °C): δ 146.2, 138.0, 130.8, 129.3, 127.4, 126.9, 125.7, 125.7, 58.2 (Ph_3C), 44.8 (CH_2). The numbering systems for the pyrazolyl carbons are shown in Figure S1 and are in accord with the method used by Trofimenko.³




Figure S1. The numbering systems for the pyrazolyl carbons.

$\text{Tp}^*\text{Zr}(\text{CH}_2\text{Ph})_3$ (1). A flask was charged with KTp^* (738mg, 2.19 mmol) and tetrabenzylzirconium (1.00 g, 2.19 mmol). Methylene chloride (60 mL) was added by

³ Trofimenko, S. *Scorpionates: The Coordination Chemistry of Polypyrazolylborate Ligands*; Imperial College Press: London, 1999, pp 5-9.

vacuum transfer at $-78\text{ }^{\circ}\text{C}$. The mixture was stirred at $-78\text{ }^{\circ}\text{C}$ for 30 min, warmed to $0\text{ }^{\circ}\text{C}$ and stirred for 5 min. The yellow mixture was concentrated to ca. 20 mL at $0\text{ }^{\circ}\text{C}$. Hexanes (40 mL) was added by vacuum transfer at $-78\text{ }^{\circ}\text{C}$. The resulting yellow mixture was filtered through a frit. The volatiles were removed from the filtrate under vacuum at $0\text{ }^{\circ}\text{C}$. The remaining yellow solid was washed with cold pentane (3 x 10 mL). The solid was dried under vacuum (987 mg, 68 %). This material, which was spectroscopically pure, was recrystallized from pentane at $-35\text{ }^{\circ}\text{C}$ yielding X-ray quality crystals. ^1H NMR (CD_2Cl_2): δ 7.01 (t, $J = 7.7$, 6H, *m*-Ph), 6.78 (t, $J = 7.4$, 3H, *p*-Ph), 6.66 (d, $J = 7.1$, 6H, *o*-Ph), 5.79 (s, 3H, 4-pz), 4.82 (br, 1H, BH), 3.03 (s, 6H, CH_2), 2.45 (s, 9H, 3- or 5-*Me*₂pz), 2.23 (s, 9H, 3- or 5-*Me*₂pz). $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 152.8 (pz, 3- or 5-C), 150.0 (*ipso*-Ph), 146.3 (3- or 5-C, pz), 128.1, 126.7, 121.6 (*p*-Ph), 107.6 (pz, 4-C), 86.5 ($J_{\text{CH}} = 113$, ZrCH_2), 15.5 (3- or 5-*Me*₂pz), 13.2 (3- or 5-*Me*₂pz). ^{11}B NMR (CD_2Cl_2): δ -9.6 . Anal. Calcd for $\text{C}_{36}\text{H}_{43}\text{BN}_6\text{Zr}$: C, 65.33; H, 6.55; N, 12.70. Found: C, 65.39; H, 6.47; N, 12.81.

Generation of $[\text{Tp}^*\text{Zr}(\text{CH}_2\text{Ph})_2][\text{B}(\text{C}_6\text{F}_5)_4]$ (2). A valved NMR tube was charged with **1** (7.2 mg, 0.011 mmol) and $[\text{Ph}_3\text{C}][[\text{B}(\text{C}_6\text{F}_5)_4]$ (10 mg, 0.011 mmol), and CD_2Cl_2 (0.6 mL) was added by vacuum transfer at $-78\text{ }^{\circ}\text{C}$. The tube was shaken at this temperature to give an orange solution and then was placed in an NMR probe that had been precooled to $-60\text{ }^{\circ}\text{C}$. A ^1H NMR spectrum was obtained and showed that $[\text{Tp}^*\text{Zr}(\text{CH}_2\text{Ph})_2][\text{B}(\text{C}_6\text{F}_5)_4]$ had formed quantitatively. ^1H NMR (CD_2Cl_2 , $-60\text{ }^{\circ}\text{C}$): δ 7.23-7.16 (m, 4H, *m*-Ph, obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 7.01 (t, $J = 7.3$, 2H, *p*-Ph, overlapped with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.50 (d, $J = 7.6$, 4H, *o*-Ph), 5.95 (s, 3H, 4-pz), 4.51 (br s, 1H, BH), 2.92 (s, 4H, CH_2), 2.33 (s, 9H, 3- or 5-*Me*₂pz), 2.18 (s, 9H, 3- or 5-*Me*₂pz).

$^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2 , $-60\text{ }^\circ\text{C}$): δ 152.3, 149.3, 139.2, 130.7, 127.7, 126.9, 108.7 (pz, 4-C), 92.1 ($^1J_{\text{CH}} = 127$, ZrCH_2), 14.9 (3- or 5- Me_2pz), 13.0 (3- or 5- Me_2pz). ^{11}B NMR (CD_2Cl_2 , $-60\text{ }^\circ\text{C}$): δ -8.8 .

Generation of $[(\text{PhCH}_2)(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2]\text{Zr}(\eta^2\text{-Me}_2\text{pz})(\text{CH}_2\text{Ph})[\text{B}(\text{C}_6\text{F}_5)_4]$

(3). A solution of **2** in CD_2Cl_2 (0.62 mL) at $-60\text{ }^\circ\text{C}$ was prepared as described above. The NMR probe was warmed to $0\text{ }^\circ\text{C}$ for 10 min and cooled back to $-60\text{ }^\circ\text{C}$. A ^1H NMR spectrum was obtained and showed that **3** had formed quantitatively. ^1H NMR (CD_2Cl_2 , $-94\text{ }^\circ\text{C}$): δ 7.33-7.30 (m, 4H, *o*- and *m*- BCH_2Ph), 7.20-7.15 (m, 3H, *p*- CH_2Ph and *m*- ZrCH_2Ph , obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 7.02-6.96 (m, 1H, *p*- CH_2Ph , obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.80 (s, 1H, β -pz, $\eta^2\text{-Me}_2\text{pz}$), 6.65 (br s, 1H, *o*- ZrCH_2Ph), 6.16 (br s, 1H, *o*- ZrCH_2Ph), 5.68 (s, 2H, 4-pz), 4.53 (br s, 1H, BH), 2.96 (br s, 2H, ZrCH_2), 2.85 (br s, 2H, BCH_2), 2.38 (s, 6H, 5- Me_2pz), 2.35 (s, 6H, $\eta^2\text{-Me}_2\text{pz}$), 1.83 (br s, 3H, 3- Me_2pz), 1.25 (br s, 3H, 3- Me_2pz). ^1H NMR (CD_2Cl_2 , $-60\text{ }^\circ\text{C}$): δ 7.35-7.31 (m, 4H, *o*- and *m*- BCH_2Ph), 7.21-7.14 (m, 3H, *p*- CH_2Ph and *m*- ZrCH_2Ph , obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.99 (m, 1H, *p*- CH_2Ph , obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.83 (s, 1H, β -pz, $\eta^2\text{-Me}_2\text{pz}$), 6.36 (br d, $J = 5.7$, 2H, *o*- ZrCH_2Ph), 5.73 (s, 2H, 4-pz), 4.77 (br s, 1H, BH), 3.02 (br s, 2H, ZrCH_2), 2.90 (br s, 2H, BCH_2), 2.42 (s, 6H, 5- Me_2pz), 2.38 (s, 6H, $\eta^2\text{-Me}_2\text{pz}$), 1.61 (br s, 6H, 3- Me_2pz). ^1H NMR assignments were made based on NOESY experiments. NOESY (CD_2Cl_2 , $-35\text{ }^\circ\text{C}$, δ & δ): major cross peaks 7.34 & 2.94, 7.34 & 2.46, 6.85 & 2.41, 6.33 & 3.07, 5.77 & 2.46, 5.77 & 1.67, 2.94 & 2.46, 2.41 & 1.67. $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2 , $-20\text{ }^\circ\text{C}$): δ 151.5, 151.4, 148.4, 142.5, 135.5, 133.2, 130.3, 129.4, 129.0, 128.4, 125.5, 122.8 ($^1J_{\text{CH}} = 173$, β -pz), 108.6 ($^1J_{\text{CH}} = 177.8$, 4-pz), 74.8 ($^1J_{\text{CH}} = 144$, ZrCH_2), 24.6 (br, BCH_2), 13.2, 13.1 (two Me resonances overlapped). The assignment for BCH_2 was based on an HMQC

experiments. HMQC (CD_2Cl_2 , $-20\text{ }^\circ\text{C}$, ^{13}C δ & ^1H δ): 74.8 & 3.07, 24.6 & 2.94. ^{11}B NMR (CD_2Cl_2 , $-60\text{ }^\circ\text{C}$): $\delta -1.3$.





Figure S2. VT NMR spectra of **3**

X-ray quality crystals of **3** were obtained from toluene mixture at $-80\text{ }^\circ\text{C}$. The detailed procedure is described below. A valved NMR tube was charged with **1** (5.0 mg, 0.0076 mmol) and $[\text{Ph}_3\text{C}][[\text{B}(\text{C}_6\text{F}_5)_4]$ (7.0 g, 0.0076 mmol), and toluene- d_8 (0.7 mL) was added by vacuum transfer at $-78\text{ }^\circ\text{C}$. The tube was shaken at this temperature and an orange oil formed on the bottom of the tube. The tube was warmed to $23\text{ }^\circ\text{C}$ for 20 min

and kept at $-80\text{ }^{\circ}\text{C}$. After 3 months, yellow X-ray quality crystals formed on the bottom of the tube.



A flask was charged with **1** (100 mg, 0.15 mmol) and $[\text{Ph}_3\text{C}][\text{B}(\text{C}_6\text{F}_5)_4]$ (139 mg, 0.15 mmol). Methylene chloride (8 mL) was added by vacuum transfer at $-78\text{ }^{\circ}\text{C}$. The mixture was warmed to $0\text{ }^{\circ}\text{C}$ and stirred for 15 min yielding a yellow solution. The solution was frozen at $-196\text{ }^{\circ}\text{C}$, and PMe_3 (0.45 mmol, 3 equiv) was added by vacuum transfer from a calibrated gas bulb. The mixture was warmed to $23\text{ }^{\circ}\text{C}$ yielding an orange solution. The solution was concentrated to ca. 3 mL under vacuum at $0\text{ }^{\circ}\text{C}$. Hexanes (10 mL) was added by vacuum transfer at $-78\text{ }^{\circ}\text{C}$. The mixture was stirred at $23\text{ }^{\circ}\text{C}$ for 5 min and an orange oil formed on the bottom of the flask. The oil was separated from pale yellow supernatant and dried under vacuum to yield an orange solid (160 mg, 81 %).

This material, which was spectroscopically pure, was recrystallized from a mixture of hexanes layered on CH_2Cl_2 yielding X-ray quality crystals. ^1H NMR (CD_2Cl_2): δ 7.37 (t, $J = 7.5$, 2H, *m*-Ph), 7.31 (d, $J = 7.4$, 2H, *o*-Ph), 7.22 (t, $J = 7.2$, 1H, *p*-Ph), 7.03 (t, $J = 7.4$, 2H, *m*-Ph), 6.96 (t, $J = 7.3$, 1H, *p*-Ph), 6.77 (s, 1H, 4-pz), 6.14 (d, $J = 7.4$, 2H, *o*-ZrCH₂Ph), 5.79 (s, 1H, 4-pz), 5.68 (s, 1H, 4-pz), 3.88 (br s, 1H, BH), 3.17 (dd, $J = 15.0$, 4.3; 1H, BCH₂), 2.75 (d, $^3J_{\text{PH}} = 6.3$, 2H, ZrCH₂, assignment confirmed by $^1\text{H}\{^{31}\text{P}\}$ NMR), 2.71 (d, $J = 15.3$, 1H, BCH₂), 2.47 (s, 3H, 3- or 5-*Me*₂pz), 2.44 (s, 3H, 3- or 5-*Me*₂pz), 2.37 (s, 6H, η^2 -*Me*₂pz), 1.77 (s, 3H, 3- or 5-*Me*₂pz), 1.27 (s, 3H, 3- or 5-*Me*₂pz), 1.24 (d, 9H, $^2J_{\text{PH}} = 7.9$, PMe_3). $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 151.3, 150.8, 150.2, 148.10, 148.06, 142.5, 132.9 ($^3J_{\text{PC}} = 5$, *ipso*-ZrCH₂Ph), 132.4, 131.2, 129.1, 129.0, 128.5, 125.9, 122.0, 108.7, 108.2, 69.9 ($^2J_{\text{PC}} = 5$, $J_{\text{CH}} = 138$, ZrCH₂), 25.2 (br, BCH₂, the assignment

was based on an HMQC experiment), 14.7 (d, $^1J_{PC} = 19$, PMe_3), 14.5, 13.62, 13.60, 13.0, 11.9. HMQC (CD_2Cl_2 , ^{13}C δ & ^1H δ): 25.2 & 3.17, 69.9 & 2.75, 25.2 & 2.71. ^{11}B NMR (CD_2Cl_2): δ -2.0. ^{31}P NMR (CD_2Cl_2): δ 18.8. Anal. Calcd for $\text{C}_{56}\text{H}_{45}\text{B}_2\text{F}_{20}\text{N}_6\text{PZr}$: C, 50.73; H, 3.42; N, 6.34. Found: C, 50.48; H, 3.60; N, 6.26.

Generation of $[\text{Tp}^*\text{Zr}(\text{CMe}=\text{CMeCMe}=\text{CMeCH}_2\text{Ph})(\text{CH}_2\text{Ph})][\text{B}(\text{C}_6\text{F}_5)_4]$ (4**).**

A solution of **2** (0.011 mmol) in CD_2Cl_2 (0.59 mL) at -60 °C was prepared as described above. 2-Butyne (0.065 mmol, 6 equiv) was added by vacuum transfer from a calibrated gas bulb at -196 °C. The tube was warmed to -78 °C, shaken vigorously at this temperature for ca. 1 min to produce a red solution, and placed in an NMR probe that had been precooled to -60 °C. NMR spectra showed that **4** had formed quantitatively. Free unreacted 2-butyne (4 equiv) was observed in the spectra. ^1H NMR (CD_2Cl_2 , -60 °C): δ 7.27 (t, $J = 7.4$, 2H, *m*-Ph), 7.22-7.11 (m, 5H, *o*-, *m*- and *p*-Ph, obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.84 (t, $J = 7.4$, 1H, *p*-Ph), 6.17 (d, $J = 7.5$, 2H, *o*-Zr CH_2Ph), 6.04 (s, 1H, 4-pz), 5.95 (s, 1H, 4-pz), 5.77 (s, 1H, 4-pz), 4.45 (br s, 1H, BH), 3.81 (d, $J = 15.1$, 1H, CMeCH_2Ph), 3.34 (d, $J = 15.0$, 1H, CMeCH_2Ph), 2.94 (d, $J = 8.3$, 1H, Zr CH_2Ph), 2.80 (d, $J = 8.3$, 1H, Zr CH_2Ph), 2.42 (s, 3H, Me), 2.38 (s, 3H, Me), 2.24 (s, 6H, overlapped two different Me's), 2.16 (s, 3H, Me), 2.14 (s, 3H, Me), 2.10 (s, 3H, Me), 1.90 (s, 3H, Me), 1.87 (s, 3H, Me), 1.58 (s, 3H, Me). $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2 , -60 °C): δ 201.0 (ZrCMe=), 154.2, 151.6, 151.5, 150.9, 149.6, 147.21, 147.15, 139.1, 137.2, 135.6, 132.4, 130.5, 129.0, 128.2, 128.1, 128.0, 126.0, 108.9 (4-pz), 108.6 (4-pz), 106.9 (4-pz), 78.2 ($^1J_{\text{CH}} = 140$, Zr CH_2), 41.1 ($^1J_{\text{CH}} = 123$, CMeCH_2Ph), 21.8, 21.3, 17.3, 15.1, 14.6, 13.4, 13.0, 12.6, 12.5, 5.4. ^{11}B NMR (CD_2Cl_2 , -60 °C): δ -8.0.

Hydrolysis of 4. A solution of **4** (0.011 mmol) in CD₂Cl₂ (0.59 mL) was prepared as described above, and cooled to -78 °C. A drop of water was added. The mixture was slowly warmed to room temperature while the tube was vigorously shaken. The volatiles were vacuum transferred to another valved NMR tube. NMR and GC-MS showed that toluene and 2-butyne were present in the volatiles. The white solid that remained after removal of the volatiles was dissolved in CH₂Cl₂ and filtered through alumina. The alumina was washed with pentane (2 mL). The filtrate and wash were combined and evaporated to dryness yielding a white wax. The wax was extracted with pentane. The pentane extract was dried under vacuum and dissolved in CD₂Cl₂ for NMR and GC-MS analysis. ¹H NMR and GC-MS showed that the extract contained Ph₃CCH₂Ph and (*Z,E*)-2,3,4-trimethyl-1-phenyl-2,4-hexadiene. The same procedure was repeated except that D₂O was used instead of water. The product from deuterolysis contained (*Z,E*)-5-deutero-2,3,4-trimethyl-1-phenyl-2,4-hexadiene.

Data for (*Z,E*)-2,3,4-trimethyl-1-phenyl-2,4-hexadiene: ¹H NMR (CD₂Cl₂): δ 7.29-7.12 (m, 5H, *o*-, *m*- and *p*-Ph, obscured with Ph₃CCH₂Ph), 5.23 (qq, *J* = 6.8, 1.5, 1H, =CHMe), 3.40 (s, 2H, CH₂), 1.75 (q, *J* = 0.8, 3H), 1.71 (dq, *J* = 1.2, 1.2, 3H MeHC=CMeCMe=CMeCH₂Ph), 1.61 (dq, *J* = 6.8, 1.2, 3H, =CHMe), 1.53 (q, *J* = 0.8, 3H). GC/MS: *m/z* 200 (M⁺), 185, 171, 156, 143, 128, 115, 109, 91, 77, 67, 55.

Data for (*Z,E*)-5-deutero-2,3,4-trimethyl-1-phenyl-2,4-hexadiene: ¹H NMR (CD₂Cl₂): δ 7.24-7.17 (m, 5H, *o*-, *m*- and *p*-Ph, obscured with Ph₃CCH₂Ph), 3.40 (s, 2H, CH₂), 1.74 (q, *J* = 1.1, 3H), 1.71 (tq, ⁴*J*_{DH} = 1.4, ⁵*J*_{HH} = 1.4, 3H, MeDC=CMeCMe=CMeCH₂Ph), 1.60 (br m, 3H, =CDMe), 1.52 (q, *J* = 1.1, 3H). GC/MS: *m/z* 201 (M⁺), 186, 171, 156, 143, 129, 115, 110, 91, 77, 65.

Generation of $[\{(\text{PhCH}_2)(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2\}\text{Zr}(\text{CMe}=\text{CMeCMe}=\text{CMeCH}_2\text{Ph})(\eta^2\text{-Me}_2\text{pz})][\text{B}(\text{C}_6\text{F}_5)_4]$ (5**).** A solution of **3** (21.5 mg, 0.033 mmol) in CD_2Cl_2 (0.64 mL) at $-60\text{ }^\circ\text{C}$ was prepared as described above. 2-Butyne (0.070 mmol, 2.17 equiv) was added by vacuum transfer from a calibrated gas bulb at $-196\text{ }^\circ\text{C}$. The tube was warmed to $23\text{ }^\circ\text{C}$ for 10 min to produce a yellow solution. The ^1H NMR spectrum showed that **5** (0.027 mmol, 83 %), *cis*- β -methylstyrene (0.0054 mmol, 17 %) and $[\{(\text{CH}_2\text{Ph})(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2\}\text{Zr}(\eta^2\text{-Me}_2\text{pz})(\eta^5\text{-C}_5\text{Me}_5)][\text{B}(\text{C}_6\text{F}_5)_4]$ (**6**) (0.0054 mmol, 17 %) had formed. These data imply quantitative formation of **5** from the reaction of **3** and 2 equiv of 2-butyne followed by fast reaction of 0.17 equiv of **5** with 2-butyne to form 0.17 equiv of **6** and *cis*- β -methylstyrene. Data for **5**: ^1H NMR (CD_2Cl_2): δ 7.27-6.64 (m, 8H, *o*-, *m*- and *p*-Ph, obscured with $\text{Ph}_3\text{CCH}_2\text{Ph}$), 6.83 (d, 2H, $J = 7.5$, *o*-Ph) 6.82 (s, 1H, β -pz), 5.97 (s, 2H, 4-pz), 5.89 (br s, 1H, BH), 3.14 (br s, 2H, $-\text{CMeCH}_2\text{Ph}$), 3.02 (d, $J = 2.5$, 2H, BCH_2Ph), 2.58 (s, 6H), 2.49 (s, 6H), 2.21 (br s, 6H), 1.90 (s, 3H), 1.72 (s, 3H), 1.69 (s, 3H), 1.58 (br s, 3H). $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 211.2 (Zr-C), 152.5, 151.3, 149.1, 144.0, 142.0, 138.3, 129.3, 129.1, 129.0, 128.71, 128.68, 127.3 125.6, 125.5, 121.5 (β -pz), 109.4 (4-pz), 43.8 $-\text{CMeCH}_2\text{Ph}$), 24.9 (br, BCH_2), 21.4, 20.0, 18.8, 16.3, 13.9, 13.6, 13.5. ^{11}B NMR (CD_2Cl_2): δ -2.1 .

Generation of $[\{(\text{PhCH}_2)(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2\}\text{Zr}(\eta^2\text{-Me}_2\text{pz})(\eta^5\text{-C}_5\text{Me}_5)][\text{B}(\text{C}_6\text{F}_5)_4]$ (6**).** **Method A.** A solution of **3** (0.011 mmol) in CD_2Cl_2 (0.61 mL) at $-60\text{ }^\circ\text{C}$ was prepared as described above. 2-Butyne (0.065 mmol, 6 equiv) was added by vacuum transfer from a calibrated gas bulb at $-196\text{ }^\circ\text{C}$. The tube was warmed to $20\text{ }^\circ\text{C}$ for 10 min

to produce a red solution. NMR spectra showed that **6** and *cis*- β -methylstyrene⁴ had formed quantitatively. Data for **6**: ¹H NMR (CD₂Cl₂): δ 7.19 (t, J = 7.4, 2H, *m*-Ph), 7.13 (t, J = 7.3, 1H, *p*-Ph), 6.75 (d, J = 7.2, *o*-Ph), 6.36 (s, 1H, β -pz), 6.04 (s, 2H, 4-pz), 3.91 (br s, 1H, BH), 2.78 (br d, J = 3.0, 2H, BCH₂), 2.46 (s, 6H), 2.26 (s, 6H), 2.23 (s, 6H), 1.89 (s, 15H). ¹³C{¹H} NMR (CD₂Cl₂): δ 154.1, 149.6, 147.8, 141.8, 129.1, 128.9, 128.6, 125.7, 120.6, 110.6, 24.8 (br, BCH₂), 14.9, 13.7, 13.3, 12.2 (C₅Me₅). ¹¹B NMR (CD₂Cl₂): δ -2.7.

Method B. A mixture of **5** (0.027 mmol, 0.83 equiv), *cis*- β -methylstyrene (0.0054 mmol, 0.17 equiv) and **6** (0.0054 mmol, 0.17 equiv) at 23 °C was prepared as described above. Additional 2-butyne (0.049 mmol, 1.5 equiv) was added by vacuum transfer from a calibrated gas bulb at -196 °C. The tube was warmed to 23 °C for 10 min to produce a red solution. NMR spectra showed that **6** and *cis*- β -methylstyrene had formed quantitatively. The compound was identical in all respects to that prepared by method A.

Independent generation of 6. A solution of **3** (0.0076 mmol) in CD₂Cl₂ (0.59 mL) at 0 °C was prepared as described above. A solution of 1,2,3,4,5-pentamethylcyclopentadiene (30.5 μ l of 0.25 M solution in CH₂Cl₂, 0.0076 mmol) was added by syringe at 23 °C. The ¹H NMR spectrum showed that **6** and toluene had formed quantitatively.

⁴ Data for *cis*- β -methylstyrene: ¹H NMR (CD₂Cl₂): δ 7.35-7.20 (m, 5H), 6.43 (dq, J = 11.7, 1.8, 1H), 5.80 (dq, J = 11.6, 7.2, 1H), 1.89 (dd, J = 7.1, 1.9, 3H, Me). GC/MS: m/z 118, 117(M⁺), 116, 115, 103, 91, 77, 65, 58, 51.

Hydrolysis of 5. The same procedure for hydrolysis of **4** was used for hydrolysis of **5**. Hydrolysis of **5** produced (*Z,E*)-2,3,4-Trimethyl-1-phenyl-2,4-hexadiene and deuterolysis produced (*Z,E*)-5-deutero-2,3,4-trimethyl-1-phenyl-2,4-hexadiene.

$\{(\text{PhCH}_2)(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2\}\text{Zr}(\eta^2\text{-Me}_2\text{pz})(\eta^5\text{-C}_5\text{Me}_5)(\text{Cl})$ (**7**). A flask was charged with **1** (170 mg, 0.26 mmol) and $[\text{Ph}_3\text{C}][\text{B}(\text{C}_6\text{F}_5)_4]$ (240 mg, 0.26 mmol). Methylene chloride (10 mL) was added by vacuum transfer at -78 °C. The mixture was warmed to 0 °C and stirred yielding a yellow solution. After 15 min, a solution of 1,2,3,4,5-pentamethylcyclopentadiene (0.040 ml, 0.26 mmol) in CH_2Cl_2 (10 mL) was added by cannula transfer at 0 °C. The resulting yellow solution was stirred for 10 min and the volatiles were removed under vacuum yielding a foamy yellow solid. Toluene (20 mL) was added to the solid and a yellow oil separated. The yellow oil was separated, washed with hexanes (20 mL), and dried under vacuum to yield a yellow solid, which was identified as **6** by ^1H NMR. This material was transferred to another flask, and benzyltributylammonium chloride (80 mg, 0.26 mmol) was added. Methylene chloride (10 mL) was added by vacuum transfer at -78 °C. The solution was warmed to 23 °C and stirred for 20 h yielding a colorless solution. The volatiles were removed under vacuum yielding a white solid. The white solid was extracted with hexanes (5 x 30 mL). The extracts were combined, concentrated to 30 mL, and cooled to -35 °C for 3 days. A crystalline colorless solid formed. The solid was collected by filtration (1st crop, 65.5 mg, 39 %). This material, which was spectroscopically pure, was recrystallized from saturated methylene chloride solution yielding X-ray quality crystals. The filtrate was concentrated to 10 mL and kept at -35 °C. A colorless solid formed after 3 days and was collected by filtration (2nd crop, 22.1 mg, 13 %, total 52 %). ^1H NMR (CD_2Cl_2): δ 7.32

(d, $J = 7.4$, 2H, *o*-Ph), 7.26 (t, $J = 7.6$, 2H, *m*-Ph), 7.16 (t, $J = 7.2$, 1H, *p*-Ph), 5.84 (s, 1H, 4-pz), 5.66 (s, 1H, 4-pz), 5.32 (s, 1H, 4-pz), 3.18 (dd, $J = 14.9, 3.4$, 1H, CH₂), 2.68 (d, $J = 15.0$, 1H, CH₂), 2.61 (br s, 1H, BH), 2.52 (s, 3H), 2.48 (s, 3H), 2.27 (s, 3H), 2.26 (s, 3H), 1.97 (s, 3H), 1.92 (s, 3H), 1.55 (s, 15H). ¹³C{¹H} NMR (CD₂Cl₂): δ 151.4, 148.5, 144.4, 144.1, 143.7, 142.6, 141.8, 129.8, 128.8, 125.2, 123.9, 110.7 (4-pz), 109.9 (4-pz), 106.4 (4-pz), 26.4 (br, BCH₂), 15.4, 13.7, 13.3, 13.2, 12.9, 12.5, 11.7 (C₅Me₅). ¹¹B NMR (CD₂Cl₂): δ -2.7. Anal. Calcd for C₃₂H₄₄BClN₆Zr: C, 59.11; H, 6.82; N, 12.92. Found: C, 59.27; H, 6.92; N, 12.68.

Ethylene Polymerization by 2. A solution of **2** (10.8 μmol) in CD₂Cl₂ (0.59 mL) was prepared as described above. Ethylene (480 μmol, 44 equiv) was added by vacuum transfer from a calibrated gas bulb at -196 °C. The tube was warmed to -78 °C and shaken vigorously at this temperature for ca. 10 min to produce white precipitate. The mixture was quenched with 1 mL of methanol. The white precipitate was collected by filtration, dissolved in 1,2-C₆D₄Cl₂ and analyzed by ¹H and ¹³C NMR at 110 °C. ¹H and ¹³C NMR analysis confirmed the white precipitate was linear polyethylene (Fig. S3 and S4).

Ethylene Polymerization by 3. A solution of **3** (7.7 μmol) in CD₂Cl₂ (0.60 mL) was prepared as described above. Ethylene (385 μmol, 50 equiv) was added by vacuum transfer from a calibrated gas bulb at -196 °C. The tube was warmed to -78 °C, shaken vigorously at this temperature for ca. 10 min to produce white precipitate. The mixture was quenched with 1 mL of methanol. The white precipitate was collected by filtration, dissolved in 1,2-C₆D₄Cl₂ and analyzed by ¹H and ¹³C NMR at 110 °C. ¹H and ¹³C NMR analysis confirmed the white precipitate was linear polyethylene (Fig S5 and S6).

polyethylene from $\text{Tp}^*\text{ZrBn}2^+$
110 C, 1,2- $\text{C}_6\text{D}_4\text{Cl}_2$ (TMS calibrated), hazy mix




Figure S3. ^1H NMR spectrum (110 °C in 1,2- $\text{C}_6\text{D}_4\text{Cl}_2$) of polyethylene produced from **2** at -78 °C

polyethylene from $\text{Tp}^*\text{ZrBn}2+$
 110 C, 1,2- $\text{C}_6\text{D}_4\text{Cl}_2$ (TMS calibrated), hazy mix




Figure S4. $^{13}\text{C}\{^1\text{H}\}$ NMR spectrum (110 °C in 1,2- $\text{C}_6\text{D}_4\text{Cl}_2$) of polyethylene produced from **2** at -78 °C

polymer from rearr. pr.
110 C, 1,2-C6D4Cl2 (TMS calibrated)

Current Data Parameters
NAME h1383.03
EXPNO 1
PROCNO 1

F2 - Acquisition Parameters
Date_ 20040929
Time 11.46
INSTRUM spect
PROBHD 5 mm Multinu
PULPROG zg
TD 32768
SOLVENT CDCl3
NS 4
DS 0
SWH 8012.820 Hz
FIDRES 0.244532 Hz
AQ 2.0447731 sec
RG 362
DM 62.400 usec
DE 7.00 usec
TE 300.0 K
D1 30.00000000 sec
P1 7.70 usec
SFO1 400.1328009 MHz
NUC1 1H
PL1 -6.00 dB

F2 - Processing parameters
SI 32768
SF 400.1299614 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1D NMR plot parameters
CX 20.00 cm
F1P 6.500 ppm
F1 2600.84 Hz
F2P -0.500 ppm
F2 -200.07 Hz
PPMCH 0.35000 ppm/cm
HZCM 140.04549 Hz/cm




Figure S5. ^1H NMR spectrum (110 °C in 1,2- $\text{C}_6\text{D}_4\text{Cl}_2$) of polyethylene produced from **3** at -78 °C

polymer from rearr. pr.
110 C. C12C6D4, cloudy mix

```
Current Data Parameters
NAME      h1383.c3
EXPNO     1
PROCNO    1

F2 - Acquisition Parameters
Date_     20040929
Time      11.52
INSTRUM   spect
PROBHD    5 mm Multinu
PULPROG   zgpg
TD         60418
SOLVENT   C6D6
NS         2009
DS         0
SWH        30211.480 Hz
FIDRES     0.500041 Hz
AQ         0.9999679 sec
RG         9195.2
DM         16.550 usec
DE         23.64 usec
TE         300.0 K
d11        0.03000000 sec
PL12       20.00 dB
CPDPRG2   waltz16
PCPD2      105.00 usec
SF02       400.1516005 MHz
NUC2       1H
PL2        120.00 dB
D1         0.10000000 sec
P1         2.80 usec
SF01       100.6217841 MHz
NUC1       13C
PL1        -6.00 dB

F2 - Processing parameters
SI         16384
SF         100.6127305 MHz
MDW        EM
SSB        0
LB         1.00 Hz
GB         0
PC         1.00

1D NMR plot parameters
CX         20.00 cm
F1P        120.000 ppm
F1         12073.53 Hz
F2P        0.000 ppm
F2         0.00 Hz
PPMCM      6.00000 ppm/cm
HZCM       603.67639 Hz/cm
```




Figure S6. ¹³C{¹H} NMR spectrum (110 °C in 1,2-C₆D₄Cl₂) of polyethylene produced from **3** at -78 °C


II. X-Ray Crystallography

Crystallographic data are summarized in Tables S1. Full details are provided in the accompanying cif files. Data were collected on a Bruker Smart Apex diffractometer using Mo K α radiation (0.71073 Å). Non-hydrogen atoms were refined with anisotropic displacement coefficients. All hydrogen atoms were included in the structure factor calculation at idealized positions and were allowed to ride on the neighboring atoms with relative isotropic displacement coefficients. The B(C₆F₅)₄⁻ anion, hydrogen atoms except the μ -BH-Zr, and solvent molecules are omitted from the ORTEP diagrams. All ORTEP diagrams have been drawn with 50% probability ellipsoids. Specific comments for each structure are as follows.

Tp*Zr(CH₂Ph)₃ (1). Single crystals of **1** were obtained by recrystallization from pentane at -35 °C. The space group was determined as P1(bar) based on systematic absences and intensity statistics. Patterson methods were used to locate the Zr atoms. Repeated difference Fourier maps allowed recognition of all expected C, N and B atoms. Following anisotropic refinement of all non-hydrogen atoms, ideal H atom positions were calculated. Final refinement was anisotropic for Zr, C, N and B and isotropic-riding for H atoms. No anomalous bond lengths or thermal parameters were noted.

[(PhCH₂)(H)B(μ -Me₂pz)₂]Zr(η^2 -Me₂pz)(CH₂Ph)][B(C₆F₅)₄] (3). Single crystals of **6** were obtained by recrystallization from toluene-*d*₈ at -80 °C. The space group was determined as P2₁/c based on systematic absences and intensity statistics. Direct methods were used to locate the Zr and many C atoms from the E-map. Repeated difference Fourier maps allowed recognition of all expected C, B and F atoms. Following anisotropic refinement of all non-H atoms, ideal H atom positions were

calculated. Final refinement was anisotropic for Zr, C, F and B and isotropic-riding for H atoms. The residual electron density between Zr and B was assigned to an H atom as expected and its position isotropically refined. No anomalous bond lengths or thermal parameters were noted



Single crystals of $\mathbf{3}\cdot\text{PMe}_3$ were obtained by slow diffusion of hexanes into a concentrated CH_2Cl_2 solution. The space group was determined as $\text{P}2_1/\text{c}$ based on systematic absences and intensity statistics. Patterson methods were used to locate the Zr and some C atoms. Repeated difference Fourier maps allowed recognition of all expected Zr, C, N, P, F and B atoms. A CH_2Cl_2 molecule was poorly resolved. Following anisotropic refinement of all non-H atoms, ideal H atom positions were calculated. Final refinement was anisotropic for all non-H atoms and isotropic-riding for H atoms. The residual electron density between Zr and B was assigned to an H atom as expected and its position isotropically refined. The occupancies for the Cl atoms refined to about 0.96 each. One C-Cl distance was short (1.6 angstroms) and the thermal ellipsoid C atom of the CH_2Cl_2 was large and elongated consistent with solvent disorder. No other anomalous bond lengths or thermal parameters were noted.

$\{(\text{CH}_2\text{Ph})(\text{H})\text{B}(\mu\text{-Me}_2\text{pz})_2\}\text{Zr}(\eta^2\text{-Me}_2\text{pz})(\eta^5\text{-C}_5\text{Me}_5)(\text{Cl})$ (**7**). Single crystals of **7** were obtained by recrystallization from CH_2Cl_2 at 23 °C. The space group was determined as $\text{C}2/\text{c}$ based on systematic absences and intensity statistics. Direct methods were used to locate the Zr, Cl and most C atoms from the E-map. Repeated difference Fourier maps allowed recognition of all expected C, N and Cl atoms. Following anisotropic refinement of all non-H atoms, ideal H atom positions were calculated. The

CH₂Cl₂ solvent is disordered into two positions and refinement of site occupancy factors were close to 0.5 so were set at 0.5. Final refinement was anisotropic for all non-H atoms and isotropic-riding for H atoms. The residual electron density between Zr and B was assigned to an H atom as expected and its position isotropically refined. No anomalous bond lengths or thermal parameters were noted other than slight disorder in the solvent molecule.

Table S1. Summary of X-Ray Diffraction Data for **1** and **3**

	1	3
formula	C ₃₆ H ₄₃ BN ₆ Zr	C ₂₉ H ₃₆ BN ₆ Zr + C ₂₄ F ₂₀ B
formula weight	661.79	1249.72
crystal system	Triclinic	Monoclinic
space group	P1(bar)	P2 ₁ /c
<i>a</i> (Å)	10.654(5)	16.355(6)
<i>b</i> (Å)	12.580(6)	18.565(7)
<i>c</i> (Å)	14.229(7)	16.860(6)
<i>α</i> (°)	97.674(7)	90.0
<i>β</i> (°)	111.169(7)	97.014(6)
<i>γ</i> (°)	106.607(7)	90.0
<i>V</i> (Å ³)	1643.3(14)	5078(3)
<i>Z</i>	2	4
<i>T</i> (K)	100	100
crystal color, habit	orange, fragment	yellow, plate
GOF on <i>F</i> ²	1.038	1.192
R indices [<i>I</i> > 2σ(<i>I</i>)] ^a	R1 = 0.0356, wR2 = 0.0816	R1 = 0.0576, wR2 = 0.1166
R indices (all data) ^a	R1 = 0.0425, wR2 = 0.0839	R1 = 0.0709, wR2 = 0.1224

^aR1 = Σ||F_o| - |F_c|| / Σ|F_o|; wR2 = [Σ[w(F_o² - F_c²)²]/Σ[w(F_o²)²]]^{1/2}, where *w* = q[σ²(F_o²) + (aP)² + bP]⁻¹


Table S2. Summary of X-Ray Diffraction Data for **3·PMe₃** and **7**.

	3·PMe₃ + CH ₂ Cl ₂	7 + 0.5 CH ₂ Cl ₂
formula	C ₃₃ H ₄₅ BN ₆ PZr + C ₂₄ F ₂₀ B + CH ₂ Cl ₂	C ₃₂ H ₄₃ BClN ₆ Zr + 0.5 CH ₂ Cl ₂
formula weight	1410.72 (including solvent)	691.67 (including solvent)
crystal system	Monoclinic	Monoclinic
space group	P2 ₁ /c	C2/c
<i>a</i> (Å)	10.793(2)	20.044(4)
<i>b</i> (Å)	28.245(6)	16.076(3)
<i>c</i> (Å)	19.166(4)	20.135(4)
<i>α</i> (°)	90.0	90.0
<i>β</i> (°)	92.62(3)	92.33(3)
<i>γ</i> (°)	90.0	90.0
<i>V</i> (Å ³)	5837(2)	6483(2)
<i>Z</i>	4	8
<i>T</i> (K)	100	100
crystal color, habit	orange, fragment	clear, prism
GOF on <i>F</i> ²	1.069	0.962
R indices [<i>I</i> > 2σ(<i>I</i>)] ^a	R1 = 0.0527, wR2 = 0.1144	R1 = 0.0382, wR2 = 0.0766
R indices (all data) ^a	R1 = 0.0615, wR2 = 0.1191	R1 = 0.0560, wR2 = 0.0810


^aR1 = Σ||F_o| - |F_c|| / Σ|F_o|; wR2 = [Σ[w(F_o² - F_c²)²]/Σ[w(F_o²)²]]^{1/2}, where w = q[σ²(F_o²) + (aP)² + bP]⁻¹

III. ORTEP Diagrams


Structure of **1**



Structure of the cation of **3**



Structure of the cation of **3**·PMe₃



Structure of 7

