

| Plank Size<br>(Length x Width x Height)  |            | Edge Profile | Finish           | Underlayment                 | Wear layer   | Gloss Level          | Installation          | Radiant Heat                 |
|--|------------|--------------|------------------|------------------------------|--|----------------------|-----------------------|------------------------------|
| 60 in x 9 in<br>1524 X 228 X 6.5mm   |            | Micro Bevel  | EIR              | 1.5mm IXPE                   | 20mil /0.5mm   | 6-8°                 | Floating              | Approved                     |
| WARRANTY   |            | PACKAGING    |                  |                              |  |                      |                       |                              |
| Residential  | Commercial | Length       | Planks PerCarton | Square Footage<br>Per Carton | Carton Dimensions<br>(Length x width x Height)             | Carton<br>Weight     | Cartons Per<br>Pallet | Square Footage<br>Per Pallet |
| 30 Years   | 10 Years   | 60"          | 5                | 18.70 SF                     | 1528 x 232 X 42mm  | 23.9 KG              | 48                    | 897.65 SF                    |
| TESTING  |            |              |                  |                              |  |                      |                       |                              |
| Reference  |            |              |                  | ASTM Norms                   | Test Request   |                      |                       | Result                       |
| Impact Sound Reduction (IIC)   |            |              |                  | ASTM E492- 09                | Based on actual data                                       | Based on actual data |                       | IIC=62*                      |
| Sound Transmission Class (STC)   |            |              |                  | ASTM E90- 09                 | Based on actual data                                       | Based on actual data |                       | STC=63*                      |
| *Sound Ratings were achieved in a lab environment. For accurate sound ratings, on-site testing must be done. |            |              |                  |                              |  |                      |                       |                              |
| Reference  |            |              |                  | ASTM Norms                   | Test Request   |                      |                       | Result                       |
| Residual Indentation   |            |              |                  | ASTM F3261- 17               | Average:Avg. ≤ 0.007 in. (0.18 mm)                         |                      |                       | Pass                         |
| Static Load Limit  |            |              |                  | ASTM F3261- 17               | max loading: 250 lb/in. <sup>2</sup> (1.72mpa)             |                      |                       | Pass                         |
| Dimensional Stability  |            |              |                  | ASTM F3261- 17               | 0.2%/ lineal ft (305mm), max                               |                      |                       | Pass                         |
|  |            |              |                  |                              |  |                      |                       | Pass                         |
| Curling  |            |              |                  | ASTM F3261- 17               | Max 0.080 in. (2mm)  |                      |                       | Pass                         |
| Scratch Resistance   |            |              |                  | ISO 1518- 1:2011             | No penetration with 20N                                    |                      |                       | Pass                         |
| Fire test - Critical radiant flux  |            |              |                  | ASTM E 648- 17a              | Critical Radiant Flux, watts/cm <sup>2</sup> Class I≥ 0.45 |                      |                       | Pass                         |
| Migration of Certain Elements  |            |              |                  | EN 71- 3: 2013+A2:2017       | Not Detected   |                      |                       | Pass                         |
| Migration of Certain Elements Refer to Annex A   |            |              |                  |                              |  |                      |                       |                              |