| Energy Efficiency Information                                      |                     |          |                   |
|--|---------------------|----------|-------------------|
| Attribute  | Symbol              | Value    | Units             |
| Model Identification   |                     | EVCK4    |                   |
| Annual Energy Consumption  | $AEC_{Hood}$        | 100      | kWh               |
| Time increase factor   | f                   | 1.5      |                   |
| Fluid Dynamic Efficiency   | FDE <sub>Hood</sub> | 14.7 (D) |                   |
| Energy Efficiency Index  | EEI <sub>Hood</sub> | 91.0 (D) |                   |
| Measured airflow at Best Efficiency Point                          | $Q_{BEP}$           | 281.4    | m <sup>3</sup> /h |
| Measured Pressure at Best Efficiency<br>Point                      | P <sub>BEP</sub>    | 248      | Pa                |
| Maximum airflow  | Q <sub>MAX</sub>    | 503      | m <sup>3</sup> /h |
| Measured electric power at Best<br>Efficiency Point                | W <sub>BEP</sub>    | 132      | W                 |
| Nominal lighting power   | WL                  | 40       | W                 |
| Average illumination of the lighting system on the cooking surface | E <sub>Middle</sub> | 414      | Lux               |
| Measured power consumption in standby                              | $P_{S}$             | 0.99     | W                 |
| Measured power consumption off mode                                | P <sub>O</sub>      | NA       | W                 |
| Sound power level  | L <sub>WA</sub>     | 62       | dBA               |
| Grease Filter Efficiency   | GFE <sub>Hood</sub> | 45 (G)   | %                 |
| Lamp efficiency  | LE <sub>Hood</sub>  | 10.4 (E) | %                 |