


FOUL SEWER KEY

- TP = P8 TREATMENT PLANT
- PC = PUMPING CHAMBER
- TH = TRIAL HOLE
- T1 = T TEST
- P1 = P TEST
- MH = MANHOLE
- DB = DISTRIBUTION BOX

NOTE:
 PROPOSED 144 sq/m POILISHING FILTER WITH PUMPED DISCHARGE, BY WAY OF 50mm DISTRIBUTION PIPE, TO 32mm Dia. LATERALS WITH 4-6 mm Dia DRIFICES (0.6m APART) @ 0.6m SPACING BETWEEN LATERALS FACING DOWNWARDS OVER A 200mm LAYER OF GRAVEL.
 PROPOSED 144 sq/m RAISED-SOIL POILISHING FILTER.

Site Layout Plan

TITLE : PROPOSED DWELLING HOUSE & GARAGE.
 LOCATION : DROMCLOGH WEST, BANTRY, CO. CORK.
 FOR : CHRISTY CROWLEY.
 DATE : JANUARY 2014 SCALE : 1:500



CHRISTY CROWLEY
 REENROUR
 Bantry, Co. Cork.
 Tel 027 51098
 Mob. 087/9227960
 Email : crowleycrowley@eircom.net
 B.S.c Arch.Tec. MCIAT.ICIOB. Planning & Design