



Lounge chair with upholstered shell and arms and aluminum swivel 4-star base with self-return and finished in polished aluminum, white or black. Additional options include: tilt mechanism.

 0,74  23,4  1

| | Back height | Seat height | Arm height | Width | Depth |
|------------------------|--|-------------|------------|-------|-------|
| Measures mm. | 1.020 | 410 | 620 | 820 | 820 |
| Frame | 4-star aluminum central swivel base with self-return system and finished in polished aluminum, white or black. Polished aluminum plate fixes the base to the seat. Central column is a 52 mm. aluminum tube with integrated self-return. Polypropylene glides. | | | | |
| Seat | Solid beech structure with polypropylene elastic straps. | | | | |
| Back | Beech plywood shell with flexible flame retardant foam with density between 55 lb/ft3 and 88 lb/ft3 (25 kg/m3 and 40 kg/m3). | | | | |
| Arms | Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3. | | | | |
| Other materials | Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. | | | | |
| Accessories | Polypropylene, felt or steel glides. | | | | |
| Resistance and Quality | ISO 9001 UNE-EN 16139 | | | | |

| | |
|----------------|--|
| Fireproof | BS 5852 Part 2 Crib 5 |
| | California Technical Bulletin 117 |
| | UNE-EN 1021-1 & 2 |
| | UNI 9175 (class 1 IM) |
| Sustainability | ISO 14001 |
| | ISO 14001 |
| | level® 1 certified to ANSI/BIFMA e3 Standard |