Energy performance certificate (EPC)

Unit 15 St. James Mill Business Park Millbrook Close NORTHAMPTON NN5 5JF	Energy rating **C**	Valid until:	**4 August 2036**
		Certificate number:	**0182-6050-5705-0278-5179**

Property type	General Industrial and Special Industrial Groups
Total floor area	161 square metres


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

You can read guidance for landlords on the regulations and exemptions (https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built — 16 A

If typical of the existing stock — 64 C

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation

Assessment level	3
Building emission rate (kgCO2/m2 per year)	8.9
Primary energy use (kWh/m2 per year)	96

▶ About primary energy use

Recommendation report

Guidance on improving the energy performance of this property can be found in the recommendation report (/energy-certificate/4091-1003-2588-1362-0516).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Joe Davies
Telephone	07977 513353
Email	joe.davies@meessolutions.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	CIBSE Certification Limited
Assessor's ID	LCEA206152
Telephone	020 8772 3649
Email	epc@cibsecertification.org

About this assessment

Employer	MEES Solutions
Employer address	85 Great Portland Street First Floor London W1W 7LT
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	30 July 2026
Date of certificate	5 August 2026

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at mhclg.digital-services@communities.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

Certificate number	0530-0032-9039-3924-3006 (/energy-certificate/0530-0032-9039-3924-3006)
Expired on	9 May 2022

OGL

All content is available under the Open Government Licence v3.0 (https://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/), except where otherwise stated



© Crown copyright (https://www.nationalarchives.gov.uk/information-management/re-using-public-sector-information/uk-government-licensing-framework/crown-copyright/)