

Energy performance certificate (EPC)

3 Cambridge Terrace
St James Road
BRACKLEY
NN13 7XY

Energy rating

C

Valid until: 28 April 2035

Certificate number: 0321-4179-8211-7486-0705

Property type General Industrial and Special Industrial Groups


Total floor area 255 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

6 A

If typical of the existing stock

25 A

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	21.54
Primary energy use (kWh/m ² per year)	228

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/8515-3979-6606-4628-6515\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Gregory Broadbent
Telephone	07812125787
Email	g.broadbent@gesltd.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/022286
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Godfreys Estate Service Ltd
Employer address	3 Snake Lane, Duffield, DE56 4FF
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	25 April 2025
Date of certificate	29 April 2025