

Energy performance certificate (EPC)

Unit 6
Haslemere Heathrow Estate
Silver Jubilee Way
Hounslow
TW4 6NF

Energy rating

C

Valid until: 10 April 2034

Certificate number: 7218-5898-4616-3440-6692


Property type	Storage or Distribution
Total floor area	2,170 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

12 A

If typical of the existing stock

49 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	5.79
Primary energy use (kWh/m2 per year)	61

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/7060-3895-8868-4876-2071\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Levent Ulfet
Telephone	02081508288
Email	inform@epcexpert.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/016196
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	EPC Expert Ltd (www.EpcExpert.com)
Employer address	The Enterprise Centre Cranborne Road Potters Bar EN6 3DQ
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	11 April 2024
Date of certificate	11 April 2024