

Energy performance certificate (EPC)

1 Cantelupe Road BEXHILL-ON-SEA TN40 1JG	Energy rating E	Valid until: 24 February 2029
		Certificate number: 0220-2943-0318-5930-9004


Property type	D1 Non-residential Institutions - Primary Health Care Building
Total floor area	230 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is E.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built



If typical of the existing stock



Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	56.32
Primary energy use (kWh/m2 per year)	326

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/9250-4032-0481-0900-9325\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Andrew Gent
Telephone	01604 676005
Email	andy@bakerlile.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/019617
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	BakerLile - www.epcpartnership.com
Employer address	BakerLile 10 The Choakles Wootton Northampton NN4 6AP
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	21 February 2018
Date of certificate	25 February 2019