



**LEVEL 04**

■ AREAS OUT OF DEMISE

**Total Demise: 372.6m<sup>2</sup>**  
Occupational Density at 1:8\* with 46 person occupancy as shown with:

- 32 Desks
- 1 x 6P Meeting Room
- 2 x 4P Meeting Room
- 1 x Teapoint
- 2 x Collaboration Areas
- 1 x Reception & Welcome Area
- 1 x Comms Room

BCO guidance on workspace allocation in speculative office design recommends 10m<sup>2</sup> per person as the standard occupational density. The previous high-density benchmark of 8m<sup>2</sup> per person is now classified as a special use case for exceptional scenarios. This layout shown currently achieves 1:8.

**GENERAL NOTES**

- Drawing produced from survey produced by others. All dimensions to be reviewed and checked on site.
- Door swing/s to be reviewed by Building Control.
- Layouts to be reviewed with Building Control and a Fire Engineer.
- Ceilings and RCP's have not been considered for the purpose of this Test Fit Space Plan
- All IT/AV to be coordinated by Virtus including sufficient support patressing cabling, fixtures and fittings.
- All underfloor power and positioning to be carried out by Virtus in collaboration with MEP and raised floor pedestals / furniture suppliers' cable management.
- Occupational density shown provisionally - TBC once layout is agreed. Area calculations are estimated within this test fit / study and subject to change following Site review.

**Notes**

1. All dimensions are to be verified by the Contractor on site, any discrepancies in this drawing are to be reported to Aros Ltd.
2. The Contractor shall not vary any work shown on this drawing without prior approval in writing from Aros Ltd.
3. The Contractor shall supply a full set of shop drawings and specifications prior to commencement of work.
4. This drawing supersedes all previous issues of the same drawing number with an earlier revision suffix.
5. The Contractor shall immediately inform Aros Ltd of the effect upon the programme and costs of any alterations to the proposed works shown on this drawing
6. This drawing is the copyright of Aros Ltd and the contents must not be disclosed to other parties without prior agreement.

**Revisions**

Rev	Date	Drawn	Checked	Description
P01	14.07.25	KN	KN	ISSUED FOR INFORMATION
P02	15.07.25	KN	KN	UPDATED TO CLIENT COMMENTS
P03	15.08.25	KN	KN	UPDATED TO CLIENT COMMENTS

# Aros

**Aros Architects**  
Jerwood Space  
171 Union Street  
London SE1 0LN

**Telephone**  
+44(0)20 7928 2444  
**Facsimile**  
+44(0)20 7928 2450

**Email**  
info@arosarchitects.com  
**Website**  
www.arosarchitects.com

Contractor

Project  
**64 CORNHILL - LEVEL 4 AND 7**

Title  
**PROPOSED TEST FIT SPACE PLAN - LEVEL 04**

Status  
**FOR INFORMATION**

Drawn by	Checked by	Date
KN	KN	JUL 25
Project No	Scale	
6498	1:50@A1	
Drawing No		Rev
104		P03