


39,429 SQ FT OF RE-IMAGINED WORKSPACE REMAINING

AVAILABLE NOW AS CAT A OR FULLY FITTED




























### SCHEDULE OF AREAS

FLOOR	SIZE		CONDITION
	SQ FT	SQ M	
10	4,095	380	
09			
08	POI		
07	NYETIMBER PRODUCT OF ENGLAND		
06	UNDER OFFER		
05	6,407	595	
04	6,407	595	
03	6,408	595	FULLY FITTED
02	6,408	595	
01	6,409	595	
GROUND - OFFICE	3,295	306	
GROUND - RECEPTION	2,636	245	
TOTAL AVAILABLE	39,429	3,670	


















#### STATE OF THE ART END OF TRIP FACILITIES





Five at Heart equipped end of trip facilities

7 new showers



Male & female changing rooms




Cycle store





Fibre backbone connectivity




New VRF air conditioning



Five at Heart equipped end of trip



Business lounge and coffee station




New LED lighting



Fit out available on request




Drying cupboard



Floor-to-ceiling glazing





# GROUND FLOOR

OFFICE: 3,295 SQ FT • 306 SQ M



- Core
- Office
- Reception and business lounge
- Coffee stall

Palmer Street

# TYPICAL FLOOR

FIRST - EIGHTH

OFFICE: 6,408 SQ FT • 595 SQ M



# UUU DDD 0000

Palmer Street

# FULLY FITTED

#### THIRD FLOOR

#### **FACILITIES**

Desks

Person boardroom

Person meeting room

Person meeting room

Person meeting room

Large breakout / kitchen area

phone booths

Agile work stations

High quality waiting area









Palmer Street

# TENTH FLOOR

OFFICE: 4,188 SQ FT • 389 SQ M







# female changing room male changing room Palmer Street

# LOWER GROUND

#### **FACILITIES**

Showers

Indoor cycle spaces

Outdoor cycle spaces

Indoor secure lockers

Indoor folding cycle lockers






# THE NEIGHBOURHOOD

A tranquil local neighbourhood for those in the know, with a rich and varied array of amenities within a short walk.









#### FOOD, DRINK & LEISURE

- 1 Caxton Grill
- 2 St Ermin's Hotel
- 3 Urban Greens
- 4 Chez Antoinette
- 5 Royal Artisan Bakery
- 6 Buckingham Arms
- 7 Bistro
- 8 The Feathers
- Onrad London
- 10 Royal Quarter Natural Food Hall
- 11 Pret A Manger
- 12 Quilon
- 13 Ravello Coffee
- 14 Curzon Victoria
- 15 Strutton Ground Market
- 16 Blanche Eatery

- 17 The Speaker
- 18 The Ivy
- 19 Iberica
- 20 Cardinal Place Food Quarter
- 21 Cinnamon Club
- 22 Phoenix
- 23 The Resident Hotel
- 24 Flight Club
- Victoria Palace
  Theatre
- 26 Sticks'n'Sushi
- 27 Nova Food Court
- 28 Park Plaza
- 29 The Clermont Hotel

#### **PARKS**

- 1 Green Park
- 2 St James's Park
- 3 Dean's Yard

- 4 Parliament Square Garden
- 5 Christchurch Gardens
- 6 Victoria Memorial

#### **OCCUPIERS**

- 1 Gates Foundation
- 2 Boeing UK
- 3 Jimmy Choo
- 4 Tom Ford
- 5 BLL
- 6 Channel 4
- 7 Wellington Management
- 8 Cambridge Associates

- 9 Baringa
- 10 Millenium Capital
- 11 Giorgio Armani
- 12 The Telegraph
- 13 Google
- 14 Neuberger Berman
- 15 Edelmen



# RAIL

#### FROM ST JAMES'S PARK

- **BLACKFRIARS**7 mins
  - MONUMENT (BANK)11 mins

- • CANNON STREET
  10 mins
- EARL'S COURT
  11 mins

#### FROM VICTORIA

- **₹ • • • KING'S CROSS 9** mins
  - GATWICK AIRPORT
    30 mins

- OXFORD CIRCUS
  10 mins
- **EUSTON** 10 mins

#### FROM WESTMINSTER

- **BOND STREET** 2 mins
- LONDON BRIDGE4 mins

- • • WATERLOO
  4 mins
  - CANARY WHARF7 mins



## CYCLING

ON CYCLE SUPERHIGHWAY 3 (CS3)



# WALKING

- ST JAMES'S PARK
  1 minute
- • VICTORIA
  7 minutes
- • **WESTMINSTER**10 minutes



THE ASTICUS BUILDING HAS BEEN
EXTENDED WITH A NEW TENTH FLOOR,
COMPREHENSIVELY REFURBISHED WITH
NEW CAT A AND OPTIONAL CAT A+ FINISHES,
END OF TRIP FACILITIES AND WHOLESALE
BUILDING SERVICES RENEWAL TO PROVIDE
SIGNIFICANTLY IMPROVED ENERGY EFFICIENCY.

BREEAM EXCELLENT AND EPC A RATING TARGET. WELL ENABLED.

#### **DESIGN CRITERA**

Means of escape 1 per 6m<sup>2</sup> NIA

Environmental comfort 1:8m<sup>2</sup>

WC provision: 1 person per 10m<sup>2</sup> with 50:50 male/
female ratio as WCs are unisex superloos.

#### **END OF TRIP FACILITIES**

- > Cycle parking store
- > Showers
- > WC
- Dedicated male and female locker rooms

Found in the basement with access via external steps, with a side ramp for cycles.

#### 114 cycle parking spaces

- 48 external Sheffield cycle stands in the lower ground floor courtyard
- > 30 internal double stacked cycle stands
- > 10 internal Sheffield cycle stands
- > 12 internal wall hanging cycle stands
- > 14 internal folding bicycle lockers

#### Cycle stores

- > Clothing airing/drying cupboard
- > Cycle maintenance stand and pump

#### **Showers**

7 showers with changing space, vanity and hairdryer included, (one in combined accessible shower and WC).

#### Lockers

52 double tier lockers in the male changing room and 40 double tier lockers in the female changing room.

Both male and female changing rooms have a towel storage cupboard and station. With the female changing room also having a vanity with two hairdryers.

The showers and locker rooms include high quality finishes. With bespoke terrazzo feature walls in the shower with timber accent features. Matching timber finishes can be found in the lockers and vanities.

Chilled water cooler adjacent to the locker rooms.

#### **TOILET ACCOMODATION**

#### 5 WCs on each upper floor

- > 4 unisex "superloo" cubicles with WC, wash handbasin and bespoke mirror cabinet incorporating a hand drier
- > 1 accessible WC per floor

Each WC has porcelain tile flooring, tiled walls with a bespoke feature wall combining the WC, sink, timber mirror box and shelf.

The feature wall is formed from terrazzo and includes bespoke linear vertical grooves and recessed integral LED linear lighting.

#### **OFFICE AREA FINISHES**

The office areas are finished to a Cat A standard with finishes as follows.

Full raised access floor to MOB PF PS/SPU Medium grade specification.

Ceilings are SAS system 330 linear plank ceilings, finished in white RAL 9010 and set within a plasterboard margin at the perimeter and around column heads.

The ceiling is fully demountable. Access tiles include a micro perforation which has acoustic function but also allows discreet air supply through Kranz grilles above supply tiles.

Office walls and perimeter column linings are finished in white RAL 9010 painted taped and jointed plasterboard.

Lift doors have full depth stainless steel architraves with engraved level numerals.

Doors are finished in light grey laminate with stainless steel ironmongery from D-Line.

Tenants can fix blinds to the plasterboard margin inside the window heads.

#### **STAIRCASES**

The stairs are finished robust rubber flooring, associated system trims and step nosings, with balustrades and handrails painted in mild steel.

There are two fire escape staircases in the core, with one serving as a fire brigade access stair.

#### **RECEPTION AREA FINISHES**

The reception area has been comprehensively refurbished with new amenities and finishes. Including:

- Reception desk
- > Tenants post storage cubbyholes
- Kitchenette niche with chilled water tap, coffee machine integrated refrigerator
- > Built in bespoke linear bench seat along feature wall
- Variety of loose furniture and tables to facilitate waiting, ad-hoc meetings and work
- > Tenants' signboard
- > Polished monolithic concrete floors
- Curved feature wall formed from metal angles fixed over a dark substrate, feature lighting at base and head
- > Timber and leather finish to built-in linear seat
- Plasterboard ceiling with feature open area and linear suspended lights in radial array
- Acoustic plaster treatment to ceiling recess, spray finished along with exposed services
- > Textured plaster finish to lift wall and column
- > Full depth stainless steel lift architraves and lift doors with laminate over panel incorporating signalisation

#### **VERTICAL TRANSPORTATION**

Three passenger lifts, serving ground to tenth floor with one lift also serving the basement. The lifts are 1000kg, 13 person with a speed of 1.6m/sec.

One firefighting lift, serving the ground to ninth floor.

#### Lift performance

- > HC5 Achieved 15.74%
- > Waiting time 15.51 seconds
- > Travel time 20.7 seconds
- > Destination time 40.31 seconds

#### **HEATING COOLING AND VENTILATION**

The building services are all electric.

Heating and cooling will be provided by multiple VRF (Variable Refrigerant Flow) systems. The system is based on a two pipe Heat Recovered VRF system utilizing R410A refrigerant to provide simultaneous heating and cooling to the office space.

Fresh air is provided to all office floors by an air handling unit distributing air to the back of the fan coils through ductwork in the risers and through the ceiling void.

Main plant is in the basement and in a dedicated screened enclosure at roof level.

#### **SERVICES DESIGN CRITERIA**

#### Internal design temperature

- > Cat A offices and reception 21°C+/- 2°C winter
- > 22°C summer maximum +/- 2°C
- > Toilets and circulation 18°C winters minimum (heating only)

#### Ventilation rates

- Cat A offices 12 l/s/person at 1 person per 8m² plus 10%,
   extract at 95% of supply
- Utility metered power to the building is provided at low voltage from a UKPN substation located in the basement
- > The capacity to the building is 660kVA and it is understood that up to 1.0 MVA is available at the substation
- > Lighting has been designed to CIBSE standards, in the offices 300-500 Lux at the working plane with a uniformity of 0.6 and a unified glare rating of 19 within task zones
- Lighting: 8W/m²
- > Small power: 25W/m<sup>2</sup>

#### **COMMUNICATIONS & WIFI**

The building has a secure room with installed fibre cables from there to each potential tenant demise, and riser space to allow tenants to install their own service provider connections if preferred.

Wireless access points will be provided in the reception, cycle facilities and common areas.

#### **BUILDING STRUCTURE & LOAD CAPACITY**

The structure is a reinforced concrete frame with flat slab floors. The eighth floor slab is constructed from Bubbledeck reinforced concrete. The existing structure has been reinforced to accommodate the loads of the new tenth floor and enlarged eighth floor.

All load bearing elements of structure are protected to provide 90 minutes fire resistance.

#### Load capacities

- Office areas ground to tenth floor: Imposed load of 3.5kN/m<sup>2</sup> plus 1kN/m<sup>2</sup> for partitions
- > Ninth floor terrace: Imposed load 4kN/m<sup>2</sup>

#### Roof plant slab

- > 320 deep concrete slab 7.68kN
- > Finishes 1.25kN
- > Plant imposed load 4kN

#### **EXTERNAL WORKS**

The building is sited in a landscaped granite paved plaza with a drop off point and one accessible car parking space.

There is a waste and recycling area at the rear of the building, and cycle parking and basement access at a lower courtyard area to the south of the building.

#### **EXTERNAL ENVELOPE**

Between ground and the eighth floor the external envelope to the office space comprises curtain walling windows set within acid etched precast concrete cladding to the columns and floors.

The envelope to the ninth and tenth office floors is more highly glazed but is provided with vertical external shading fins.

Glare control blinds are provided to the top tenth floor as part of the base build.

The core is clad in solid precast concrete panels.

#### **EXTERNAL TERRACE**

The ninth floor external terrace wraps around the setback ninth and tenth floors providing panoramic views of the locality and across London. The terrace is:

- Paved with concrete paviors and enclosed by a stainless steel
   and glass balustrade around the perimeter
- > Waterproofed with a robust hot melt inverted bituminous roofing system
- > Accessible for wheelchair users via level access.

#### FIRE PROTECTION

The building is fully sprinkler protected across all floors. An L2 fire detection and alarm system is provided.

A fire fighting core is provided to facilitate fire brigade access. This comprises a fire fighting stair and lift, accessed via a firefighting lobby provided with natural smoke ventilation to the perimeter and a dry riser.

Building Control and the London Fire Brigade have approved that the firefighting lift does not serve the top tenth floor.

#### FAÇADE CLEANING

The building has a Building Maintenance Unit mounted within the plant enclosure at roof level. This has an extendable arm and can rotate to provide cradle access to the entire glazed perimeter.

# FOR ALL ENQUIRES PLEASE CONTACT:



#### ANGUS TULLBERG

angus.tullberg@savills.com 07976 256 487

#### ANDREW WEDDERSPOON

awedderspoon@savills.com 07807 999 363

#### **NIKKI STOUGHTON-HARRIS**

nikki.stoughtonharris@savills.com 07815 032 103



#### **JAMES SWAN**

james.swawn@jll.com 07763 204 714

#### **ALEX BROWNING**

alex.browning@jll.com 07872 107 536

#### CALLUM FRASER

callum.fraser@jll.com 07858 301 816



#### INVESTMENT MANAGER

AXA's investment strategies aim to meet the financial challenges of today as well as the environmental and social landscapes of the future, investing in opportunities that will provide long-term investment growth whilst seeking to minimise volatility.



#### ARCHITECTURAL DESIGN

An award-winning architecture and interior design practice, encompassing over 60 years of professional experience.

The Joint Agents for themselves and for the vendors or lessors of this property whose agents they are, give notice that: (1) The particulars are produced in good faith, are set out as a general guide only and do not constitute part of a contract, (2) No person in the employment of the Joint Agents has any authority to make or give any representation or warranty whatsoever in relation to this property, (3) Unless otherwise stated all prices and rents are quoted exclusive of VAT, (4) CGIs for indicative purposes only. February 2025.