

Energy performance certificate (EPC)

Enterprise Point
Altrincham Road
Sharston
Manchester
M22 9AF

Energy rating

C

Valid until: 11 July 2033

Certificate number: 0917-0134-4248-7986-2330

Property type	Offices and Workshop Businesses
Total floor area	2,240 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is C.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built



If typical of the existing stock



Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Air Conditioning
Assessment level	3
Building emission rate (kgCO2/m2 per year)	18.4
Primary energy use (kWh/m2 per year)	142

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/6654-7574-8732-8599-4478\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	James Spinks
Telephone	02073077500
Email	j.spinks@fhpeess.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/012277
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	FHPESS
Employer address	7th Floor Cornerblock 2 Cornwall Street
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	27 June 2023
Date of certificate	12 July 2023
