

Energy performance certificate (EPC)

New Adventure Travel - Swansea Depot Cynon Close Enterprise Park SWANSEA SA6 8QA	Energy rating D	Valid until: 20 November 2027
		Certificate number: 0090-0233-8349-4929-5092


Property type	B2 to B7 General Industrial and Special Industrial Groups
Total floor area	388 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built



If typical of the existing stock



Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	68.2
Primary energy use (kWh/m2 per year)	397

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0594-2298-4940-0390-9303\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Maurice Carter
-----------------	----------------

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO002235
Telephone	0330 124 9660
Email	certification@stroma.com

About this assessment

Employer	EPC 4 Cardiff
Employer address	23 Slade Close, Sully, Vale of glamorgan CF64 5UU
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	20 November 2017
Date of certificate	21 November 2017