

MATERIAL SAFETY DATA SHEET

according to EU Directive 93/112/EC

Trade Gloss

Version: 1 HG

Print date: 20.4.17



1. Identification of Substance/Preparation and Company

Product Name Trade Gloss
Company Biokil Crown Ltd
7 Stadium Ind Park, Long Eaton
Nottingham, NG10 2DD
Telephone 0115 946 0060
Fax 0115 946 9767
Emergency Telephone 07967 10 71 95

2. Composition / Information on ingredients

Ingredient Name	Contents	Health Class	Risk
Naphtha hydrotreated heavy	25-50%	Xn	10, 65, 66
Cobalt Carboxylate	< 1.0%	Xn	22, 38, 43
Ethyl Methyl Ketoxime	< 1.0%	Xn	21, 40, 41, 43

3. Hazards identification

Flammable.

4. First aid measures

GENERAL In all cases of doubt or when symptoms persist seek medical attention. Never give anything by mouth to an unconscious person.

INHALATION Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Get medical attention immediately.

SKIN Remove affected person from source of contamination. Promptly wash contaminated skin with soap, mild detergent and water or a proprietary skin cleaner. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritant persists after washing. Prolonged contact will defat and dry the skin and may lead to irritation and dermatitis.

EYES Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

5. Fire fighting measures

Extinguishing Media
Recommended: Foam, carbon dioxide, dry powder, halogenated hydrocarbons, sand. Water spray/mist DO NOT use water jet

Recommendations: As the product contains combustible organic components, fire can produce dense black smoke containing hazardous products of combustion. Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Vapours are heavier than air and may spread near ground to source of ignition.

6. Accidental release measures

Exclude non-essential personnel. Avoid breathing vapour. Contain and collect spillages with non-combustible absorbent material, e.g. Sand, earth, vermiculite, and place in containers. Do not allow to enter water courses. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Provide adequate ventilation.

MATERIAL SAFETY DATA SHEET

according to EU Directive 93/112/EC

Trade Gloss

Version: 1 HG

Print date: 20.4.17

**7. Handling and storage**

Handling: Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Ventilate well, avoid breathing vapours.. Use approved respirator if air contamination is above accepted level.

Storage: Flammable/Combustible – Keep away from oxidisers, heat and flames. Store in a cool, dry, well ventilated place. Prevent unauthorised access. Keep in closed original containers.

8. Exposure controls / personal protection

Ingredient name	Occupational Exposure limits.		Notation.		Sk
	8hr LTEL		15min. STEL		
Substance name	ppm	mg/m ³	ppm	mg/m ³	
Naphtha hydrotreated heavy		1000			

Notes:

ppm – parts per million

mg m⁻³ - milligram's per cubic metre

LTEL – long term exposure limit

STEL – short term exposure limit

OES – Occupational exposure standard

Sk- risk of absorption through skin

Ventilation

Provide adequate general and exhaust ventilation.

Respiratory Protection

Air fed respiratory protection must be used if the general level exceeds the occupational exposure level.

Hand protection

Wear suitable protective gloves.

Eye protection

Eye protection designed to guard against liquid splashes should be worn

Skin protection

Wear suitable PVC/rubber gloves, long sleeved overalls and suitable closed footwear.

9. Physical and chemical properties

APPEARANCE –	white liquid
SPECIFIC GRAVITY –	1.14
SOLUBILITY IN WATER –	Immiscible
FLASH POINT -	40 deg C

10. Stability and reactivity

Stable under the recommended storage and handling conditions In a fire, hazardous composition products such as smoke, carbon monoxide, carbon dioxide and oxides of nitrogen may be produced. Keep away from oxidising agents and strongly acidic or alkaline materials to prevent the possibility of exothermic reaction.

MATERIAL SAFETY DATA SHEET

according to EU Directive 93/112/EC

Trade Gloss

Version: 1 HG

Print date: 20.4.17



11. Toxicological information

Skin contact irritating to skin. Acts as a defatting agent on skin. May cause cracking of skin and eczema.

Eye contact Irritating to eyes

Ingestion May cause stomach pain or vomiting.

12. Ecological information

There is no data available on the product itself.

The product should not be allowed to enter drains or water courses or deposited where it can affect ground or surface water.

13. Disposal considerations

Do not allow into drains or water courses or where ground or surface water may be affected.

Dispose of in accordance with local authority requirements. Treat the disposal of solids as hazardous waste.

14. Transport information

Transport within the users premises: always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport details:

Class...3

Proper Shipping name...Paint

UN No...1263

Packing Group...III

Hazard Class 3

Ensure drivers have adequate training.

International road/rail transport:

Chemical name...Paint related material (contains white spirit)

Item no...31(c)

Sea Transport:

Marine Pollutant...No

EMS...3-05

ADR Exemption Yes <450L

IMDG Exemption Yes <30L

15. Regulatory information

This product is classified and labelled for supply in accordance with the CHIP regulations as follows:

Danger classifications: Flammable.

Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

Contains: White Spirit

Risk Phrases: Flammable.

MATERIAL SAFETY DATA SHEET

according to EU Directive 93/112/EC

Trade Gloss

Version: 1 HG

Print date: 20.4.17



Harmful: Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
Repeated exposure may cause skin dryness or cracking. May cause ling damage if swallowed.

Safety phrases: Avoid contact with skin and eyes. If swallowed do not induce vomiting. Seek medical advice immediately and show this container or label. Wear suitable respiratory equipment. Use only in well ventilated areas. Dispose of this material and its container as hazardous waste.

The information contained in this safety data sheet does not constitute the users own assessment of workplace risk as required by other health and safety legislation. The provisions of the Health and Safety at Work etc and the Control of Substances Hazardous to Health Regulations apply to the use of this product at work.

16. Other Information

The information contained in this safety data sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Revision Date 01/11/04

Further information and advice can be found in:
The Control of Substances Hazardous to Health Regulations
The Manual Handling Operations Regulations 1992 (SI 1992:2793)
The Environmental Protection (Duty of Care) Regulations 1992 (SI 1992:2839)
Highly Flammable Liquid Regulations 1972