

**MATERIAL SAFETY DATA SHEET**

according to EU Directive 93/112/EC

**RE-PLASTERING PAINT**

Version: 2

Print date: 22.12.04

**1. Identification of Substance/Preparation and Company**

Product Name	Re-Plastering Paint
Company	Biokil Crown Ltd 7 Stadium Ind Park, Long Eaton Nottingham, NG10 2DD
Telephone	0115 946 0060
Fax	0115 946 9767
Emergency Telephone	07967 10 71 95

**2. Composition / Information on ingredients**

Contains:	2-OCTYL-2H- ISOTHIAZOL- 3-ONE-INERTS	R-Symbol(s) T, N	R-Phrases 22-23-34-43-50	CAS No: 55406-53-6	0.5-1%w/w 99-99.5%w/w
-----------	--	---------------------	-----------------------------	-----------------------	--------------------------

**3. Hazards identification**

EEC Classification	None
Hazard Symbol	None
Classification According to the Control of Pesticides Regulations 1986:	None

**4. First aid measures**

Swallowing	Do not induce vomiting. Administer water and seek medical attention immediately. Do not administer liquids by mouth to an unconscious person.
Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention immediately.
Inhalation	Remove patient to fresh air, keep warm and at rest. Seek medical attention if breathing becomes difficult or symptoms persist.
Skin	Remove contaminated clothing and wash affected areas with soap and water. If symptoms attributable to this product occur, consult a doctor. Launder contaminated clothing before re-use.

**5. Fire fighting measures**

Extinguishing Media:	Product is non-combustible.
PPE: Fire:	Neoprene/PVC Rubber gloves, suitable eye/face protection, chemical resistant footwear and breathing apparatus.
Products of Combustion:	Oxides of carbon possibly with trace amounts of iodine.
PPE: Spillages:	Neoprene/PVC Rubber gloves, suitable eye/face protection, chemical resistant footwear

**6. Accidental release measures**

Wear suitable gloves and eye/face protection. Shut off or remove source of leak. Absorb with dry sand, earth, vermiculite or similar material. Place into suitable container (HDPE or tinplate/steel) and mark with contents to await disposal. Remaining or small spills may be wiped up with absorbent paper or cloth. Clean area with water. Do not allow waste or run off to contaminate ponds, waterways or ditches.

**MATERIAL SAFETY DATA SHEET**

according to EU Directive 93/112/EC

**RE-PLASTERING PAINT**

Version: 2

Print date: 22.12.04

**7. Handling and storage**

Store in original sealed containers. Keep above 5°C out of reach of children and away from food, drink or animal feedstuffs.

**8. Exposure controls / personal protection**

Ensure adequate ventilation in the working area. Wear suitable gloves (Neoprene/PVC Rubber or Nitrile), coveralls and eye protection.

Wash hands and exposed skin before meals and after work. Engineering controls may replace PPE if it can be shown to provide an equal or higher degree of protection.

Keep unprotected persons and animals away from treated areas until dry. Cover watertanks, fish bowls, food, drink and food use equipment before application.

**9. Physical and chemical properties**

Appearance:	Thixotropic liquid white or coloured		
Odour:	Slight		
Ph	6 – 8 (ACS)	Flash Point:	N/A
Boiling Point:	>100°C	Auto Ignition:	N/A
Melting Point:	N/A		
Explosive Properties:	None Known	Oxidising Properties:	None known
Vapour Pressure:	Not Known	Density:	1.3 – 1.4g/cm <sup>3</sup> (ACS)
Solubility in Water:	Fully Soluble		
Solubility in Solvent:	Low	(Specify Solvent):	White Spirit
Partition Coefficient:	Not Known	n-Octanol/Water	

**10. Stability and reactivity**

Under normal Conditions of storage and use, this product is stable and un-reactive.

**11. Toxicological information**

LD<sub>50</sub> of active ingredient (0.5 – 1.0% in preparation) Ca 800mg/kg (Wister Rat)

## Effects of Acute (over) Exposure

Skin: Some reddening at the site of contact

Eyes: Possible irritation with some watering

Inhalation: Under normal conditions of use this product does not constitute an inhalation hazard.

Ingestion: Nausea, stomach pains, possible vomiting.

**MATERIAL SAFETY DATA SHEET**

according to EU Directive 93/112/EC

**RE-PLASTERING PAINT**

Version: 2

Print date: 22.12.04

**12. Ecological information**

Information relates to the active ingredient

Toxic to aquatic organisms. Below 500ppm this material readily biodegrades. Does not affect the AOK of waste water. This product exhibits some phytotoxic potential.

**13. Disposal considerations**

Dispose of waste in accordance with the "Environment Protection Act 1990" at a site authorized and licensed by the Local Authority and operated by a competent, approved and licensed waste disposal contractor.

Clean containers may be sent for re-cycling.

Duty of Care Waste Transfer Form should specify: Pesticides Product

**14. Transport information**

Packaging Group N/A

Hazard Class N/A

UN No. N/A

Trem Card No. N/A

Other Information Stow apart from food, drink and animal feedstuffs.

**15. Regulatory information**

Classification according to "The Chemicals (Hazards Information and Packaging for supply) Regulations 1994": None

This product is approved for both amateur and professional use under "The Control of Pesticides Regulations 1986" HSE No 6355

**16. Other Information**

The Control of Substances Hazardous to Health Regulations 1990 may apply to this product if used at work.