


MSH-2

MARINE SIDE HINGE



MSH-2


MARINE SIDE HINGE



SPECIFICATION	MEASUREMENTS
Product Dimensions	1000mm (39.4") x 600mm (23.6") x 80mm (3.1")
Maximum Screen Size	1400mm (55.12") Width
Maximum Weight Capacity	40Kg (88lb)
Maximum Extension From Wall	700mm (27.6") to screen centre
Depth From Wall	80mm (3.1")
Product Weight	TBC
Packaging Dimensions	TBC
Shipping Weight	TBC
Maximum Rotation	90° - one direction (CW or CCW)
Movement Type	Manual
Mounting Patterns Supported	VESA 400, 300, 200 W x 400, 300, 200 H
Product Options / Features	Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes, Marine suitable version
Package Contents	Bracket, Bolt Pack
Marine Suitable	Yes

MSH-2 MARINE SIDE HINGE

BRACKET FEATURES



Lockable gas spring to hold the bracket in any position up to 90 degrees.

The screen plate can be shifted along the arm to suit varying screen sizes.

Additional catch to hold the bracket in the closed position.

Push Button used to release bracket. The Push Button is mounted on a sliding plate which can be positioned to suit varying screen sizes.

MSH-2 MARINE SIDE HINGE

GENERAL DIMENSIONS

