



PF65

PLASMA FLAT BRACKET



future automation



PF65

PLASMA FLAT BRACKET



future automation

SPECIFICATION	MEASUREMENTS
Product Dimensions HxD	735mm (28.9") x 25mm (1.0")
Screen Sizes	60" - 90"
Maximum Weight Capacity	120Kg (265lb)
Product Weight	5.3Kg (11.7lb)
Packaging Dimensions	800mm (31.49") x 220mm (8.66") x 40mm (1.57")
Shipping Weight	6Kg (13lb)
Movement Type	Static
Package Contents	Mechanism
Marine Suitable	No


PF65

PLASMA FLAT BRACKET



future automation

DIMENSIONS



PF65

PLASMA FLAT BRACKET





future automation

MOUNTING

WALL MOUNTS ARE ATTACHED
ONTO THE WALL, WHILST
UPRIGHTS ARE ATTACHED TO
THE TV.

TV IS THEN HOOKED ONTO THE
WALL PLATES AND ADJUSTED
WITH BOTTOM BOLT.


REFER TO THE INSTRUCTION
SHEET FOR DETAILS ON THIS.




PF65

PLASMA FLAT BRACKET


RECESS MOUNTING



RECESS DEPTH = 25mm (1") + SCREEN DEPTH



SECTION A-A



DETAIL B
SCALE 1 : 5

SUGGESTED 35mm (1.4") GAP
AROUND PLASMA PERIMETER.
HOOK OVER SYSTEM REQUIRES
15mm [0.6].

LARGER GAP MAY BE NEEDED
FOR EXTRA VENTILATION
DEPENDING ON SCREEN TYPE.