

WT-ZIPP-52

SMALL ZIPPED WINDOW TREATMENT




future automation

WT-ZIPP-52

52mm Tube


Approx 3.2m [126"] Max Width, 4.0m [157 1/2"] Max Drop; Upto 10sq/m [107sq/ft]



WT-ZIPP-52

SMALL ZIPPED WINDOW TREATMENT

WT-ZIPP-52



WT-ZIPP-52 - Gravity Roller Shade with Zipped Side Channels, 52mm Tube																					
		Shade Width																			
		600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3600	3800	4000	4200	4300
600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Grey	Grey	Grey	Grey	Grey	Grey
800	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Grey	Grey	Grey	Grey	Grey	Grey
1000	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Grey	Grey	Grey	Grey	Grey	Grey
1200	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
1400	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
1600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
1800	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
2000	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
2200	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
2400	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
2600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
2800	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
3000	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
3200	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
3400	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
3600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
3800	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
4000	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
4200	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
4400	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
4600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
4800	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
5000	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
5200	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
5400	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
5600	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey
5700	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Yellow	Yellow	Grey	Grey	Grey	Grey	Grey

5700mm+ Drop Exceeds Maximum Testing Capacity

4300mm+ Width Exceeds Maximum Welding Capacity

• Shades marked YELLOW may be subject to aesthetic fabric defects such as waves, V's or wrinkling which can cause permanent fabric damage.
 • Shades marked GREY fall outside our standard production dimensions but may still be available as custom solutions.


WT-ZIPP-52

SMALL ZIPPED WINDOW TREATMENT



MOUNTING

Different fitting options require different measurements and installations. Shades can be mounted in a pocket, inside the window reveal or outside the reveal.



POCKET / RECESS

INSIDE MOUNT


OUTSIDE MOUNT

MOTOR SIDE

Motor drive can be specified to be installed on left or right depending on location of cabling or power points. (always when looking at window)



MOTOR LEFT



MOTOR RIGHT

ROLL DIRECTION

Certain installations may require the shade to be mounted in the other orientation to clear door or window hardware and will affect how the shade is manufactured.




STANDARD (OFF THE BACK)



REVERSE (OFF THE FRONT)

HEMBAR SELECTION

1. Open Pocket - Round Bar
2. Open Pocket - Flat Oval
3. **Small Exposed (Zip / Non Zip)**
4. Medium Exposed - Chamfered (Zip / Non Zip)
5. Medium Exposed - Square (Zip / Non Zip)
6. Large Exposed - Square (Zip / Non Zip)
7. Designer Tapered



1. 2. 3. 4. 5. 6. 7.