

Domestos Professional Mould Free

Revision: 2017-03-20

Version: 03.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Domestos Professional Mould Free

Domestos is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P305 - Sanitary cleaner. Manual process

AISE-P314 - Surface disinfectant. Manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Contact details

Unilever UK Ltd., Freepost ADM1000, London SW1A 2XX

Tel: 0800 776647

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

EUH031

Skin Corr. 1B (H314)

Aquatic Acute 1 (H400)

Aquatic Chronic 2 (H411)

Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hypochlorite (Sodium Hypochlorite), sodium hydroxide (Sodium Hydroxide).

Hazard statements:

EUH031 - Contact with acids liberates toxic gas.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Domestos Professional Mould Free

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hypochlorite	231-668-3	7681-52-9	01-2119488154-34	EUH031 Skin Corr. 1B (H314) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		3-10
N,N-dimethyltetradecylamine N-oxide	222-059-3	3332-27-2	No data available	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		1-3
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		1-3
tridec-2-enenitrile	245-142-6	22629-49-8	No data available	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		< 0.01

* Polymer.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

May cause bronchospasm in chlorine sensitive individuals.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

Domestos Professional Mould Free

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. In case of an incident in a confined area wear suitable respiratory protection. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite	-	-	-	0.26
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite	-	-	0.5 %	-
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

Domestos Professional Mould Free

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite	-	-	0.5 %	-
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite	3.1	3.1	1.55	1.55
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite	3.1	3.1	1.55	1.55
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hypochlorite	0.00021	0.000042	0.00026	0.03
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium hypochlorite	-	-	-	0.00026
N,N-dimethyltetradecylamine N-oxide	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-
tridec-2-enenitrile	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min
Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min
Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

SECTION 9: Physical and chemical properties

Domestos Professional Mould Free

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid**Colour:** Clear, Colourless**Odour:** Slightly perfumed**Odour threshold:** Not applicable**pH:** > 12 (neat)**Melting point/freezing point (°C):** Not determined**Initial boiling point and boiling range (°C):** Not determined

Method / remark

Not relevant to classification of this product

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hypochlorite	Product decomposes before boiling	Method not given	1013
N,N-dimethyltetradecylamine N-oxide	100	Method not given	
sodium hydroxide	> 990	Method not given	
tridec-2-enitrile	No data available		

Method / remark

Flash point (°C): Not applicable.**Sustained combustion:** Not applicable.**Evaporation rate:** Not determined**Flammability (solid, gas):** Not determined**Upper/lower flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
sodium hypochlorite	-	-

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hypochlorite	1700	Method not given	20
N,N-dimethyltetradecylamine N-oxide	230	Method not given	25
sodium hydroxide	< 1330	Method not given	20
tridec-2-enitrile	No data available		

Method / remark

Vapour density: Not determined**Relative density:** ≈ 1.05 (20 °C)**Solubility in / Miscibility with Water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hypochlorite	Soluble		
N,N-dimethyltetradecylamine N-oxide	Soluble		
sodium hydroxide	1000	Method not given	20
tridec-2-enitrile	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined**Decomposition temperature:** Not applicable.**Viscosity:** ≈ 190 mPa.s (20 °C)**Explosive properties:** Not explosive.**Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined**Corrosion to metals:** Corrosive

Not relevant to classification of this product

Weight of evidence

Substance data, dissociation constant, if available:

Ingredient(s)	Value	Method	Temperature (°C)
sodium hypochlorite	7.53 (pKa)	Method not given	

--	--	--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids releasing toxic chlorine gas. Keep away from acids.

10.6 Hazardous decomposition products

Chlorine.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD ₅₀	> 1100	Rat		90
N,N-dimethyltetradecylamine N-oxide	LD ₅₀	> 2000	Rat	Method not given	
sodium hydroxide		No data available			
tridec-2-enenitrile		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD ₅₀	> 20000	Rabbit	OECD 402 (EU B.3)	
N,N-dimethyltetradecylamine N-oxide		No data available			
sodium hydroxide		No data available			
tridec-2-enenitrile		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	LC ₅₀	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
N,N-dimethyltetradecylamine N-oxide		No data available			
sodium hydroxide		No data available			
tridec-2-enenitrile		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Corrosive	Rabbit	OECD 404 (EU B.4)	
N,N-dimethyltetradecylamine N-oxide	Irritant	Rabbit	Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Domestos Professional Mould Free

tridec-2-enenitrile	No data available			
---------------------	-------------------	--	--	--

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Severe damage	Rabbit	OECD 405 (EU B.5)	
N,N-dimethyltetradecylamine N-oxide	Severe damage	Rabbit	Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	
tridec-2-enenitrile	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Irritating to respiratory tract			
N,N-dimethyltetradecylamine N-oxide	No data available			
sodium hydroxide	No data available			
tridec-2-enenitrile	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
N,N-dimethyltetradecylamine N-oxide	No data available			
sodium hydroxide	Not sensitising		Human repeated patch test	
tridec-2-enenitrile	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	No data available			
N,N-dimethyltetradecylamine N-oxide	No data available			
sodium hydroxide	No data available			
tridec-2-enenitrile	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hypochlorite	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
N,N-dimethyltetradecylamine N-oxide	No data available		No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
tridec-2-enenitrile	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite	No evidence for carcinogenicity, negative test results
N,N-dimethyltetradecylamine N-oxide	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
tridec-2-enenitrile	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite	NOAEL	Developmental toxicity Impaired fertility	5 (Cl)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
N,N-dimethyltetradecylamine N-oxide			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
tridec-2-enenitrile			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite	NOAEL	50	Rat	OECD 408 (EU)	90	

Domestos Professional Mould Free

				B.26)		
N,N-dimethyltetradecylamine N-oxide		No data available				
sodium hydroxide		No data available				
tridec-2-enenitrile		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite		No data available				
N,N-dimethyltetradecylamine N-oxide		No data available				
sodium hydroxide		No data available				
tridec-2-enenitrile		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite		No data available				
N,N-dimethyltetradecylamine N-oxide		No data available				
sodium hydroxide		No data available				
tridec-2-enenitrile		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite			No data available					
N,N-dimethyltetradecylamine N-oxide			No data available					
sodium hydroxide			No data available					
tridec-2-enenitrile			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
N,N-dimethyltetradecylamine N-oxide	No data available
sodium hydroxide	No data available
tridec-2-enenitrile	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
N,N-dimethyltetradecylamine N-oxide	No data available
sodium hydroxide	No data available
tridec-2-enenitrile	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

Domestos Professional Mould Free

sodium hypochlorite	LC ₅₀	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
N,N-dimethyltetradecylamine N-oxide	LC ₅₀	10 - 100	<i>Brachydanio rerio</i>	OECD 203 (EU C.1) Read across	96
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96
tridec-2-enenitrile		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	EC ₅₀	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
N,N-dimethyltetradecylamine N-oxide	EC ₅₀	11.1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48
tridec-2-enenitrile		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	NOEC	0.0021	<i>Not specified</i>	Method not given	168
N,N-dimethyltetradecylamine N-oxide	EC ₅₀	0.47	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3) Read across	72
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
tridec-2-enenitrile		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite	EC ₅₀	0.026	<i>Crassostrea virginica</i>	Method not given	2
N,N-dimethyltetradecylamine N-oxide		No data available			-
sodium hydroxide		No data available			-
tridec-2-enenitrile		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite		0.375	<i>Activated sludge</i>	Method not given	
N,N-dimethyltetradecylamine N-oxide	EC ₅₀	56	<i>Pseudomonas putida</i>	DIN 38412 / Part 8 Read across	
sodium hydroxide		No data available			
tridec-2-enenitrile		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite	NOEC	0.04	<i>Menidia pelinsulae</i>	Method not given	96 hour(s)	
N,N-dimethyltetradecylamine N-oxide		No data available				
sodium hydroxide		No data available				
tridec-2-enenitrile		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite		No data available				
N,N-dimethyltetradecylamine N-oxide		No data available				
sodium hydroxide		No data available				
tridec-2-enenitrile		No data available				

Domestos Professional Mould Free

		available				
--	--	-----------	--	--	--	--

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	
tridec-2-enenitrile		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
N,N-dimethyltetradecylamine N-oxide		No data available			-	
sodium hydroxide		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Domestos Professional Mould Free

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite					Not applicable (inorganic substance)
N,N-dimethyltetradecylamine N-oxide			> 60 % in 28 day(s)	OECD 301D	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)
tridec-2-enenitrile					No data available

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite	-3.42	Method not given	No bioaccumulation expected	
N,N-dimethyltetradecylamine N-oxide	No data available		No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
tridec-2-enenitrile	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite	No data available				
N,N-dimethyltetradecylamine N-oxide	No data available				
sodium hydroxide	No data available				
tridec-2-enenitrile	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite	1.12				High potential for mobility in soil
N,N-dimethyltetradecylamine N-oxide	No data available				
sodium hydroxide	No data available				Mobile in soil
tridec-2-enenitrile	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.


20 01 15* - alkalines.

European Waste Catalogue:**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

Domestos Professional Mould Free

14.1 UN number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. (hypochlorite , sodium hydroxide)

14.3 Transport hazard class(es):

Class: 8

Label(s): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EU) No 528/2012 on biocidal products
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 1907/2006 - REACH

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants

< 5%

perfumes, Limonene, disinfectants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS8044

Version: 03.1

Revision: 2017-03-20

Reason for revision:

Overall design adjusted in accordance with Amendment 453/2010, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H226 - Flammable liquid and vapour.
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H304 - May be fatal if swallowed and enters airways.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

Domestos Professional Mould Free

- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

End of Safety Data Sheet