1. IDENTIFICATION OF SUBSTANCE and PREPARATION

Product name 5 Star Office Screen Cleaning Duo PK20/5 Star Office Screen Cleaning SachetPk50

Product code: 907883/907905

Use / description of product: Use for Cleaning Screen

Company name:

2. COMPOSITION / INFORMATION ON INGREDIENTS

907883:

Ingredient/substance	CAS#	EC#	Weight%
Isopropanol	67-63-0	200-661-7	8
Benzalkonium Chloride	8001-54-5	616-786-9	0.5
Sodium lauryl polyoxyethylene ether sulfate	9004-82-4		0.5
Aqua	7732-18-5	2073/2005	12.5
Wet strength paper			78.5

907905:

Ingredient/substance	CAS#	EC#	Weight%
Isopropanol	67-63-0	200-661-7	11.5
Benzalkonium Chloride	8001-54-5	616-786-9	1
Sodium lauryl polyoxyethylene ether sulfate	9004-82-4		1
Aqua	7732-18-5	2073/2005	27
Wet strength paper			59.5

The full text for all hazard statements is displayed in section 16.

3. HAZARDS IDENTIFICATION

Substance/Mixture: The product is not classified

Hazardous properties: Not regarded as a health or environmental hazard under current legislation.

Label elements: EUH 210 Safety data sheet available on request.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: May cause allergyEye contact: May cause allergy

Ingestion: Large quantity may cause deathInhalation: Large quantity may cause illness

5. FIRST AID MEASURES (ACTION)

Skin contact: Rinse with plenty water, if discomfort persists, consult a medical practitioner. **Eye contact:** Rinse with plenty water, if discomfort persists, consult a medical practitioner.

Ingestion: Do not induce vomiting. Rinse the mouth with water, immediately consult a

doctor or a poison centre

Inhalation: Fresh air, if the uneasiness persists, consult a doctor.

6. FIRE FIGHTING MEASURES (ACTION)

Extinguishing media: Extinguishing media in case of fire.

Water Foam CO2 Dry Chemical

★

7. ACCIDENTAL RELEASE MEASURES

Environment precautions: Avoid discharge into water courses or onto the ground.

Clean-up procedures: Recover the product and place in a suitable container for reuse. Flush

contaminated area with plenty of water.

8. HANDLING AND STORAGE

Handling requirements: Handle in accordance with good industrial hygiene and safety practices

Storage condition: Keep out the reach of children. Store upright and in original container. Keep

container closed during storage in dry place. Do not store at high temperature.

9. EXPOSURE CONTROLS / PERSONAL PROTECTION

Handling ingredients: Not relevant **Engineering measures:** Not relevant

Respiratory protection: Respiratory protection not required.

Hand protection: Hand protection is not required under normal use.Eye protection: Eye protection is not required under normal conditions.

10. PHYSICAL and CHEMICAL PROPERTIES:

Stare: Colorless liquid

Color: Colorless

Odour: Almost odourless.

Evaporation rate: Not relevant

Oxidizing: Does not meet the criteria for oxidizing

Solubility in water: Soluble

Viscosity: Not relevant Flash point: Value:41°C

Comments: Negative results are obtained in sustained combustibility test L.2., Part III, section 32 of the UN RTDG, Manual of Tests and Criteria, and classification as

Flammable liquid and vapour in Category 3, is not needed.

Boiling point: Not relevant **Relative density:** Not relevant

11. STABILITY and REACTIVITY:

Stability: Stable under recommended storage conditions. Keep in a cool place.

Materials to avoid: Source of ignition

Haz. Decomp. Products None

12. TOXICOLOGICAL INFORMATION

Toxicological data: Toxicological test on the product has not been performed.

13. ECOLOGICAL INFORMATION

Ecotoxicity: A large number of emissions of pollution to the environment.

Persistence and degradability: Not relevant

Bioaccumulative potential: Not relevant Other adverse effects: Not relevant

14.	DISPOSAL	CONSIDERATIONS

Disposal of packing: Recyclable

15. TRANSPORT hazard class(es)

> **Comments** Not relevant

16. OTHER INFORMATION

H302 Harmful if swallowed. **List of relevant H-phrases**

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation. H332 Harmful if inhaled.

H312 Harmful in contact with skin.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

No particular training or education is required but the user must be familiar with Training advice

SDS.