

# SAFETY DATA SHEET

Product Name: LITHIUM MANAGANESE BUTTON BATTERY CR2025

Issue: 07/01/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**PRODUCT NAME:** LITHIUM MANAGANESE BUTTON BATTERY  
CR2025  
For Stock No.09125 TOWER FAN REMOTE CONTROL

**SUPPLIER:** Draper Tools Ltd  
  
Hursley Road  
Chandlers Ford  
Eastleigh  
Hampshire  
SO53 1YF  
Draper Helpline +44 (0) 2380 494344  
Opening hours 8:30-17:00 Monday – Friday.  
[www.drapertools.com](http://www.drapertools.com)

## SECTION 2: Hazards identification

**Emergency overview:** This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

### Classification according to GHS

Acute toxicity, oral (4)  
Acute toxicity, inhalation: Dusts and mists (4)  
Skin corrosion/irritation (1A, 1B, 1C)  
Specific target organ toxicity, repeated exposure (2)  
Hazardous to the aquatic environment, long-term hazard (2)

### Label elements



**Hazard pictogram(s):**

**Signal word:** Danger

### Hazard statement(s):

H302 Harmful if swallowed  
H332 Harmful if inhaled  
H314 Causes severe skin burns and eye damage  
H318 Causes serious eye damage  
H317 May cause an allergic skin reaction  
H351 Suspected of causing cancer  
H335 May cause respiratory irritation  
H373 May cause damage to organs through prolonged or repeated exposure

### Precautionary statement(s):

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dusts or mists.  
P264 Wash skin and clothing thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

**Response:**

P330 Rinse mouth.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P321 Specific treatment (See additional emergency instructions).

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P351 IF ON SKIN: Wash with plenty of water.

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Send contents to approved waste treatment plants.

**Other hazards**

**Physical and chemical hazards:** See Section 10

**Human health hazards:** See Section 11

**Environmental hazards:** See Section 12

## SECTION 3: Composition/information on ingredients

**Chemical characterization:** Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Manganese dioxide	1313-13-9	215-202-6	32.22
Lithium	7439-93-2	231-102-5	1.87
Iron	7439-89-6	231-096-4	56.48
1,2-Propanediolcyclic carbonate	108-32-7	203-572-1	3.71
1.3-Dioxolane	646-06-0	646-06-0	3.88
Lithium Perchlorate	7791-03-9	232-237-2	0.84

## SECTION 4: First aid measures

**Description of first aid measures**

General information No special measures required.

**After eye contact**

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

**After skin contact**

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

**After inhalation**

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

**After swallowing**

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** Treat symptomatically.

## SECTION 5: Firefighting measures

**Suitable extinguishing media:**

Small Fire: Dry chemical, soda ash, lime or sand. Large Fire: Dry sand dry chemical. Soda ash or lime or withdraw from area and let fire burn. Move containers from area if you can do it without risk.

**Unsuitable extinguishing media:**

Water or foam.

**Specific Hazards arising from the chemical:**

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

Produce flammable gases on contact with water. May ignite on contact with water or moist air. Some react vigorously or explosively on contact with water. May be ignited by heat, sparks or flames. May re-ignite after fire is extinguished. Runoff may create fire or explosion hazard.

**Specific protective actions for fire-fighters:**

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

**SECTION 6: Accidental release measure****Personal Precautions**

As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. Keep unauthorized personnel away. Stay upwind, uphill and/or upstream. Ventilate the area before entry.

**Protective equipment:**

No data available.

**Emergency procedures:**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do it without risk. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Do not get water on spilled substance or inside containers. Small Spill: Cover with DRY earth, DRY sand or other non-combustible materials followed with plastic sheet to minimize spreading or contact with rain. Dike for later disposal; do not apply water unless directed to do so. Powder Spill: Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Do Not CLEAN-UP OR DISPOSE OF, EXCEPT UNDER SUPERVISION OF A SPECIALIST.

**Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

**Methods and materials for containment and cleaning up:**

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****Precautions for safe handling:**

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

**Conditions for safe storage, including any incompatibilities:**

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

## SECTION 8: Exposure controls/personal protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
1313-13-9	N/A	N/A	N/A
7439-93-2	N/A	N/A	N/A
7439-89-6	N/A	N/A	N/A
108-32-7	N/A	N/A	N/A
646-06-0	N/A	N/A	N/A
7791-03-9	N/A	N/A	N/A

### Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed ,

Remove all soiled and contaminated clothing immediately

Wash hands before breaks and at the end of work.

### Personal Protective Equipment:

**Respiratory protection:** Wear suitable protective mask. For a large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eye Protection:** Wear safety goggles or eye protection combined with respiratory protection .

**Skin and Body Protection:** Working environment required , wear suitable protective clothing to minimize contact with skin, The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Colour:	Silver
Physical State:	Button
Odour:	Not available.
pH:	Not available.
Melting point/Freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Flammability:	Not available.
Solubility:	Not available.
Lower and upper explosion limit/Flammability limit:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Kinematic viscosity:	Not available.
Partition coefficient: n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and/or relative density:	Not available.
Relative vapour density:	Not available.
Particle characteristics:	Not available.
Other information:	
Voltage	3.0V
Electric capacity	150mAh
Aggregate lithium content	0.04g

## SECTION 10: Stability and reactivity

**Reactivity:** No data available.

**Chemical stability:** Stable.

**Possibility of hazardous reactions :** No data available.

**Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.

**Incompatible materials:** Oxidizing agents, acid base.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide

## SECTION 11: Toxicological information

Acute Toxicity:

CAS NO.	LC50/LD50
1313-13-9	No data available
7439-93-2	No data available
7439-89-6	No data available
108-32-7	LD50 Rat (oral): >=29000mg/kg; LD50 rabbits (Dermal): >20000mg/kg
646-06-0	No data available
7791-03-9	No data available

**Skin corrosion/irritation:** No data available.

**Serious eye damage/irritation:** No data available.

**Respiratory or Skin sensitization:** No data available.

**Germ Cell mutagenicity:** No data available.

**Carcinogenicity:** No data available.

**Reproductive toxicity:** No data available.

**Specific target organ toxicity-Single exposure:** No data available.

**Specific target organ toxicity-Repeated exposure:** No data available.

**Aspiration hazard:** No data available.

**Information on the likely routes of exposure:** No data available.

**Eye:** No data available.

**Skin:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

## SECTION 12: Ecological information

**Ecological Toxicity:** No data available.

**CAS# 108-32-7**

LC50:>1000mg/L – Fish (Carp) -96h;

EC50: >1000mg/L – Crustaceans (Daphnia magna) – 48h;

EC50: >900mg/L – Algae (Scenedesmus subspicatus) – 72h

**Persistence and degradability:** No data available.

**Bioaccumulative Potential:** No data available

**Nobility in Soil:** No data available

**Other adverse effects:** No data available

## SECTION 13: Disposal considerations

**Disposal methods:**

**Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

#### Uncleaned packaging

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

**Transport Fashion:** by air, by sea, by railway, by road.

Separate batteries to prevent short-circuiting and they should be packed in strong package during transport.

Keep away from high temperature and open flames.

Regulatory Parties	Special Provisions
ADR	SP188
IMDG	SP188
UN	<b>UN3091</b>
US DOT	29, A54, A101, A100
IATA, ICAO	968/969/970

The Lithium Manganese Dioxide Button Cell – CR2032 has passed the test UN38.3. In addition, Lithium content is less than 0.3g.

#### Air Transportation:

2025 IATA Dangerous Goods Regulations 66<sup>th</sup> Edition.

Shipping Name: Lithium Metal Batteries

UN Number:

**UN3091** Batteries or cells contained in equipment / Batteries or cells packed with equipment.

Class 9 (Miscellaneous)

This Lithium-Manganese Dioxide Battery Cell can meet the requirement of IATA Dangerous Goods Regulations 66<sup>th</sup> Edition of 2025 Packing Instruction PI 968 - 970.

#### Ocean Transportation:

IMO, all batteries are regulated as Hazardous Material by the International Maritime Organization (IMO) when transporting more than 24 batteries or 12 batteries in a single package. These must be transported according to the requirement in Special Provisions"188". Batteries are as per IMDG SP:188 and tested as NON DG.

Package complies with the special provision 188 of IMDG CODE(Amdt.41-22)2022 Edition.

This Lithium-Manganese Dioxide battery cell can be transported as Non-Dangerous Goods by vessel as these articles satisfy with SP188 of IMO-IMDG Code.

## SECTION 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS NO.	TSCA	IECSC	DSL/NDL	EINECS/ELINCS/NLP
1313-13-9	Listed	Listed	Listed DSL	Listed
7439-93-2	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed
108-32-7	Listed	Listed	Listed DSL	Listed
646-06-0	Listed	Listed	Listed DSL	Listed
7791-03-9	Listed	Listed	Listed DSL	Listed

## SECTION 16: Other information

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

IECSC: (Inventory of Existing Chemical Substances in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations).

--End of report--