

110V SMD LED Tripod Site Light, 2 x 10W, 2200 Lumens

STOCK No. 03195 **BRAND** Draper

BARCODE 5059482047978

WARRANTY 12 months parts and labour



FEATURES

- This 2,200 lumens tripod twin head (1,100 lumens per light) SMD LED site light is height adjustable 0.8–1.5m and gives an even spread of light through a beam angle of 100 degrees
- The colour temperature is 6,000 to 6,500K – cool white to daylight
- IP65 and IK06 rated and suitable for industrial use
- Made from cast aluminium, carbon steel and toughened glass
- Supplied with a 3m VDE cable and approved 110V plug

DESCRIPTION

This 2,200 lumens telescopic slim tripod twin head (1,100 lumens per light) SMD LED site light gives an even spread of light through a beam angle of 100 degrees. The colour temperature is 6,000 to 6,500K – cool white to daylight – meaning fewer shadows. Made from cast aluminium and toughened glass with bumpers for added protection, the slim tripod site light has a durable aluminium die-cast housing and is adjustable to a maximum extended height of 1.5m, with a minimum lowered height of 0.8m. The site light is suitable for industrial use and is IP65 and IK06 rated. It comes supplied with a 3m VDE cable and an approved 110V plug. This 2,200 lumens telescopic slim tripod SMD LED site light is part of a wide range of SMD LED site lights available from Draper Tools.

Manufactured and certified to UKCA, CE

CONTENTS

1 x 110V SMD LED Tripod Site Light, 2 x 10W, 2200 Lumens

Link to product - drapertools.com

SPECIFICATIONS

| | |
|---------------------|--------------------------|
| Voltage | 110V |
| Wattage | 10 (per light) |
| Brightness | 1,100 lumens (per light) |
| Product dimensions | W 250 x H 700 x D 150mm |
| Lens (x2) size | W 126.4 x H 88mm |
| Max extended height | 1.762m |
| Min lowered height | 0.895m |
| Beam angle | 100° |
| Colour temperature | 6,000–6,500K |
| Weight | 3.95kg |

DOCUMENTS



Instruction Manual