

230V SMD LED Tripod Site Light, 20W, 2200 Lumens

STOCK No. 03207 BRAND Draper

BARCODE 5059482048029

WARRANTY 12 months parts and labour

FEATURES

- This 2,200 lumens tripod SMD LED site light is height adjustable 0.8–1.3m and gives an even spread of light through a beam angle of 100 degrees
- The colour temperature is 6,000 to 6,500K cool white to daylight
- · IP65 and IK06 rated and suitable for industrial use
- · Made from cast aluminium, carbon steel and toughened glass
- Supplied with a 3m VDE cable and approved 230V plug



DESCRIPTION

This 2,200 lumens telescopic tripod SMD LED site light gives an even spread of light through a beam angle of 100 degrees, with a colour temperature of 6,000 to 6,500K – cool white to daylight – meaning fewer shadows. Made from cast aluminium and toughened glass with bumpers for added protection, the slim tripod site light has a durable aluminium die-cast housing and is adjustable to a maximum extended height of 1.3m, with a minimum lowered height of 0.8m. The site light is suitable for industrial use and is IP65 and IK06 rated. It comes supplied with a 3m VDE cable and an approved 230V plug. This 2,200 lumens telescopic tripod SMD LED site light is part of a wide range of SMD LED site lights available from Draper Tools.

Manufactured and certified to UKCA, CE

CONTENTS

1 x 230V SMD LED Tripod Site Light, 20W, 2200 Lumens

Link to product - drapertools.com



SPECIFICATIONS

| Voltage | 230V |
|---------------------|-------------------------|
| Wattage | 20 |
| Brightness | 2,200 lumens |
| Product dimensions | W 250 x H 700 x D 150mm |
| Lens size | H 98 x W 144.8mm |
| Max extended height | 1.765m |
| Min lowered height | 0.885m |
| Beam angle | 100° |
| Colour temperature | 6,000-6,500K |
| Weight | 3.1kg |
| | |

DOCUMENTS



Instruction Manual

Created: 18/12/25