

IMPROVING COMPRESSOR RELIABILITY

LOCTITE®



Enhance paint adhesion of external parts, and prevent corrosion and wear of internal parts with **BONDERITE Surface Treatment / Functional Coatings**



Prevent premature seal failure, bearing and bush failure with **LOCTITE Retaining Compounds**



Prevent leaks in threaded assemblies with **LOCTITE Thread Sealants**



Attach identification tags easily and avoid case damage with **LOCTITE Instant and Structural Adhesives**




Prevent gasket leaks and reduce cut gasket inventories with **LOCTITE Gasket Sealants**



Prevent fastener loosening and corrosion by using **LOCTITE Threadlockers**



Prevent premature seal failure, bearing and bush failure with **LOCTITE Retaining Compounds**



IMPROVING GEARBOX RELIABILITY

LOCTITE®

Prevent gasket leaks with
LOCTITE Flange Sealants



Rebuild and repair
bearing housing seal
with **LOCTITE Superior
Metal**



Prevent corrosion,
seizure and bolt
loosening with **LOCTITE
Threadlockers**



Make any size or shape
gasket and prevent leaks
with **LOCTITE Flange
Sealants**



Repair housing cracks, porosities
and defects with **LOCTITE Metal
Filled Epoxies**

Remove cured chemical gaskets from
dismantled flange surface with **LOCTITE
Gasket Remover**
Clean and degrease surfaces prior to
bonding with **LOCTITE Cleaner and
Degreasers**



Prevent bearing spin and fretting with
LOCTITE Retaining Compounds



Secure and prevent leakage between oil
seal and housing with **LOCTITE Instant
Adhesives**



Prevent corrosion, seizure and bolt
loosening with **LOCTITE Medium
Strength Threadlockers**



Replace cut gaskets and seal machined
flanges using **LOCTITE Flange Sealants**



Prevent gearbox oil leaks, seal fittings with
LOCTITE Thread Sealants



Eliminate drilling and riveting by
attaching labels with **LOCTITE Structural
Adhesives**



Prevent mounting bolts from
loosening or corroding with
**LOCTITE High Strength
Threadlockers**



Bond plastics and composites and
improve stress distribution with **LOCTITE
Structural Adhesives**



Rebuild a worn shaft using **LOCTITE
Superior Metal**

Increase the torque capacity
of the flange coupling with
LOCTITE Retaining Compounds




Prevent keyway wear and repair
worn keyways with **LOCTITE
Retaining Compounds**



Prevent corrosion and seizure of dowel
pins with **LOCTITE Anti-Seize**



IMPROVING RELIABILITY WITH INDUSTRIAL PROCESSING MACHINERY



IMPROVING PUMP RELIABILITY

LOCTITE®



Prevent fretting corrosion while securing bearings with **LOCTITE 638 Retaining Compound**



Make any size gasket with **LOCTITE 518 Flange Sealant**



Protect pump against chemical attack and erosion with **LOCTITE PC 7117**, brushable 2K epoxy



Prevent rust and seizure of power end bolts with **LOCTITE LB 8023 Marine Grade Anti-Seize**



Rebuild and protect worn volutes with **LOCTITE PC 7218**, brushable ceramic-filled 2K epoxy



Prevent corrosion in pump housing and on impeller vanes; restore surface afterwear and cavitation with **LOCTITE PC 7227**



Prevent key wallow with **LOCTITE 243 Medium Strength Threadlocker**

Repair key wallow with **LOCTITE 660 Retaining Compound**



Prevent corrosion and seizure of gland assembly nuts, and seizure of the impeller to the shaft with **LOCTITE LB 8023 Marine Grade Anti-Seize**



Prevent set screws from working loose with **LOCTITE 222 Threadlocker** or **LOCTITE 243 Threadlocker** (depending on fastener size)



Rebuild worn shafts with **LOCTITE EA 3478 Superior Metal**



Lock and seal housing bolts to prevent leakage between oils seals and housing with **LOCTITE 243 Medium Strength Threadlocker** or **LOCTITE 248 Medium Strength Threadlocker Stick**



Seal and lock drain screws with **LOCTITE 577 Thread Sealant**



Seal threaded fittings with **LOCTITE 572 Thread Sealants**



Prevent corrosion and secure casing bolts and adapter bolts with **LOCTITE 243 Medium Strength Threadlocker**



Keep mounting bolts tight with **LOCTITE 290 Wicking Grade Threadlocker**