





HARTE BACKEN • AUSSEN- INNENSPEANUNG
HARD SOLID JAWS • OUTSIDE-INSIDE CLAMPING




BISON Futter Type	Futtergröße	Artikel Nr.	A	B	C	D	E	F	G	H	h	kg / Stück
BISON Chuck Type	Chuck Size	Code No.										kg / pc.
32**; 35**	80	398535000900	32	11	28	6,0	6	6	9,5	21,0	4,0	0,03
3266	80	398535002400										
32**; 35**	100	398535010000	42	15	31	6,0	6	7	11,0	27,0	6,0	0,1
36**; 37**	100	398538197000										
3266	100	398535012600	51	20	40	8,0	8	8	13,0	33,5	7,0	0,2
32**; 35**	125	398535020200										
36**; 37**	125	398539020500	70	20	53	8,0	8	10	19,0	45,0	8,0	0,4
38**	125	398540020900										
3266	125	398535022800	85	25	54	9,0	10	12	23,0	57,0	8,0	0,5
32**; 35**	160	398535030400										
36**; 37**	160	398539030700	105	28	63	11,0	12	14	28,0	69,5	9,0	0,8
38**	160	398540030000										
3266	160	398535030400	125	32	73	12,7	12	18	34,5	83,0	10,0	1,3
32**; 35**	200	398535040600										
36**; 37**	200	398539040900	145	36	92	15,0	14	22	36,0	99,0	12,0	2,4
38**	200	398540040200										
3266	200	398535040600	180	40	100	16,0	14	26	50,0	119,5	14,2	3,4
32**; 35**	250	398535050800										
36**; 37**	250	398539050000	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
38**	250	398540050400										
32**; 35**	315	398535060000	291	70	140	22,0	20	34	85,0	190,0	18,0	14,3
36**; 37**	315	398539060200										
38**	315	398540060600	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
32**; 35**	400	398535070100										
36**; 37**	400	398539070400	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
38**	400	398540070800										
32**; 35**	500	398535080300	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
36**; 37**	500	398539080600										
38**	500	398540080000	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
32**; 35**	630	398535090500										
36**; 37**	630	398539081900	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
38**	630	398534900900										
32**; 35**	800	398535090500	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
36**; 37**	800	398539081900										
38**	800	398534901100	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
32**; 35**	1000	398535201300										
36**; 37**	1000	398539082100	291	70	140	22,0	20	34	85,0	190,0	18,0	14,3
38**	1000	398534902400										


Ø 80 - 1000 mm



HARTE BACKEN • AUSSENSPANNUNG
HARD SOLID JAWS • OUTSIDE CLAMPING



	BISON Futter Typ	Futtergröße	Artikel Nr.	A	B	C	D	E	F	J	K	h	kg / Stück
	BISON Chuck Type	Chuck Size	Code No.										kg / pc.
Ø 80 - 1000 mm	32**; 35**	80	● 398535100000	32	11	28	6,0	6	6	9,5	21,0	4,0	0,03
	3266	80	● 398535102500										
	32**; 35**	100	● 398535110100	42	15	31	6,0	6	7	11,0	27,0	6,0	0,1
	37**	100	● 398538198200										
	3266	100	● 398535112700	51	20	40	8,0	8	8	13,0	33,5	7,0	0,2
	32**; 35**	125	● 398535120300										
	36**; 37**	125	● 398539120600										
	38**	125	● 398540120000										
	3266	125	● 398535122900										
	32**; 35**	160	● 398535130500	70	20	53	8,0	8	10	19,0	45,0	8,0	0,4
	36**; 37**	160	● 398539130800										
	38**	160	● 398540130100										
	3266	160	● 398535130500										
	32**; 35**	200	● 398535140700	85	25	54	9,0	10	12	23,0	57,0	8,0	0,5
	36**; 37**	200	● 398539140000										
	38**	200	● 398540140300										
	3266	200	● 398535140700										
	32**; 35**	250	● 398535150900	105	28	63	11,0	12	14	28,0	69,5	9,0	0,8
	36**; 37**	250	● 398539150100										
	38**	250	● 398540150500										
	32**; 35**	315	● 398535160000	125	32	73	12,7	12	18	34,5	83,0	10,0	1,3
	36**; 37**	315	● 398539160300										
	38**	315	● 398540160700										
	32**; 35**	400	● 398535170200	145	36	92	15,0	14	22	36,0	99,0	12,0	2,4
	36**; 37**	400	● 398539170500										
	38**	400	● 398540170900										
	32**; 35**	500	● 398535180400	180	40	100	16,0	14	26	50,0	119,5	14,2	3,4
	36**; 37**	500	● 398539180700										
	38**	500	● 398540180000										
	32**; 35**	630	● 398535190600	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8
36**; 37**	630	● 398539181000											
38**	630	● 398535197500											
32**; 35**	800	● 398535190600	225	50	110	16,0	14	28	66,0	149,0	14,2	5,8	
36**; 37**	800	● 398539181000											
38**	800	● 398535198800											
32**; 35**	1000	● 398535211500	291	70	140	22,0	20	34	85,0	190,0	18,0	14,3	
36**; 37**	1000	● 398539182200											
38**	1000	● 398535199000											



WEICHE MONOBLOCKBACKEN
 SOFT SOLID JAWS


	BISON Futter Typ	Futtergröße	Artikel Nr.	A	B	C	D	E	h	kg / Stück
	BISON Chuck Type	Chuck Size	Code No.							kg / pc.
Ø 80 - 1000 mm	32**; 35**	80	● 398536000700	32	11	28	6,0	6	4,0	0,1
	32**; 35**	100	● 398536010900	42	15	31	6,0	6	6,0	0,1
	37**	100	● 398539810000							
	32**; 35**	125	● 398536020000	51	20	40	8,0	8	7,0	0,3
	36**; 37**	125	● 398539820200							
	38**	125	● 398540220000							
	32**; 35**	160	● 398536030200	70	20	53	8,0	8	8,0	0,5
	36**; 37**	160	● 398539830400							
	38**	160	● 398540230200							
	32**; 35**	200	● 398536040400	85	25	54	9,0	10	8,0	0,8
	36**; 37**	200	● 398539840600							
	38**	200	● 398540240400							
	32**; 35**	250	● 398536050600	105	28	63	11,0	12	9,0	1,4
	36**; 37**	250	● 398539850800							
	38**	250	● 398540250600							
	32**; 35**	315	● 398536060800	125	32	73	12,7	12	10,0	1,9
	36**; 37**	315	● 398539860000							
	38**	315	● 398540260800							
	32**; 35**	400	● 398536070000	145	36	92	15,0	14	12,0	2,5
	36**; 37**	400	● 398539870100							
	38**	400	● 398540270000							
	32**; 35**	500	● 398536080100	180	40	100	16,0	14	14,2	5,00
	36**; 37**	500	● 398539880300							
	38**	500	● 398540280100							
	32**; 35**	630	● 398536090300	225	50	110	16,0	14	14,2	8,4
	36**; 37**	630	● 398539890500							
	38**	630	● 398540290300							
	32**; 35**	800	● 398536092900	225	50	110	16,0	14	14,2	8,4
	36**; 37**	800	● 398539891800							
	38**	800	● 398540291600							
	32**; 35**	1000	● 398536094400	290	70	140	22,0	20	18,0	20,3
	36**; 37**	1000	● 398539892000							
	38**	1000	● 398540292900							





WEICHE AUFSATZBACKEN
SOFT TOP JAWS

Ausführung 1
Version 1



Ausführung 2
Version 2



BISON Futter Typ	Futtergröße	Artikel Nr.	Ausführung	A	B	C	D	E	F	G	H1	J	K	L ₁	M	kg / Stück
BISON Chuck Type	Chuck Size	Code No.	Version	A	B	C	D	E	F	G	H1	J	K	L ₁	M	kg / pc.
32**; 35**	125	● 398533020600	1	64	22,0	46,5	7,95	4,0	3,2	12,69	25	9	15	26,0	16,00	0,3
36**; 37**	125	● 398538220900														
38**	125	● 398540722000	2	64	22,0	46,5	7,95	4,0	3,2	12,69	25	6,6	11	26,0	16,00	0,3
3105	160	● 398530530800			40,0											
32**; 35**	160	● 398533030800	1	78	25,0	41,5	7,95	4,0	3,2	12,69	34	11	18	29,0	19,05	0,5
36**; 37**	160	● 398538230000														
38**	160	● 398540732200	2	78	25,0	41,5	7,95	4,0	3,2	12,69	34	9	14	29,0	19,05	0,5
3105	200	● 398530540000	1	90	40,0	41,5	7,95	4,0	3,2	12,69	40	11	14	31,0	22,25	0,7
32**; 35**	200	● 398533040000	1	90	27,0	43,5	7,95	4,0	3,2	12,69	40	11	18	31,0	22,25	0,7
36**; 37**	200	● 398538240200														
38**	200	● 398540742400	2	90	27,0	43,5	7,95	4,0	3,2	12,69	40	9	14	31,0	22,25	0,7
3105	250	● 398530550100			47											
32**; 35**	250	● 398533050100	1	106	32,5	51,5	12,71	4,0	3,2	19,04	45	14	20	38,0	27,00	1,2
36**; 37**	250	● 398538250400														
38**	250	● 398540752600	2													
3105	315	● 398530560300			52,0											
32**; 35**	315	● 398533060300	1	120	37,0	55,0	12,71	4,0	3,2	19,04	53	14	20	40,0	31,75	1,6
36**; 37**	315	● 398538260600														
38**	315	● 398540762800	2													
3105	400	● 398530570500			52,0											
32**; 35**	400	● 398533070500	1	140	42,0	64,5	12,71	4,0	6,3	19,04	63	18	26	45,5	38,10	2,2
36**; 37**	400	● 398538270800														
38**	400	● 398540772000	2													
32**; 35**	500	● 398533080700														
36**; 37**	500	● 398538280000	1	140	42,0	74,5	12,71	4,0	6,3	19,04	63	22	33	56,0	38,10	2,4
38**	500	● 398540780600														
32**; 35**	630	● 398533090900														
36**; 37**	630	● 398538290100	1	160	52,0	82,0	12,71	4,0	6,3	19,04	63	22	33	64,0	38,10	4,2
38**	630	● 398540790800														
32**; 35**	800	● 398533090900														
36**; 37**	800	● 398538290100	1	160	52,0	82,0	12,71	4,0	6,3	19,04	63	22	33	64,0	38,10	4,2
38**	800	● 398540790800														
32**; 35**	1000	● 398533093700														
36**; 37**	1000	● 398538292700	1	191	75,0	97,0	12,71	4,5	6,3	19,04	105	24	35	78,0	38,10	10,0
38**	1000	● 398540700100														

Ø 125 - 1000 mm

1

2

3

4

5

6

SGM