



A AK5616M

13pc 1/2" Sq Drive Lock-On™ Impact Socket Set

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2" Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm





B AK5817M

16pc 1/2" Sq Drive Deep Lock-On™ Impact Socket Set

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	16
Type:	1/2" Sq Drive - Deep
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



C AK5613TD

13pc 1/2" Sq Drive Total Drive® Impact Socket Set

Hardened and heat treated Chrome Molybdenum steel Total Drive® impact sockets with a phosphate finish for corrosion resistance. All are suitable for Splines, Metric Hex and Metric Bi-Hex and many are equivalent to TRX-Star*, Whitworth, Imperial Hex and Imperial Bi-Hex. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2" Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



D SEE BELOW

Impact Extension Bars

Drop-forged steel extension bars. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive sizes. Chrome Molybdenum steel used on 3/4" and 1" Sq drive sizes, which demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Drive:	Length:	Material:
AK5503	3/8" Sq	75mm	CrV
AK5504	3/8" Sq	150mm	CrV
AK5501	1/2" Sq	75mm	CrV
AK55012	1/2" Sq	125mm	CrV
AK5502	1/2" Sq	150mm	CrV
AK55022	1/2" Sq	250mm	CrV
AK5505	3/4" Sq	100mm	CrM
AK5506	3/4" Sq	150mm	CrM
AK5507	3/4" Sq	200mm	CrM
AK5508	3/4" Sq	250mm	CrM
AK5510	1" Sq	150mm	CrM
AK5511	1" Sq	200mm	CrM
AK5512	1" Sq	250mm	CrM

A Premier**1/2"**
Sq Drive**A AK5513****4pc 1/2"Sq Drive Impact Extension Bar Set**

Drop-forged Chrome Vanadium steel extension bars. Suitable for use on all types of impact tool. Phosphate finish for added corrosion resistance and spring-ball socket retainer. Supplied in storage tray.

Drive:	1/2"Sq
Lengths:	75, 125, 150, 250mm

B**1/2"**
Sq Drive**Premier****B AK5514****6pc 1/2"Sq Drive Impact Adaptor & Extension Bar Set**

Chrome Vanadium steel extension bars and adaptors. Chrome Molybdenum steel universal joint. Phosphate finish for added corrosion resistance. Spring-ball socket retainer. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), Universal Joint

C NEW**1/2"**
Sq Drive **MM**
6**Premier****C AK5618M****9pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied with composite socket rail.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	16
Contents:	10, 13, 15, 16, 17, 18, 19, 21, 24mm

D NEW**1/2"**
Sq Drive **MM**
6**Premier****D AK5617M****13pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied in storage case.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

E NEW**1/2"**
Sq Drive **MM**
6**Premier****E AK5625M****16pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allows a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification.

Type:	1/2"Sq Drive - Standard
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

F NEW**1/2"**
Sq Drive **MM**
Deep
6**Premier****F AK5818M****16pc 1/2"Sq Drive Impact Socket Set**

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Colour-coded rings for fast identification. Supplied in storage case.

Type:	1/2"Sq Drive - Deep
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm




A AK5900

8pc Impact Socket Adaptor Set

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



C-H SEE BELOW

Impact Adaptors

Drop-forged steel adaptors. Suitable for use on all types of impact tool. Chrome Vanadium steel used on Model No's AK5400 and AK5401. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Male:	Length:	Material:
C AK5400	3/8"Sq	1/2"Sq	36mm	CrV
D AK5401	1/2"Sq	3/8"Sq	38mm	CrV
E AK5402	1/2"Sq	3/4"Sq	48mm	CrM
F AK5403	3/4"Sq	1/2"Sq	58mm	CrM
G AK5404	3/4"Sq	1"Sq	63mm	CrM
H AK5405	1"Sq	3/4"Sq	70mm	CrM



M AK5523

4pc Impact Socket Adaptor Set

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Molybdenum steel with a manganese phosphate finish for corrosion resistance.

Contents: 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M) Sq Drive



N AK5524

3pc Low Profile Impact Socket Adaptor Set

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Low profile design to get to spaces that would otherwise be inaccessible.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/4"(M)



B AK5900B

8pc Impact Socket Adaptor Set

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



I-L SEE BELOW

Impact Universal Joints

Drop-forged steel universal joints. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8"Sq drive size. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Length:	Material:
I AK5497	3/8"Sq	50mm	CrV
J AK5500	1/2"Sq	70mm	CrM
K AK5498	3/4"Sq	110mm	CrM
L AK5499	1"Sq	130mm	CrM



O AK5521

3pc Impact Socket Adaptor Set

Manufactured from Chrome Vanadium steel with manganese phosphate finish for added resistance from corrosion. Turns any power drill into a power nut driver with added reach. Contains 1/4", 3/8" and 1/2"Sq drive adaptors.

Contents: 65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive