

A

CST983

150kg Sack Truck with Solid Tyres

Strong tubular steel construction with welded joints. Heavy-duty wheels feature steel inserts for added strength and durability. Can be rested on handles for flat loading. Fitted with rubber handgrips.

B-F

SEE BELOW

Sack Trucks with Pneumatic Tyres

Extra-strong tubular steel frame construction. Steel centred pneumatic wheels allow transport over the roughest terrain. Range includes case carrying models, CST988 and CST998, with 'P' handle, high back and flat loading capabilities. Model No's CST986, CST987 & CST999 include handgrips.




	A	B	C
Model No:	CST983	CST986	CST987
Capacity:	150kg	200kg	200kg
Wheel Diameter:	Ø210mm	Ø250mm	Ø250mm
Wheel Thickness:	50mm	90mm	90mm
Height:	1170mm	1100mm	1190mm
Overall Width:	460mm	550mm	545mm
Platform Depth:	220mm	180mm	255mm


	D	E	F
Model No:	CST988	CST999	CST998
Capacity:	250kg	300kg	300kg
Wheel Diameter:	Ø250mm	Ø250mm	Ø250mm
Wheel Thickness:	90mm	90mm	90mm
Height:	1260mm	1300mm	1300mm
Overall Width:	560mm	500mm	550mm
Platform Depth:	220mm	280mm	230mm



CST988, CST998 & CST999 design enables flat loading.



Model No's. CST988 and CST998 feature 'P' handle design which enables one-hand control leaving the other free to open doors etc.



A CST801
200kg Folding Sack Truck with Pneumatic Tyres

Extra-strong tubular steel framework with heavy-duty pneumatic tyres allow transport of load over rough terrain. Features foldaway toe plate and height-adjustable handles. Fitted with composite grip handles for added comfort and stability.

Wheel Diameter:	Ø250mm
Wheel Thickness:	80mm
Overall Width:	480mm
Platform Depth:	290mm
Handle Height Extended:	1165mm
Handle Height Non- Extended:	810mm



B CST800
150kg Folding Sack Truck with Pneumatic Tyres

Manufactured from extra-strong tubular steel with heavy-duty pneumatic tyres for transportation over rough terrain. Features foldaway toe plate providing increased loading area. Ideal for delivery drivers, farmers or builders.

Wheel Diameter:	Ø250mm
Wheel Thickness:	90mm
Height:	1140mm
Overall Width:	490mm
Platform Depth Standard/Extended:	90/420mm



C CST990
250kg Folding Sack Truck with Pneumatic Tyres

Extra-strong tubular steel frame construction. Galvanized steel centred pneumatic wheels allow transport over the roughest terrain. Features extra foldaway toe plate for added extension when transporting larger loads. Ideal for delivery drivers, farmers or builders.

Wheel Diameter:	Ø250mm
Wheel Thickness:	90mm
Height:	1249mm
Overall Width:	650mm
Platform Depth Standard/Extended:	325/620mm



D CST985
150kg Stair Climbing Sack Truck with Solid Tyres

Tubular steel construction gives 150kg maximum load capacity. Deep foot ensures cartons stay on trolley during transit. Fitted with solid rubber wheels. Handle design allows a firm grip whilst ascending and descending stairways. Ideal for delivery drivers and couriers.

Wheel Diameter:	Ø165mm
Wheel Thickness:	30mm
Height:	1300mm
Overall Width:	510mm
Platform Depth:	230mm



E CST989
250kg 3-in-1 Sack Truck with Pneumatic Tyres

Tubular steel framework with heavy-duty pneumatic tyres allows transport of load over rough terrain. Suitable for use as a traditional sack truck or at 45° with support castors in position. For maximum load carrying capability use in horizontal position. Features fold out load restrainer for use when truck is in horizontal position. Adapts between configurations in seconds.

Wheel Diameter:	Ø250mm
Wheel Thickness:	90mm
Height:	1275mm
Overall Width:	600mm
Platform Depth:	300/620mm



A **Premier**

200kg Capacity

HEAVY-DUTY PNEUMATIC TYRES

3 YEAR GUARANTEE*



B **Premier**

250kg Capacity

HEAVY-DUTY PNEUMATIC TYRES

3 YEAR GUARANTEE*



C **Premier**

250kg Capacity

HEAVY-DUTY PNEUMATIC TYRES

3 YEAR GUARANTEE*



A-C SEE BELOW

Heavy-Duty Sack Trucks with PU Tyres

Heavy-duty tubular steel construction with welded joints with an extra 50kg capacity to the standard models. Puncture proof heavy-duty PU tyres with powder coated steel hubs and fitted with knuckle protecting D-shaped handle grips.

	A	B	C
Model No:	CST983HD	CST986HD	CST987HD
Capacity:	200kg	250kg	250kg
Wheel Size:	Ø210mm	Ø250mm	Ø250mm
Wheel Width:	55mm	85mm	85mm
Wheel Bore Size:	Ø16mm	Ø16mm	Ø16mm
Height:	1150mm	1150mm	1220mm
Overall Width:	470mm	525mm	540mm
Platform Depth:	220mm	180mm	250mm



PUNCTURE PROOF TYRES

Filled with hard wearing PU (Polyurethane) these tyres provide the best features of both maintenance-free solid wheels and the smooth, shock absorbing properties of rubber wheels.

D **300kg Capacity** **Foldaway Toe Plate** **3 YEAR GUARANTEE*** **Premier**

HEAVY-DUTY PNEUMATIC TYRES

HEAVY DUTY





D CST989HD
300kg Heavy-Duty 3-in-1 Sack Truck with PU Tyres
 Heavy-duty tubular steel construction with welded joints with 300kg capacity. Puncture proof heavy-duty PU tyres with powder coated steel hubs. Features foldaway toe plate for added extension when transporting larger loads. Can be used as a traditional sack truck or at a 45° angle with support castors.

Wheel Size:	Ø250mm
Wheel Width:	85mm
Wheel Bore Size:	Ø20mm
Height:	1220mm
Overall Width:	600mm
Platform Depth:	Fixed; 300mm, Folding; 600mm

E **300kg Capacity** **Foldaway Toe Plate** **3 YEAR GUARANTEE*** **Premier**

HEAVY-DUTY PNEUMATIC TYRES

HEAVY DUTY





E CST990HD
300kg Heavy-Duty Sack Truck with PU Tyres
 Heavy-duty tubular steel construction with welded joints with 300kg capacity. Puncture proof heavy-duty PU tyres with powder coated steel hubs. Features foldaway toe plate for added extension when transporting larger loads.

Wheel Size:	Ø250mm
Wheel Width:	85mm
Wheel Bore Size:	Ø20mm
Height:	1220mm
Overall Width:	580mm
Platform Depth:	Fixed; 300mm, Folding; 600mm