



2026 SPECIAL SELECTION

PRECISION THREAD GAUGES

Metric Coarse	P 4
Metric Fine	P 5
NPT	P 6
NPTF	P 6
BSPT	P 6
Whitworth	P 7
UNC	P 8
UNF	P 9
Plain Gauges	P 10

- ✓ **UK STOCK FOR NEXT DAY DELIVERY**
- ✓ **ALL MAJOR THREAD FORMS & SIZES**
- ✓ **UNRIVALLED QUALITY & ACCURACY FOR RELIABLE THREAD CHECKING**
- ✓ **UKAS & MANUFACTURERS CALIBRATION SERVICES AVAILABLE**



←/IN SIZE→

Quick, accurate tooling solutions to boost your productivity

We invest in rigorous training so that our customer services team and time-served technical engineers can answer your queries and provide tailored solutions quickly and accurately, to save you time.

Whether you need over the phone recommendations, in-depth drawings, advice on how you can improve productivity or face to face support, we will give you independent advice on what is right for you and your project.

- ✓ Fast, accurate guidance from trained tooling specialists
- ✓ Application-led recommendations tailored to your machining needs
- ✓ Expert insight that gives you clarity and confidence in every tooling decision



**Next day
delivery
available**



**Expert
technical
support**



**Dedicated
customer
care team**



**UK stock of
over 40,000
cutting tools**





Precision Tools for Thread Manufacturing & Quality Control

Over 175 Years of German engineering excellence.
Made in Albstadt, Germany since 1849.


Tradition Meets Innovation

Founded in 1849, Johs. Boss has grown over six generations into a global leader in thread technology. All products are developed and manufactured in-house in Albstadt, Germany.

Thread Gauges

JBO thread gauges are made to tight tolerances for reliable, consistent accuracy. Trusted by leading UK calibration houses, they help reduce false checks, scrap and production delays.

Available in all popular threads and sizes for next-day delivery, with fast turnaround on specials, JBO gauges make inspection simple and dependable.



200 years of precision craftsmanship

Global Presence

Trusted in over 60 countries, supporting industries worldwide

Technological Leadership


Advanced, durable, efficient solutions

Comprehensive Service

Custom solutions & expert support

DIN EN ISO 9001:2015
certified

Solid dies



Hexagon die nuts



Thread rolling dies



**METRIC COARSE**

- 6H plug gauges (Go/No-Go)
- 6g ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

**Premium**

M	Pitch mm	6H Plug Gauge		6g Ring Gauge	
		Order Code (Go/No-Go)		Order Code (Go)	Order Code (No-Go)
M2	0.4	JBO-PG-511859		JBO-RG-501700	JBO-RG-500404
M2.2	0.45	JBO-PG-511873		JBO-RG-501714	JBO-RG-500419
M2.3	0.4	JBO-PG-511879		JBO-RG-501720	JBO-RG-500425
M2.5	0.45	JBO-PG-511883		JBO-RG-501724	JBO-RG-500429
M2.6	0.45	JBO-PG-511894		JBO-RG-501739	JBO-RG-500441
M3	0.5	JBO-PG-512036		JBO-RG-501903	JBO-RG-500596
M3.5	0.6	JBO-PG-512059		JBO-RG-501919	JBO-RG-500611
M4	0.7	JBO-PG-512177		JBO-RG-502047	JBO-RG-500734
M4.5	0.75	JBO-PG-512202		JBO-RG-502069	JBO-RG-500752
M5	0.8	JBO-PG-512218		JBO-RG-502138	JBO-RG-500822
M6	1	JBO-PG-512252		JBO-RG-502214	JBO-RG-500896
M7	1	JBO-PG-512286		JBO-RG-502271	JBO-RG-500948
M8	1.25	JBO-PG-512305		JBO-RG-502301	JBO-RG-500980
M9	1.25	JBO-PG-512345		JBO-RG-502347	JBO-RG-501024
M10	1.5	JBO-PG-511646		JBO-RG-501452	JBO-RG-500158
M11	1.5	JBO-PG-511679		JBO-RG-501492	JBO-RG-500201
M12	1.75	JBO-PG-511689		JBO-RG-501512	JBO-RG-500218
M14	2	JBO-PG-511730		JBO-RG-501572	JBO-RG-500277
M16	2	JBO-PG-511776		JBO-RG-501623	JBO-RG-500327
M18	2.5	JBO-PG-511820		JBO-RG-501663	JBO-RG-500370
M20	2.5	JBO-PG-511902		JBO-RG-501748	JBO-RG-500447
M22	2.5	JBO-PG-511934		JBO-RG-501782	JBO-RG-500479
M24	3	JBO-PG-511965		JBO-RG-501815	JBO-RG-500508
M27	3	JBO-PG-512005		JBO-RG-501868	JBO-RG-500559
M30	3.5	JBO-PG-512075		JBO-RG-501929	JBO-RG-500623
M33	3.5	JBO-PG-512108		JBO-RG-501975	JBO-RG-500664
M36	4	JBO-PG-512144		JBO-RG-502011	JBO-RG-500696
M39	4	JBO-PG-512166		JBO-RG-502039	JBO-RG-500723

**METRIC COARSE**


- 6H plug gauges (Go/No-Go)
- 6g ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

Economy

M	Pitch mm	6H Plug Gauge		6g Ring Gauge	
		Order Code (Go/No-Go)		Order Code (Go)	Order Code (No-Go)
M2	0.4		4130-2	4120-2	4120-2N
M2.2	0.45		4130-2D2	4120-2D2	4120-2D2N
M2.5	0.45		4130-2D5	4120-2D5	4120-2D5N
M3	0.5		4130-3	4120-3	4120-3N
M3.5	0.6		4130-3D5	4120-3D5	4120-3D5N
M4	0.7		4130-4	4120-4	4120-4N
M5	0.8		4130-5	4120-5	4120-5N
M6	1		4130-6	4120-6	4120-6N
M7	1		4130-7	4120-7	4120-7N
M8	1.25		4130-8	4120-8	4120-8N
M9	1.25		4130-9	4120-9	4120-9N
M10	1.5		4130-10	4120-10	4120-10N
M11	1.5		4130-11	4120-11	4120-11N
M12	1.75		4130-12	4120-12	4120-12N
M14	2		4130-14	4120-14	4120-14N
M16	2		4130-16	4120-16	4120-16N
M18	2.5		4130-18	4120-18	4120-18N
M20	2.5		4130-20	4120-20	4120-20N
M22	2.5		4130-22	4120-22	4120-22N
M24	3		4130-24	4120-24	4120-24N
M27	3		4130-27	4120-27	4120-27N
M30	3.5		4130-30	4120-30	4120-30N
M36	4		4130-36	4120-36	4120-36N
M42	4.5		4130-42	4120-42	4120-42N
M48	5		4130-48	4120-48	4120-48N

**METRIC FINE**

- 6H plug gauges (Go/No-Go)
- 6g ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

**Premium**

M	Pitch mm	6H Plug Gauge
		Order Code (Go/No-Go)
M2	0.25	JBO-PG-511872
M3	0.35	JBO-PG-512054
M3.5	0.35	JBO-PG-512069
M4	0.5	JBO-PG-512195
M5	0.5	JBO-PG-512238
M6	0.5	JBO-PG-512271
M6	0.75	JBO-PG-512277
M7	0.5	JBO-PG-512292
M7	0.75	JBO-PG-512295
M8	0.75	JBO-PG-512326
M8	1	JBO-PG-512331
M10	0.75	JBO-PG-511659
M10	1	JBO-PG-511663
M12	1	JBO-PG-511703
M12	1.25	JBO-PG-511711
M12	1.5	JBO-PG-511716
M14	1	JBO-PG-511745
M14	1.5	JBO-PG-511755
M16	1	JBO-PG-511792
M16	1.5	JBO-PG-511802
M18	1	JBO-PG-511829
M18	1.5	JBO-PG-511835
M18	2	JBO-PG-511843
M20	1.5	JBO-PG-511918
M20	2	JBO-PG-511923
M22	1.5	JBO-PG-511948
M22	2	JBO-PG-511955
M24	1.5	JBO-PG-511976
M24	2	JBO-PG-511981
M26	1.5	JBO-PG-511997
M26	2	JBO-PG-512003
M28	1.5	JBO-PG-512028
M28	2	JBO-PG-512032

6g Ring Gauge	
Order Code (Go)	Order Code (No-Go)
JBO-RG-501711	JBO-RG-500416
JBO-RG-501913	JBO-RG-500607
JBO-RG-501925	JBO-RG-500617
JBO-RG-502062	JBO-RG-500745
JBO-RG-502152	JBO-RG-500836
JBO-RG-502228	JBO-RG-500910
JBO-RG-502234	JBO-RG-500916
JBO-RG-502276	JBO-RG-500953
JBO-RG-502279	JBO-RG-500957
JBO-RG-502317	JBO-RG-500998
JBO-RG-502322	JBO-RG-501003
JBO-RG-501465	JBO-RG-500174
JBO-RG-501470	JBO-RG-500179
JBO-RG-501531	JBO-RG-500239
JBO-RG-501539	JBO-RG-500246
JBO-RG-501544	JBO-RG-500250
JBO-RG-501585	JBO-RG-500292
JBO-RG-501596	JBO-RG-500301
JBO-RG-501637	JBO-RG-500343
JBO-RG-501645	JBO-RG-500351
JBO-RG-501670	JBO-RG-500377
JBO-RG-501678	JBO-RG-500385
JBO-RG-501686	JBO-RG-500394
JBO-RG-501763	JBO-RG-500464
JBO-RG-501770	JBO-RG-500471
JBO-RG-501795	JBO-RG-500491
JBO-RG-501803	JBO-RG-500499
JBO-RG-501830	JBO-RG-500524
JBO-RG-501836	JBO-RG-500529
JBO-RG-501862	JBO-RG-500553
JBO-RG-501867	JBO-RG-500558
JBO-RG-501894	JBO-RG-500587
JBO-RG-501898	JBO-RG-500591

**METRIC FINE**

- 6H plug gauges (Go/No-Go)
- 6g ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

**Economy**


M	Pitch mm	6H Plug Gauge
		Order Code (Go/No-Go)
M2	0.25	4139-2B
M3	0.35	4139-3D
M3.5	0.35	4139-3D5D
M4	0.5	4139-4G
M5	0.5	4139-5G
M6	0.5	4139-6G
M6	0.75	4139-6L
M7	0.75	4139-7L
M8	0.75	4139-8L
M8	1	4139-8P
M9	0.5	4139-9G
M10	0.75	4139-10L
M10	1	4139-10P
M10	1.25	4139-10Q
M11	1	4139-11P
M12	0.5	4139-12G
M12	1	4139-12P
M12	1.25	4139-12Q
M12	1.5	4139-12R
M14	1	4139-14P
M14	1.5	4139-14R
M16	1	4139-16P
M16	1.5	4139-16R
M18	1	4139-18P
M18	1.5	4139-18R
M20	1.5	4139-20R
M22	0.5	4139-22G
M22	1.5	4139-22R
M24	1.5	4139-24R
M24	2	4139-24T

6g Ring Gauge	
Order Code (Go)	Order Code (No-Go)
4129-2B	4129-2BN
4129-3D	4129-3DN
4129-3D5D	4129-3D5DN
4129-4G	4129-4GN
4129-5G	4129-5GN
4129-6G	4129-6GN
4129-6L	4129-6LN
4129-7L	4129-7LN
4129-8L	4129-8LN
4129-8P	4129-8PN
4129-9G	4129-9GN
4129-10L	4129-10LN
4129-10P	4129-10PN
4129-10Q	4129-10QN
4129-11P	4129-11PN
4129-12G	4129-12GN
4129-12P	4129-12PN
4129-12Q	4129-12QN
4129-12R	4129-12RN
4129-14P	4129-14PN
4129-14R	4129-14RN
4129-16P	4129-16PN
4129-16R	4129-16RN
4129-18P	4129-18PN
4129-18R	4129-18RN
4129-20R	4129-20RN
4129-22G	4129-22GN
4129-22R	4129-22RN
4129-24R	4129-24RN
4129-24T	4129-24TN



NPT

- Right hand
- Calibrated versions available
- Gauge dimensions acc: ASME B1.20.1


Premium



NPT	TPI	Plug Gauge
		Order Code (Go/No-Go)
1/8"	27	JBO-PG-512505
1/4"	18	JBO-PG-512504
3/8"	18	JBO-PG-512510
1/2"	14	JBO-PG-512503
3/4"	14	JBO-PG-512509
1"	11.5	JBO-PG-512499
1 1/4"	11.5	JBO-PG-512501
1 1/2"	11.5	JBO-PG-512500
2"	11.5	JBO-PG-512506
2 1/2"	8	JBO-PG-512507
3"	8	JBO-PG-512508
4"	8	JBO-PG-512511

Ring Gauge
Order Code (Go/No-Go)
JBO-RG-502675
JBO-RG-502673
JBO-RG-502681
JBO-RG-502672
JBO-RG-502680
JBO-RG-502668
JBO-RG-502670
JBO-RG-502669
JBO-RG-502677
JBO-RG-502678
JBO-RG-502679
JBO-RG-502683



NPTF

- Right hand
- Calibrated versions available
- Gauge dimensions acc: ASA B2.2


Premium



NPTF	TPI	Plug Gauge
		Order Code (Go/No-Go)
1/8"	27	JBO-PG-512545
1/4"	18	JBO-PG-512544
3/8"	18	JBO-PG-512547
1/2"	14	JBO-PG-512543
3/4"	14	JBO-PG-512546
1"	11.5	JBO-PG-512539
1 1/4"	11.5	JBO-PG-512541
1 1/2"	11.5	JBO-PG-512540
2"	11.5	JBO-PG-513622
2 1/2"	8	JBO-PG-517008
3"	8	JBO-PG-517007

Ring Gauge
Order Code (Go/No-Go)
JBO-RG-502700
JBO-RG-502699
JBO-RG-502702
JBO-RG-502698
JBO-RG-502701
JBO-RG-502697
JBO-RG-503479
JBO-RG-503480
JBO-RG-505713
JBO-RG-505885
JBO-RG-505886



BSPT

- Right hand
- Calibrated versions available
- Gauge dimensions acc: ISO 7-2:2000 and DIN EN 10226-3


Premium


BSPT	TPI	Plug Gauge
		Order Code (Go/No-Go)
1/8"	28	JBO-PG-514570
1/4"	19	JBO-PG-514571
3/8"	19	JBO-PG-514572
1/2"	14	JBO-PG-514573
3/4"	14	JBO-PG-514574
1"	11	JBO-PG-514575
1 1/4"	11	JBO-PG-514576
1 1/2"	11	JBO-PG-514577
2"	11	JBO-PG-514578
2 1/2"	11	JBO-PG-514579
3"	11	JBO-PG-517141
4"	11	JBO-PG-516167

Ring Gauge
Order Code (Go/No-Go)
JBO-RG-503880
JBO-RG-503881
JBO-RG-503882
JBO-RG-503883
JBO-RG-503884
JBO-RG-503885
JBO-RG-503886
JBO-RG-503887
JBO-RG-503888
JBO-RG-503889
JBO-RG-506024
JBO-RG-546002



WHITWORTH

- BSW - Gauge dimensions acc: BS 919-2
- BSF - Gauge dimensions acc: BS 919-2
- BSP(G) - Gauge dimensions acc: DIN EN ISO 228-2
- Right hand
- Calibrated versions available


Premium


BSW	TPI	Plug Gauge
		Order Code (Go/No-Go)
1/8"	40	JBO-PG-512632
3/16"	24	JBO-PG-512641
1/4"	20	JBO-PG-512631
5/16"	18	JBO-PG-512646
3/8"	16	JBO-PG-512644
7/16"	14	JBO-PG-512650
1/2"	12	JBO-PG-512630
9/16"	12	JBO-PG-512653
5/8"	11	JBO-PG-512649
3/4"	10	JBO-PG-512643
7/8"	9	JBO-PG-512652
1"	8	JBO-PG-512625
1 1/8"	7	JBO-PG-513033
1 1/4"	7	JBO-PG-512628
1 3/8"	6	JBO-PG-516821
1 1/2"	6	JBO-PG-512627

Ring Gauge	
Order Code (Go)	Order Code (No-Go)
JBO-RG-502615	JBO-RG-501273
JBO-RG-502626	JBO-RG-501280
JBO-RG-502614	JBO-RG-501272
JBO-RG-502631	JBO-RG-501285
JBO-RG-502629	JBO-RG-501283
JBO-RG-502635	JBO-RG-501288
JBO-RG-502613	JBO-RG-501271
JBO-RG-502640	JBO-RG-501293
JBO-RG-502633	JBO-RG-501287
JBO-RG-502628	JBO-RG-501282
JBO-RG-502638	JBO-RG-501291
JBO-RG-502606	JBO-RG-501263
JBO-RG-502608	JBO-RG-501266
JBO-RG-503134	JBO-RG-501265
JBO-RG-502611	JBO-RG-501269
JBO-RG-503133	JBO-RG-501264

BSF	TPI	Plug Gauge
		Order Code (Go/No-Go)
3/16"	32	JBO-PG-513282
7/32"	28	JBO-PG-520126
1/4"	26	JBO-PG-512529
9/32"	26	JBO-PG-520127
5/16"	22	JBO-PG-513872
3/8"	20	JBO-PG-513553
7/16"	18	JBO-PG-518434
1/2"	16	JBO-PG-512528
9/16"	16	JBO-PG-514907
5/8"	14	JBO-PG-520128
11/16"	14	JBO-PG-513216
3/4"	12	JBO-PG-512530
7/8"	11	JBO-PG-516815
1"	10	JBO-PG-512527

Ring Gauge	
Order Code (Go)	Order Code (No-Go)
JBO-RG-540040	JBO-RG-520239
JBO-RG-520234	JBO-RG-520240
JBO-RG-502498	JBO-RG-501168
JBO-RG-520235	JBO-RG-520241
JBO-RG-502501	JBO-RG-501170
JBO-RG-502500	JBO-RG-501169
JBO-RG-520236	JBO-RG-520242
JBO-RG-502497	JBO-RG-501167
JBO-RG-507251	JBO-RG-507252
JBO-RG-520237	JBO-RG-520243
JBO-RG-520238	JBO-RG-520244
JBO-RG-502499	JBO-RG-505546
JBO-RG-540035	JBO-RG-540017
JBO-RG-502496	JBO-RG-501166

BSP (G)	TPI	Plug Gauge
		Order Code (Go/No-Go)
1/16"	28	JBO-PG-511577
1/8"	28	JBO-PG-511589
1/4"	19	JBO-PG-511584
3/8"	19	JBO-PG-511597
1/2"	14	JBO-PG-511578
5/8"	14	JBO-PG-511601
3/4"	14	JBO-PG-511593
7/8"	14	JBO-PG-511602
1"	11	JBO-PG-511573
1 1/8"	11	JBO-PG-511576

Ring Gauge	
Order Code (Go)	Order Code (No-Go)
JBO-RG-501361	JBO-RG-500066
JBO-RG-501376	JBO-RG-500083
JBO-RG-501371	JBO-RG-500077
JBO-RG-501399	JBO-RG-500104
JBO-RG-501362	JBO-RG-500067
JBO-RG-501408	JBO-RG-500112
JBO-RG-501391	JBO-RG-500098
JBO-RG-501414	JBO-RG-500117
JBO-RG-501337	JBO-RG-500043
JBO-RG-501358	JBO-RG-500063

WHITWORTH BSW / BSF / BSP(G)

vargus cutwel PRO

Thread Mills

Elevate your threading capabilities through increased versatility, reliability, precision and quality.


[View online at cutwel.co.uk](http://www.cutwel.co.uk)
VG

Machine Taps

Internal threading made faster with machine taps for a huge range of thread forms, materials & applications.


[View online at cutwel.co.uk](http://www.cutwel.co.uk)


UNC

- 2B plug gauges (Go/No-Go)
- 2A ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available


Premium


2B Plug Gauge			2A Ring Gauge	
UNC	TPI	Order Code (Go/No-Go)	Order Code (Go)	Order Code (No-Go)
No1	64	JBO-PG-512363	JBO-RG-502377	JBO-RG-501051
No2	56	JBO-PG-512368	JBO-RG-502382	JBO-RG-501057
No3	48	JBO-PG-512373	JBO-RG-502386	JBO-RG-501061
No4	40	JBO-PG-512375	JBO-RG-502388	JBO-RG-501063
No5	40	JBO-PG-512382	JBO-RG-502392	JBO-RG-501066
No6	32	JBO-PG-512384	JBO-RG-502393	JBO-RG-501067
No8	32	JBO-PG-512389	JBO-RG-502396	JBO-RG-501070
No10	24	JBO-PG-512365	JBO-RG-502379	JBO-RG-501053
No12	24	JBO-PG-512367	JBO-RG-505676	JBO-RG-501055
1/4"	20	JBO-PG-512403	JBO-RG-502406	JBO-RG-501080
5/16"	18	JBO-PG-512410	JBO-RG-502416	JBO-RG-501088
3/8"	16	JBO-PG-512408	JBO-RG-502413	JBO-RG-501085
7/16"	14	JBO-PG-512415	JBO-RG-502421	JBO-RG-501093
1/2"	13	JBO-PG-512401	JBO-RG-502404	JBO-RG-501078
9/16"	12	JBO-PG-512419	JBO-RG-502425	JBO-RG-501097
5/8"	11	JBO-PG-512413	JBO-RG-502419	JBO-RG-501091
3/4"	10	JBO-PG-512406	JBO-RG-502411	JBO-RG-501083
7/8"	9	JBO-PG-512417	JBO-RG-502423	JBO-RG-501095
1"	8	JBO-PG-512392	JBO-RG-502398	JBO-RG-501072
1 1/8"	7	JBO-PG-512398	JBO-RG-502401	JBO-RG-501075
1 1/4"	7	JBO-PG-512396	JBO-RG-502400	JBO-RG-501074
1 1/2"	6	JBO-PG-512394	JBO-RG-502399	JBO-RG-501073
1 3/8"	6	JBO-PG-512399	JBO-RG-502403	JBO-RG-501077


UNC

- 2B plug gauges (Go/No-Go)
- 2A ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

Economy


2B Plug Gauge			2A Ring Gauge	
UNC	TPI	Order Code (Go/No-Go)	Order Code (Go)	Order Code (No-Go)
No4	40	4131-41	4121-41	4121-41N
No6	32	4131-61	4121-61	4121-61N
No8	32	4131-81	4121-81	4121-81N
1/4"	20	4131-1B1	4121-1B1	4121-1B1N
5/16"	18	4131-5D1	4121-5D1	4121-5D1N
3/8"	16	4131-3C1	4121-3C1	4121-3C1N
1/2"	13	4131-1A1	4121-1A1	4121-1A1N
5/8"	11	4131-5C1	4121-5C1	4121-5C1N
3/4"	10	4131-3B1	4121-3B1	4121-3B1N

**UNF**

- 2B plug gauges (Go/No-Go)
- 2A ring gauges (Go/No-Go)
- Right hand
- Calibrated versions available

**Premium**

2B Plug Gauge			2A Ring Gauge	
UNF	TPI	Order Code (Go/No-Go)	Order Code (Go)	Order Code (No-Go)
No0	80	JBO-PG-512421	JBO-RG-502426	JBO-RG-501099
No1	72	JBO-PG-512424	JBO-RG-502428	JBO-RG-501101
No2	64	JBO-PG-512432	JBO-RG-502436	JBO-RG-501108
No3	56	JBO-PG-512434	JBO-RG-502438	JBO-RG-501110
No4	48	JBO-PG-512436	JBO-RG-502440	JBO-RG-501112
No5	44	JBO-PG-512438	JBO-RG-502442	JBO-RG-501114
No6	40	JBO-PG-512440	JBO-RG-502444	JBO-RG-501116
No8	36	JBO-PG-512442	JBO-RG-502446	JBO-RG-501118
No10	32	JBO-PG-512426	JBO-RG-502430	JBO-RG-501103
No12	28	JBO-PG-512431	JBO-RG-502433	JBO-RG-501106
1/4"	28	JBO-PG-512456	JBO-RG-502458	JBO-RG-501130
5/16"	24	JBO-PG-512466	JBO-RG-502469	JBO-RG-501140
3/8"	24	JBO-PG-512462	JBO-RG-502466	JBO-RG-501137
7/16"	20	JBO-PG-512472	JBO-RG-502475	JBO-RG-501146
1/2"	20	JBO-PG-512454	JBO-RG-502455	JBO-RG-501127
9/16"	18	JBO-PG-512478	JBO-RG-502481	JBO-RG-501152
5/8"	18	JBO-PG-512469	JBO-RG-502472	JBO-RG-501143
3/4"	16	JBO-PG-512460	JBO-RG-502461	JBO-RG-501133
7/8"	14	JBO-PG-512476	JBO-RG-502478	JBO-RG-501149
1"	12	JBO-PG-512444	JBO-RG-502448	JBO-RG-501120
1 1/8"	12	JBO-PG-512451	JBO-RG-502453	JBO-RG-501125
1 1/4"	12	JBO-PG-512449	JBO-RG-502452	JBO-RG-501124
1 3/8"	12	JBO-PG-512453	JBO-RG-502454	JBO-RG-501126
1 1/2"	12	JBO-PG-512446	JBO-RG-502451	JBO-RG-501123

Calibration

We offer both independent UKAS-accredited calibration and JBO's manufacturer-level calibration across our thread gauge range.

UKAS Calibration

Performed by an independent UKAS-accredited laboratory to confirm exact measurements, in line with strict national quality standards.

JBO Manufacturers Calibration

High quality, manufacturer-level calibration performed by JBO to confirm the gauge is manufactured to specification in accordance with internal standards.

To enquire about calibrated thread gauges, please call **03330 389849** or email sales@cutwel.net.



PLAIN RING GAUGE

- Right hand
- Supplied with manufacturers inspection certificate
- Meets DIN2250-1:2008
- For zero setting of inside micrometers, three point bore micrometers and bore gauges



Dia Ø mm	Order Code	Dia Ø mm	Order Code	Dia Ø mm	Order Code	Dia Ø mm	Order Code
1.5	6312-1D5	15.5	6312-15D5	29.5	6312-29D5	80	6312-80
2	6312-2	16	6312-16	30	6312-30	85	6312-85
2.5	6312-2D5	16.5	6312-16D5	31	6312-31	87	6312-87
3	6312-3	17	6312-17	32	6312-32	90	6312-90
3.5	6312-3D5	17.5	6312-17D5	33	6312-33	95	6312-95
4	6312-4	18	6312-18	34	6312-34	100	6312-100
4.5	6312-4D5	18.5	6312-18D5	35	6312-35	112.5	6312-112D5
5	6312-5	19	6312-19	36	6312-36	125	6312-125
5.5	6312-5D5	19.5	6312-19D5	37	6312-37	137.5	6312-137D5
6	6312-6	20	6312-20	38	6312-38	150	6312-150
6.5	6312-6D5	20.5	6312-20D5	39	6312-39	162.5	6312-162D5
7	6312-7	21	6312-21	40	6312-40	175	6312-175
7.5	6312-7D5	21.5	6312-21D5	41	6312-41	187.5	6312-187D5
8	6312-8	22	6312-22	42	6312-42	200	6312-200
8.5	6312-8D5	22.5	6312-22D5	43	6312-43	212.5	6312-212D5
9	6312-9	23	6312-23	44	6312-44	225	6312-225
9.5	6312-9D5	23.5	6312-23D5	45	6312-45	237.5	6312-237D5
10	6312-10	24	6312-24	46	6312-46	250	6312-250
10.5	6312-10D5	24.5	6312-24D5	47	6312-47	262.5	6312-262D5
11	6312-11	25	6312-25	48	6312-48	275	6312-275
11.5	6312-11D5	25.5	6312-25D5	49	6312-49	287.5	6312-287D5
12	6312-12	26	6312-26	50	6312-50	300	6312-300
12.5	6312-12D5	26.5	6312-26D5	55	6312-55		
13	6312-13	27	6312-27	60	6312-60		
13.5	6312-13D5	27.5	6312-27D5	62	6312-62		
14	6312-14	28	6312-28	65	6312-65		
14.5	6312-14D5	28.5	6312-28D5	70	6312-70		
15	6312-15	29	6312-29	75	6312-75		



PLAIN PLUG GAUGE

- H7 tolerance
- Right hand
- Ø52mm > Ø100mm (B Type - Go & No/Go supplied on separate handles)
- Non standard sizes available on request



Dia Ø mm	Order Code	Dia Ø mm	Order Code	Dia Ø mm	Order Code	Dia Ø mm	Order Code
2	4124-2	17	4124-17	32	4124-32	47	4124-47
3	4124-3	18	4124-18	33	4124-33	48	4124-48
4	4124-4	19	4124-19	34	4124-34	49	4124-49
5	4124-5	20	4124-20	35	4124-35	50	4124-50
6	4124-6	21	4124-21	36	4124-36	52	4124-52
7	4124-7	22	4124-22	37	4124-37	55	4124-55
8	4124-8	23	4124-23	38	4124-38	60	4124-60
9	4124-9	24	4124-24	39	4124-39	65	4124-65
10	4124-10	25	4124-25	40	4124-40	70	4124-70
11	4124-11	26	4124-26	41	4124-41	75	4124-75
12	4124-12	27	4124-27	42	4124-42	80	4124-80
13	4124-13	28	4124-28	43	4124-43	85	4124-85
14	4124-14	29	4124-29	44	4124-44	90	4124-90
15	4124-15	30	4124-30	45	4124-45	95	4124-95
16	4124-16	31	4124-31	46	4124-46	100	4124-100

NEXT DAY DELIVERY
ORDER UP TO 5.30PM

MON-THUR (UP TO 5PM FRI) - TERMS & CONDITIONS APPLY. SEE CUTWEL.CO.UK/DELIVERY FOR DETAILS.

Rated Excellent ★★★★★

