


Toning Professional Series LED Strip Light

24V - 60 LEDs per metre - IP20/IP67

tagra®

SKU: TP24-RGB-60



24V

60

LEDs/m

14.4

Watts/m

100

(mm)
Cut Point

7YR

Warranty

Key Features

- Available in RGB
- 100mm Cut Points
- 60 LEDs per metre
- Up to 417 Lumens per metre
- IP20/IP67
- <5 SDCM
- Available in 5M reels
- 7 Year Warranty

Electrical Data

Voltage	Max. Current	Typ. Current	Current 5M	Max. Power	Typ. Wattage	Power 5M
24V	0.56A/m	0.52A/m	2.2A	14.4W/m	12.5W/m	54.0W

Photometric Data

Colour Temperature	CCT/Wavelength	Lumens/m	LED Chip	LEDs/m	LEDs/unit
Red	620-625nm	108lm	5050	60 LEDS	6 LEDs
Green	520-525nm	279lm	Cut Points	CRI	Beam Angle
Blue	465-470nm	55lm	100mm	-	120°
RGB	-	417lm	SDCM	Dimmable	IC Type
			<5	Yes	
			Pixels/m	Pixels/unit	PWM Rate

Mechanical Data

Min. Bend Diameter	Mounting	Cable Length	Cable End	Cable Type	Wire Colours
Ø 60mm	3M Adhesive	500mm	Tinned (5m)	20AWG	BLACK V+ DC
IP Rating	PCB Weight	PCB Colour	Operating Temperature		
IP20/IP67	2oz	White	-5°C ~ +40°C		
RED					R-
GREEN					G-
BLUE					B-

Lifespan	Energy Rating	Warranty	Dimensions	
50,000 hrs	-	7 Years	(IP20) W10 x H1.6mm	(IP67) W12 x H4.8mm

Dimensions

IP20	
IP67	

Available SKUs

SKU	CCT	IP Rating	Length
TP24-RGB-60-5M	RGB	IP20	5M
TP24-RGB-60-5M-IP	RGB	IP67	5M

Recommended Profiles Non-Spotting

SKU	Lengths	Install Type	Colours	Diffusers
CHAN-3030	2M, 3M	Surface Mount, Corner	Silver	Opal
CHAN-23145	2M, 3M	Recessed	Silver	Opal
CHAN-171145	2M, 3M	Surface Mount	Silver, Black, White	Opal
3030CIRC	2M, 3M	Suspend	Silver	Opal
3535R3	2M, 3M	Surface Mount, Suspend	Silver, Black	Semi-Clear, Opal
CHAN-2320	2M, 3M	Recessed	Silver, Black, White	Opal, Smoked Black
CHAN-2321	2M, 3M	Plaster-In	Silver	Opal, Smoked Black
CHAN-2325	2M, 3M	Surface Mount, Suspend	Silver, Black, White	Opal, Smoked Black
2030SCD	2M, 3M	Surface Mount	Silver	Semi-Clear
2621SC	2M, 3M	Walkover	Silver	Semi-Clear

Recommended Accessories/Products

Type	IP Rating	SKU	Colour/Material	Note
Connector	IP20	CONSOL-RGB-10MM-TT	Plastic	Strip to Strip
Connector	IP20	BB-CONSOL-RGB-10MM-TW	Plastic	Strip to Wire
Connector	IP20	CONSOL-RGB-10MM-CC	Plastic	Strip to Strip Corner
Connector	IP65	CB-IP12MM-4BRIDGE	Plastic	Strip to Strip
Connector	IP65	CB-IP12MM-4WIRE	Plastic	Strip to Wire
Cable	IP20	TC4C.5	Black, White	4 Core Cable
Controller	IP20	PSCONN-5IN1WIFIRCVR	White	RF Receiver
Remote	IP20	PSCONN-RGBWRF	Black	RF Remote

Recommended Drivers

Type	IP Rating	SKU	Dimmable	Brand
LED Driver	IP20	TAG24V100W-S	No	Tagra
LED Driver	IP20	TAGTRIAC24V100W	Yes	Tagra
LED Driver	IP67	TAG24V100WIP67	No	Tagra