


Toning Digital Pixel LED Strip Light

12V - 60 LEDs per metre - 60 Pixels per metre - IP20

tagra®

SKU: TD12-RGB-60



12V

60

LEDs/m

60

Pixels/m

16.67

(mm)
Cut Point

1YR

Warranty

Key Features

- Available in RGB
- 16.67mm Cut Points
- 60 LEDs per metre
- 60 Pixels per metre
- IC GS8208 Protocol
- Up to 240 Lumens per metre
- Available in 5M & 20M reels
- 1 Year Warranty

Electrical Data

Voltage	Max. Current	Typ. Current	Current 5M	Max. Power	Typ. Power	Power 5M
12V	1.0A/m	1.0A/m	5.0A	12.0W/m	12.0W/m	60.0W


Photometric Data

Colour Temperature	CCT/Wavelength	Lumens/m	LED Chip	LEDs/m	LEDs/unit
Red	620-630nm	44lm	5050	60 LEDs	1 LEDs
Green	515-525nm	164lm	Cut Points	CRI	Beam Angle
Blue	460-470nm	37lm	16.67mm	-	120°
RGB	-	240lm	SDCM	Dimmable	IC Type
			-	Yes	GS8208
			Pixels/m	Pixels/unit	PWM Rate
			60 Pixels	1 Pixels	8000Hz

Mechanical Data

Min. Bend Diameter	Mounting	Cable Length	Cable End	Cable Type	Wire Colours
Ø 60mm	3M Adhesive	500mm	Tinned Ends	20AWG	RED V+ DC
IP Rating	PCB Weight	PCB Colour	Operating Temperature		
IP20	4oz	Black	-5°C ~ +40°C		
Lifespan	Energy Rating	Warranty	Dimensions		
50,000 hrs	-	1 Years	(IP20) W10 x H1.8mm		YELLOW Back Up Data
					GREEN Data/SPI
					BLACK Ground GND

Dimensions



Available SKUs

SKU	CCT	IP Rating	Length
TD12-RGB-60-5M	RGB	IP20	5000mm
TD12-RGB-60-20M	RGB	IP20	20000mm

Recommended Profiles Non-Spotting

SKU	Lengths	Install Type	Colours	Diffusers
CHAN-3030	2M, 3M	Surface Mount, Corner	Silver	Semi-Clear, Opal
6114	2M, 3M	Plaster-In	Silver	Semi-Clear, Opal
9818	2M, 3M	Plaster-In	Silver	Semi-Clear, Opal
CHAN-20168	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
CHAN-23145	2M, 3M	Recessed	Silver	Semi-Clear, Opal
CHAN-171145	2M, 3M	Surface Mount	Silver, Black, White	Semi-Clear, Opal
3030CIRC	2M, 3M	Suspend	Silver	Opal
3535R3	2M, 3M	Surface Mount, Suspend	Silver, Black	Semi-Clear, Opal
CHAN-2320	2M, 3M	Recessed	Silver, Black, White	Opal, Smoked Black
CHAN-2321	2M, 3M	Plaster-In	Silver	Opal, Smoked Black
CHAN-2325	2M, 3M	Surface Mount, Suspend	Silver, Black, White	Opal, Smoked Black
2030SCD	2M, 3M	Surface Mount	Silver	Semi-Clear
2016	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
4714SCD	2M, 3M	Plaster-In	Silver	Opal
2023SCD	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
8570SCD	2M, 3M	Plaster-In	Silver	Opal
1896SCD	2M, 3M	Plaster-In	Silver	Semi-Clear

Recommended Accessories/Products

Type	IP Rating	SKU	Colour/Material	Note
Controller	IP20	SPI-CNTRLR-RGB/RGBW	White	5-24V, App Control

Recommended Drivers

Type	IP Rating	SKU	Dimmable	Brand
LED Driver	IP20	TAG12V75W-SB	No	Tagra
LED Driver	IP20	TAGTHIN12V100W	No	Tagra