


Surface Mounted / Suspendable LED Profile

Aluminium - IP20 - Max. Strip Width 20mm

tagra®

SKU: CHAN-2325



SIL

BLK

WHT

20mm
Strip Width

IP20

Key Features

- ▶ Surface Mounted / Suspendable
- ▶ Connectors available
- ▶ Max. Strip Light Width 20mm
- ▶ Available in 2M, 3M and custom lengths
- ▶ Available in silver, black and white
- ▶ Anodized Aluminium


Product Data

Lengths	2000mm, 3000mm
Max. Dimensions	23mm x 25.1mm
Max. Strip Width	20mm
Depth	18.1mm
Colours	Silver, Black, White
Material	Anodized Aluminium
Diffuser Available	Transparent, Opal, Smoked Black
IP Rating	IP20
Installation Type	Surface Mounted / Suspendable
Accessories Available	Mounting Brackets, Endcaps, Suspension Kit, Angled Connectors


Available SKU's

CHAN-2325-2M/SIL
CHAN-2325-3M/SIL
CHAN-2325-2M/BLK
CHAN-2325-3M/BLK
CHAN-2325-2M/WHT
CHAN-2325-3M/WHT

Installation



Dimensions




Available Accessories


Type	SKU	Colour/Material	Note
Diffuser	DIF-FCLICK-2M/FR	Opal	2M
Diffuser	DIF-FCLICK-3M/FR	Opal	3M
Diffuser	DIF-FCLICK-2M/SB	Smoked Black	2M
Diffuser	DIF-FCLICK-3M/SB	Smoked Black	3M
Diffuser	DIF-FCLICK-2M/TP	Transparent	2M
Diffuser	DIF-FCLICK-3M/TP	Transparent	3M
Diffuser	DIF-BCLICK-2M/FR	Opal	2M
Diffuser	DIF-BCLICK-3M/FR	Opal	3M
Endcap	2325-ENDCAP/SIL	Grey	Pack of 10
Endcap	2325-ENDCAP/BLK	Black	Pack of 10
Endcap	2325-ENDCAP/WHT	White	Pack of 10
Endcap	2325-BCENDCAP/SIL	Grey	Pack of 10
Endcap	2325-BCENDCAP/BLK	Black	Pack of 10
Endcap	2325-BCENDCAP/WHT	White	Pack of 10
Mounting Bracket	MOUNT-2325	Stainless Steel	Pack of 10
Suspension Kit	2325-SUS/SIL	Stainless Steel, Silver	1.5M Kit
Suspension Kit	2325-SUS/BLK	Stainless Steel, Black	1.5M Kit
Suspension Kit	2325-SUS/WHT	Stainless Steel, White	1.5M Kit
Connector	2325-STRT-CON	Stainless Steel	Straight Connector, 50mm
Connector	2325-60DEG-CONN/SIL	Anodized Silver	6 Pieces + Screws, 60°
Connector	2325-60DEG-CONN/BLK	Anodized Black	6 Pieces + Screws, 60°
Connector	2325-60DEG-CONN/WHT	Anodized White	6 Pieces + Screws, 60°
Connector	2325-90DEG-CONN/SIL	Anodized Silver	6 Pieces + Screws, 90°
Connector	2325-90DEG-CONN/BLK	Anodized Black	6 Pieces + Screws, 90°
Connector	2325-90DEG-CONN/WHT	Anodized White	6 Pieces + Screws, 90°
Connector	2325-120DEG-CONN/SIL	Anodized Silver	6 Pieces + Screws, 120°
Connector	2325-120DEG-CONN/BLK	Anodized Black	6 Pieces + Screws, 120°
Connector	2325-120DEG-CONN/WHT	Anodized White	6 Pieces + Screws, 120°
Connector	2325-135DEG-CONN/SIL	Anodized Silver	6 Pieces + Screws, 135°
Connector	2325-135DEG-CONN/BLK	Anodized Black	6 Pieces + Screws, 135°
Connector	2325-135DEG-CONN/WHT	Anodized White	6 Pieces + Screws, 135°




DIF-FCLICK



DIF-BCLICK



2325-ENDCAP



2325-BCENDCAP



MOUNT-2325



2325-SUS



2325-STRT-CON



2325-60DEG-CONN



2325-90DEG-CONN



2325-120DEG-CONN



2325-135DEG-CONN