


Toning Essential Series SMD LED Strip Light
24V - 60 LEDs per metre - RGB+W - IP20/IP65



SKU: TE24-RGBW-60



24V	60 LEDs/m	19.2 Watts/m	100 (mm) Cut Point	3YR Warranty
------------	---------------------	------------------------	---------------------------------	------------------------

Key Features

- Available in RGB+2700K, RGB+3000K, RGB+4000 & RGB+6000K
- 100mm Cut Points
- 60 LEDs per metre
- Up to 980 Lumens per metre
- IP20/IP65
- Available in 5M reels
- 3 Year Warranty

Electrical Data

Voltage	Max. Current	Typ. Current	Current 5M	Max. Power	Typ. Wattage	Power 5M
24V	0.8A/m	0.8A/m	4.0A	19.2W/m	19.2W/m	96W


Photometric Data

Colour Temperature	CCT/Wavelength	Lumens/m	LED Chip	LEDs/m	LEDs/unit
Red	620-625nm	130lm	5050	60 LEDs	6 LEDs
Green	520-525nm	350lm	Cut Points	CRI	Beam Angle
Blue	465-470nm	80lm	100mm	80	120°
RGB+2700K	-	940lm	SDCM	Dimmable	IC Type
RGB+3000K	-	940lm	<5	Yes	
RGB+4000K	-	950lm	Pixels/m	Pixels/unit	PWM Rate
RGB+6000K	-	980lm			

Mechanical Data

Min. Bend Diameter	Mounting	Cable Length	Cable End	Cable Type	Wire Colours
Ø 60mm	3M Adhesive	500mm	Tinned	20AWG	BLACK V+ DC
IP Rating	PCB Weight	PCB Colour	Operating Temperature		
IP20/IP65	2oz	White	-5°C ~ +40°C		
Lifespan	Energy Rating	Warranty	Dimensions		
26,000 hrs	G	3 Years	(IP20) W12 x H2.1mm	(IP65) W14 x H4.8mm	RED R-
					GREEN G-
					BLUE B-
					WHITE W-

Dimensions



Available SKUs

SKU	CCT	IP Rating	Length
TE24-RGB27K605M	RGB+2700K	IP20	5M
TE24-RGB3K605M	RGB+3000K	IP20	5M
TE24-RGB4K605M	RGB+4000K	IP20	5M
TE24-RGB6K605M	RGB+6000K	IP20	5M
TE24-RGB27K605M65	RGB+2700K	IP65	5M
TE24-RGB3K605M65	RGB+3000K	IP65	5M
TE24-RGB4K605M65	RGB+4000K	IP65	5M
TE24-RGB6K605M65	RGB+6000K	IP65	5M

Recommended Profiles Non-Spotting

SKU	Lengths	Install Type	Colours	Diffusers
CHAN-3030	2M, 3M	Surface Mount, Corner	Silver	Opal
CHAN-23145	2M, 3M	Recessed	Silver	Opal
CHAN-171145	2M, 3M	Surface Mount	Silver, Black, White	Opal
3030CIRC	2M, 3M	Suspend	Silver	Opal
3535R3	2M, 3M	Surface Mount, Suspend	Silver, Black	Semi-Clear, Opal
CHAN-2320	2M, 3M	Recessed	Silver, Black, White	Opal, Smoked Black
CHAN-2321	2M, 3M	Plaster-In	Silver	Opal, Smoked Black
CHAN-2325	2M, 3M	Surface Mount, Suspend	Silver, Black, White	Opal, Smoked Black
2030SCD	2M, 3M	Surface Mount	Silver	Semi-Clear

Recommended Accessories/Products

Type	IP Rating	SKU	Colour/Material	Note
Connector	IP20	CONSOL-RGBW-12MM-TT	Plastic	Strip to Strip
Connector	IP20	BB-CONSOL-RGBW-12MM-TW	Plastic	Strip to Wire
Connector	IP20	CONSOL-RGBW-12MM-CC	Plastic	Strip to Strip Corner
Connector	IP65	CB-IP14MM-5BRIDGE	Plastic	Strip to Strip
Connector	IP65	CB-IP14MM-5WIRE	Plastic	Strip to Wire
Cable	IP20	TC5C.5	Black, White	5 Core Cable
Controller	IP20	PSCONN-5IN1WIFIRCVR	White	RF Receiver
Remote	IP20	PSCONN-RGBWRF	Black	RF Remote

Recommended Drivers

Type	IP Rating	SKU	Dimmable	Brand
LED Driver	IP20	TAG24V100W-S	No	Tagra
LED Driver	IP20	TAGTRIAC24V100W	Yes	Tagra
LED Driver	IP67	TAG24V100WIP67	No	Tagra