

Toning Professional Series COB LED Strip Light

24V - Continuous - IP20

tagra[®]

SKU: TP24-RGBCOB



24V

COB

15.8
Watts/m

50
(mm)
Cut Point

7YR
Warranty

Key Features

- Available in RGB
- 50mm Cut Points
- Continuous LED
- Up to 805 Lumens per metre
- <3 SDCM
- Available in 5M & 50M reels
- 7 Year Warranty

Electrical Data

Voltage	Max. Current	Typ. Current	Current 5M	Max. Power	Typ. Wattage	Power 5M
24V	0.7A/m	0.63A/m	2.6A	15.8W/m	14.4W/m	62.4W

Photometric Data

Colour Temperature	CCT/Wavelength	Lumens/m
RGB	-	805lm
Red	620-625nm	180lm
Green	520-525nm	550lm
Blue	465-470nm	40lm


LED Chip	LEDs/m	LEDs/unit
Chip on board	840 LEDs	42 LEDs
Cut Points	CRI	Beam Angle
50mm	-	140°
SDCM	Dimmable	IC Type
<3	Yes	
Pixels/m	Pixels/unit	PWM Rate

Mechanical Data

Min. Bend Diameter	Mounting	Cable Length	Cable End	Cable Type
Ø 60mm	3M Adhesive	500mm	Tinned Ends	20AWG
IP Rating	PCB Weight	PCB Colour	Operating Temperature	
IP20	2oz	White	-5°C ~ +40°C	
Lifespan	Energy Rating	Warranty	Dimensions	
26,000 hrs	-	7 Years	(IP20) W10 x H1.6mm	

Wire Colours	
BLACK	V+ DC
GREEN	G-
RED	R-
BLUE	B-

Dimensions



Recommended Profiles Non-Spotting

SKU	Lengths	Install Type	Colours	Diffusers
2193	2M, 3M	Recessed	Silver, Black, White	Semi-Clear, Opal, Black
113113	2M, 3M	Surface Mount, Corner	Silver, Black, White	Semi-Clear, Opal
CHAN-178	2M, 3M	Surface Mount	Silver, Black, White	Semi-Clear, Opal, Black
188IP65	2M, 3M	Surface Mount	Silver	Semi-Clear
CHAN-1616	2M, 3M	Surface Mount, Corner	Silver, Black, White	Semi-Clear, Opal, Black
CHAN-3030	2M, 3M	Surface Mount, Corner	Silver	Semi-Clear, Opal
6114	2M, 3M	Plaster-In	Silver	Semi-Clear, Opal
9818	2M, 3M	Plaster-In	Silver	Semi-Clear, Opal
CHAN-20168	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
CHAN-23145	2M, 3M	Recessed	Silver	Semi-Clear, Opal
CHAN-171145	2M, 3M	Surface Mount	Silver, Black, White	Semi-Clear, Opal
CORPROIP65	2M, 3M	Surface Mount	Silver	Semi-Clear
3030CIRC	2M, 3M	Suspend	Silver	Opal
3535R3	2M, 3M	Surface Mount, Suspend	Silver, Black	Semi-Clear, Opal
CHAN-2320	2M, 3M	Recessed	Silver, Black, White	Opal, Smoked Black
CHAN-2321	2M, 3M	Plaster-In	Silver	Opal, Smoked Black
CHAN-2325	2M, 3M	Surface Mount, Suspend	Silver, Black, White	Opal, Smoked Black
2030SCD	2M, 3M	Surface Mount	Silver	Semi-Clear
2621SC	2M, 3M	Walkover	Silver	Semi-Clear
2016	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
4714SCD	2M	Plaster-In	Silver	Opal
2023SCD	2M, 3M	Surface Mount	Silver	Semi-Clear, Opal
4822SCD	2M, 3M	Plaster-In	Silver	Semi-Clear
4425SCD	2M, 3M	Plaster-In	Silver	Semi-Clear
8570SCD	2M, 3M	Plaster-In	Silver	Semi-Clear
3613SC	2M, 3M	Plaster-In	Silver	Semi-Clear
1896SCD	2M, 3M	Plaster-In	Silver	Semi-Clear

Available SKUs

SKU	CCT	IP Rating	Length
TP24-RGBCOB5M	RGB	IP20	5M
TP24-RGBCOB50M	RGB	IP20	50M

Recommended Accessories/Products

Type	IP Rating	SKU	Colour/Material	Note
Cable	IP20	TC4C.35	Black	4 Core Cable
Controller	IP20	PSCONN-5IN1WIFIRCVR	White	App Control

Recommended Drivers

Type	IP Rating	SKU	Dimmable	Brand
LED Driver	IP20	TAG24V100W-S	No	Tagra
LED Driver	IP20	TAGTRIAC24V100W	Yes	Tagra
LED Driver	IP67	TAG24V100WIP67	No	Tagra