



Data Sheet

Product Code: XDB4BS

Product Description: 1-Gang 13A Double Pole Switched Socket

Range: Screwless

Finish: Brushed Brass

Product Category: Sockets

Insert/Knob Colour: Brass/Black Insert

Barcode: 5021575760293

Dimensions: 86x86x32mm

Faceplate Depth: 4mm

Net Weight: 146g

Gross Weight: 148g

Fixing Centres: 60.3mm

Depth from Mounting Face: 23.3mm

Recommended Back Box Depth: 35mm

Operating Voltage: 230v 50Hz

Maximum Load Rating: 13A

Maximum Current Rating: 13A

Terminal (Live) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Neutral) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Earth) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Intended Applications: Indoor Use Only. Domestic power supply.

Safety Advice: Product Must Be Earthed.

Applicable Safety Standard: BS 1363-2

Commodity Code: 85366990

Declaration of Conformity



Product Features

- ☑ Double pole switching for safer operation
- ☑ Sleek, low-profile screwless faceplate



All information is subject to change without notice. Errors and omissions excepted. Images are for illustrative purposes only. Individual features and colours may vary. Refer to date of issue to identify latest version.

Date of Issue: 28th June 2024 © Doyle & Tratt Products Ltd, Carylls Lea, Faygate, West Sussex, RH12 4SJ, United Kingdom. All rights reserved.



Data Sheet

Product Code: XDS4BS

Product Description: 1-Gang 13A Double Pole Switched Socket

Range: Screwless

Finish: Brushed Steel

Product Category: Sockets

Insert/Knob Colour: Steel/Black Insert

Barcode: 5021575480290

Dimensions: 86x86x32mm

Faceplate Depth: 4mm

Net Weight: 146g

Gross Weight: 148g

Fixing Centres: 60.3mm

Depth from Mounting Face: 23.3mm

Recommended Back Box Depth: 35mm

Operating Voltage: 230v 50Hz

Maximum Load Rating: 13A

Maximum Current Rating: 13A

Terminal (Live) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Neutral) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Earth) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Intended Applications: Indoor Use Only. Domestic power supply.

Safety Advice: Product Must Be Earthed.

Applicable Safety Standard: BS 1363-2

Commodity Code: 85366990

Declaration of Conformity



Product Features

Double pole switching for safer operation

Sleek, low-profile screwless faceplate



All information is subject to change without notice. Errors and omissions excepted. Images are for illustrative purposes only. Individual features and colours may vary. Refer to date of issue to identify latest version.

Date of Issue: 28th June 2024 © Doyle & Tratt Products Ltd, Carylls Lea, Faygate, West Sussex, RH12 4SJ, United Kingdom. All rights reserved.



Data Sheet

Product Code: XDY4BS.MB

Product Description: 1-Gang 13A Double Pole Switched Socket

Range: Urban Screwless

Finish: Matt Black

Product Category: Sockets

Insert/Knob Colour: Iridium/Black Insert

Barcode: 5021575018158

Dimensions: 86x86x32mm

Faceplate Depth: 4mm

Net Weight: 146g

Gross Weight: 148g

Fixing Centres: 60.3mm

Depth from Mounting Face: 23.3mm

Recommended Back Box Depth: 35mm

Operating Voltage: 230v 50Hz

Maximum Load Rating: 13A

Maximum Current Rating: 13A

Terminal (Live) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Neutral) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Terminal (Earth) Diameter: 4.8mm; **Capacity:** 4 x 2.5mm²

Intended Applications: Indoor Use Only. Domestic power supply.

Safety Advice: Product Must Be Earthed.

Applicable Safety Standard: BS 1363-2

Commodity Code: 85366990

Declaration of Conformity



Product Features

Double pole switching for safer operation

Sleek, low-profile screwless faceplate



All information is subject to change without notice. Errors and omissions excepted. Images are for illustrative purposes only. Individual features and colours may vary. Refer to date of issue to identify latest version.

Date of Issue: 28th June 2024 © Doyle & Tratt Products Ltd, Carylls Lea, Faygate, West Sussex, RH12 4SJ, United Kingdom. All rights reserved.