

Essential Series SMD LED Strip Light

24V - 60 LEDs per metre - IP65

tagra®

SKU: ES24-60-IP



24V

60
LEDs/m

4.8
Watts/m

100
(mm)
Cut Point

2YR
Warranty

Key Features

- Available in 2700K, 3000K, 4000K, 6000K
- 100mm Cut Points
- 60 LEDs per metre
- Up to 520 Lumens per metre
- IP65
- Available in 5M & 50M reels
- 2 Year Warranty

Electrical Data

Voltage	Max. Current	Typ. Current	Current 5M	Max. Power	Typ. Wattage	Power 5M
24V	0.2A/m	0.18A/m	0.88A	4.8W/m	4.4W/m	22.3W

Photometric Data

Colour Temperature	CCT/Wavelength	Lumens/m
Very Warm White	2700K	450lm
Warm White	3000K	480lm
Neutral White	4000K	520lm
Cool White	6000K	500lm


LED Chip	LEDs/m	LEDs/unit
2835	60 LEDs	6 LEDs
Cut Points	CRI	Beam Angle
100mm	>80	120°
SDCM	Dimmable	IC Type
<5	Yes	
Pixels/m	Pixels/unit	PWM Rate

Mechanical Data

Min. Bend Diameter	Mounting	Cable Length	Cable End	Cable Type
Ø 60mm	3M Adhesive	-	-	-
IP Rating	PCB Weight	PCB Colour	Operating Temperature	
IP65	2oz	White	-5°C ~ +40°C	
Lifespan	Energy Rating	Warranty	Dimensions	
26,000 hrs	F	2 Years	(IP65) W10 x H4.8mm	

Wire Colours	
RED	V+ DC
BLACK	Ground GND

Dimensions



Available SKUs

SKU	CCT	IP Rating	Length
ES24-27K-60-50M-80-IP	2700K	IP65	50M
ES24-3K-60-50M-80-IP	3000K	IP65	50M
ES24-4K-60-50M-80-IP	4000K	IP65	50M
ES24-6K-60-50M-80-IP	6000K	IP65	50M
ES24-27K605M65	2700K	IP65	5M
ES24-3K605M65	3000K	IP65	5M
ES24-4K605M65	4000K	IP65	5M
ES24-6K605M65	6000K	IP65	5M

Recommended Profiles Non-Spotting

SKU	Lengths	Install Type	Colours	Diffusers
CHAN-3030	2M, 3M	Surface Mount, Corner	Silver	Opal
CHAN-23145	2M, 3M	Recessed	Silver	Opal
CHAN-171145	2M, 3M	Surface Mount	Silver, Black, White	Opal
3030CIRC	2M, 3M	Suspend	Silver	Opal
3535R3	2M, 3M	Surface Mount, Suspend	Silver, Black	Semi-Clear, Opal
CHAN-2320	2M, 3M	Recessed	Silver, Black, White	Opal, Smoked Black
CHAN-2321	2M, 3M	Plaster-In	Silver	Opal, Smoked Black
CHAN-2325	2M, 3M	Surface Mount, Suspend	Silver, Black, White	Opal, Smoked Black
2030SCD	2M, 3M	Surface Mount	Silver	Semi-Clear
2621SC	2M, 3M	Walkover	Silver	Semi-Clear

Recommended Accessories/Products

Type	IP Rating	SKU	Colour/Material	Note
Connector	IP20	CB-8MM-2BRIDGE	Plastic	Strip to Strip
Connector	IP20	CB-8MM-2WIRE	Plastic	Strip to Wire
Connector	IP20	CB-8MM-2CRN	Plastic	Strip to Strip Corner
Cable	IP20	TC2C.5	Black, White	2 Core Cable
Controller	IP20	USCZONESP-V2	White	RF Receiver
Controller	IP20	PSCONN-5IN1WIFIRCVR	White	App Control

Recommended Drivers

Type	IP Rating	SKU	Dimmable	Brand
LED Driver	IP20	TAG24V30W	No	Tagra
LED Driver	IP20	TAGTRIAC24V30W-V2	Yes	Tagra
LED Driver	IP67	LPV-35-24	No	Mean Well