


Tagra | LED Strip Solderless Connector | RGB+W | COB |  
12mm | Corner Connector | IP20 | Pack of 2


**CONSOL-RGBWCOB-12MM-CC / ITM019902**



Datasheet

12-10-2026

Tagra | LED Strip Solderless Connector | RGB+W | COB | 12mm | Corner Connector | IP20 | Pack of 2



|                                                                                           |                                                                                             |                                                                                            |                                                                                                |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| IP Rating                                                                                 | Pack Size                                                                                   | Voltage In                                                                                 | Warranty                                                                                       |
| <br>IP20 | <br>2 PCS | <br>24V | <br>3 Years |

**SKU:** CONSOL-RGBWCOB-12MM-CC  
**ITM:** ITM019902

- Key Features:**
- **Connector Type:** Solderless
  - **Dimensions (W x H x L):** 14.6 x 6.2 x 19.8mm


| Mechanical Data             |             |                     |                     |
|-----------------------------|-------------|---------------------|---------------------|
| Body Colour:                | Transparent | Cable Gauge:        | 22AWG               |
| Connector Pin Pitch:        | 1.5mm       | Connector Type:     | Solderless          |
| Max. LED Strip Light Width: | 12mm        | Product Weight:     | 4g                  |
| Product Diameter:           | 36.8mm      | Dimensions (LxWxH): | 19.8 x 14.6 x 6.2mm |

Input Data

|                |     |
|----------------|-----|
| Input Voltage: | 24V |
|----------------|-----|

| Environmental Data       |              |                           |          |
|--------------------------|--------------|---------------------------|----------|
| Application Environment: | Indoor       | Body Material:            | PC       |
| Ingress Protection (IP): | IP20         | Interior or Exterior Use: | Interior |
| Operating Temperature:   | -10°C - 45°C |                           |          |

Dimension Drawing



Packaging Data

|                        |      |                   |        |
|------------------------|------|-------------------|--------|
| Items / Sets Per Pack: | 2    | Packaging Height: | 0.16mm |
| Packaging Length:      | 70mm | Packaging Width:  | 110mm  |
| Packaging Weight:      | 10g  |                   |        |

---

## Disclaimer

Tagra Lighting have taken reasonable care to ensure that the information in this datasheet is accurate at time of publication however it should be noted that all specifications are subject to tolerance. Descriptive specifications such as colour are subjective. Tagra Lighting reserve the right to update specifications without notice. The information in the datasheet may only be relied on by customers of Tagra Lighting in accordance with applicable terms and conditions.

Tagra Lighting is a trading name of T.R Ventures Limited, a company incorporated in England with registered number 07757720. Our registered office is Unit 2, Southfield Industrial Estate, Trafford Park, M17 1SJ.

[www.tagra-lighting.co.uk](http://www.tagra-lighting.co.uk)

support@tagra-lighting.co.uk

