





Connectable Linear Luminaire

0161 507 9250

sales@ultraleds.co.uk

VEVO | LIGHTING &
ACOUSTICS



Appline Series

Different corners such as X, 90°, and TEE can achieve different shapes. The corners also use the quick splicing method, which can quickly splice different shapes, saving more than 95% of setup time.


A new way of connection

- Connect within 5 seconds
- Tool Free
- No Light Leakage
- 600W/0.75m m² AC Cable



Appline Series

Opal 20M Diffuser



Full Optics

Opal



Prismatic



Louvre



Blank



Benefits

- Extremely quick connection of lengths
- Single power feed per fitting (up to 30 metres)
- Modular up lighting that can be easily added
- Switchable colour temperatures
- Interchangeable optics to suit different applications
- Opal, Prismatic, Louvre, interchangeable without tool



Up-lighting module slides onto the back and connects via port




CCT Switch on the back of the luminaire

0161 507 9250

sales@ultraleds.co.uk

VEVO | LIGHTING & ACOUSTICS



Prismatic

Louvre

Opal

Blank

Colour: ● Black @RAL9005

Material: 6063 Aluminium + PC

Direct Light (Opal, Prismatic, Louvre)				
Size (mm)	Power	Efficiency	CRI	SDCM
560x58x72	18W	105lm/W	80	5
1120x58x72	36W	105lm/W	80	5
1400x58x72	45W	105lm/W	80	5
1821x58x72	56W	105lm/W	80	5