RONDEL DECORATIVE DISK

CORE™

ESLDDSK2R5WH

Key Features & Benefits:

- Five field-selectable color temperatures, 2700K to 5000K
- Up to 710 lumens
- Low-profile surface mount
- 120V triac dimming
- Wet location rated
- ETL listed
- Optional black or brushed nickel trim
- 5-year limited warranty

Project: Date:

Catalog #:

Notes:

Product Specifications:

Wattage: 10W
Selectable Kelvin: 2700K–3000K–3500K–4000K–5000K
Max Lumen Output: 710 Lumens
Efficacy: 71 lm/W
Voltage: 120 VAC
Dimming: Triac 120 VAC
Operating Temperature: -4°F to 113°F
Finish: White
Dimensions: Ø5.51” x H0.79”
Warranty: 5 Year



PART NUMBER:

ESLDDSK2R5WH

5 in. LED Surface Mount Disk, 10W, 5CCT Selectable, 120V Triac Dimming, Wet Location, White

Lumen Ambient Temperature (LAT) Multipliers:

AMBIENT TEMP		LUMEN MULTIPLIER
0°C	32°F	1.02
10°C	50°F	1.01
20°C	68°F	1.00
25°C	77°F	1.00
30°C	86°F	1.00
40°C	104°F	0.99
50°C	122°F	0.96

5 YEAR WARRANTY

ENERGY STAR

INTERTEK ETL LISTED US

TRIAC-DIMMABLE 120 VAC

WET LOCATION

5CCT SELECTABLE KELVIN

© 2026 ESL Vision, LLC - Rev: 11/19/26

Field Installed Accessories:

OPTION	DESCRIPTION
ESLDDSK2R5TBK	Rondel 5 in. Decorative Trim, Black
ESLDDSK2R5TBN	Rondel 5 in. Decorative Trim, Brushed Nickel
ESLDDSK2EM	

Fixture Variants:

PART NUMBERS	DESCRIPTION
ESLDDSK2R5WH	5 in., White
ESLDDSK2R7WH	7 in., White
ESL-DDSK-R9-18W-12750	9 in., White
ESLDDSK2R11WH	11 in., White
ESLDDSK2R13WH	13 in., White



White

Catalog Data:


ITEM #	WATTAGE	SELECTABLE KELVIN	MAX LUMEN OUTPUT	MAX EFFICACY	DIMENSIONS (LxWxH)
ESLDDSK2R5WH	10W	2700K–3000K–3500K–4000K–5000K	710 Lumens	71 lm/W	Ø5.51” x H0.79”
ESLDDSK2R7WH	10W	2700K–3000K–3500K–4000K–5000K	1,241 Lumens	83 lm/W	Ø7.48” x H0.79”
ESL-DDSK-R9-18W-12750	10W	2700K–3000K–3500K–4000K–5000K	1,476 Lumens	82 lm/W	Ø8.86” x H0.79”
ESLDDSK2R11WH	10W	2700K–3000K–3500K–4000K–5000K	2,156 Lumens	103 lm/W	Ø10.98” x H0.98”
ESLDDSK2R13WH	10W	2700K–3000K–3500K–4000K–5000K	2,431 Lumens	101 lm/W	Ø12.8” x H0.98”

© 2026 ESL Vision, LLC - Rev: 11/19/26


Dimensions:

FIXTURE BODIES


ESLDDSK2R5WH




ESLDDSK2R7WH




ESL-DDSK-R9-18W-12750



ESLDDSK2R11WH




ESLDDSK2R13WH




NEW CONSTRUCTION BACKUP

ESLDDSK2EM



RETROFIT BACKUP

ESLDDSK2R7EMR



© 2026 ESL Vision, LLC - Rev: 11/19/26