Care Quality Commission

Inspection Evidence Table

Harris Memorial Surgery (1-544168690)

Inspection date: 13 April 2018

Date of data download: 06 April 2018

Safe

Safety systems and processes

Source	
There was a lead member(s) of staff for safeguarding processes and procedures.	Yes
Safety and safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Yes
Policies were in place covering adult and child safeguarding. They were updated and reviewed and accessible to all staff.	Yes
Partners and staff were trained to appropriate levels for their role (for example level three for GPs, including locum GPs)	Yes
The practice worked in partnership with other agencies to protect patients from abuse, neglect, harassment, discrimination and breaches of their dignity and respect. Information about patients at risk was shared with other agencies in a timely way.	Yes
Systems were in place to highlight vulnerable patients on record. There was a risk register of specific patients	Yes
Reports and learning from safeguarding incidents were available to staff.	Yes
Disclosure and Barring Service (DBS) checks were undertaken where required	Yes
Staff who acted as chaperones were trained for the role and had a DBS check.	Yes
Explanation of any 'No' answers:	

Recruitment Systems	
The registered person provided assurances that safety was promoted in their recruitment practices.	Yes
Recruitment checks were carried out in accordance with regulations (including for agency staff, locums and volunteers).	Yes
Staff vaccination was maintained in line with current PHE guidance and if relevant to role.	Yes
Systems were in place to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	
Staff who require medical indemnity insurance had it in place	Yes
Explanation of any 'No' answers:	

Safety Records	
There was a record of portable appliance testing or visual inspection by a competent person	Yes
Date of last inspection	23/03/18
There was a record of equipment calibration	Yes
Date of last calibration:	07/11/17
Risk assessments were in place for any storage of hazardous substances e.g. liquid nitrogen, storage of chemicals	Yes
Fire procedure in place	Yes
Fire extinguisher checks	Yes
Fire drills and logs	Yes
Fire alarm checks	Yes
Fire training for staff	Yes
Fire marshals	Yes
Fire risk assessment	Yes
Date of completion	17/04/18
Health and safety	
Premises/security risk assessment?	Yes
	1/03/18
Additional comments:	
Fire Risk assessments were in place although required minor up dating, updated risk assessment sent to us after inspection.	

Infection control	
Risk assessment and policy in place	Yes
Date of last infection control audit:	17/04/18
The provider acted on any issues identified	Yes
The nurse lead for infection prevention and control was new to the position, they had identified that further training for staff was required.	
The arrangements for managing waste and clinical specimens kept people safe?	Yes

Risks to patients

The practice had evetered in place to manifer and review staffing levels and skill mix	Vaa
The practice had systems in place to monitor and review staffing levels and skill mix.	Yes
There was an effective approach to managing staff absences and busy periods.	Yes
Comprehensive risk assessments were carried out for patients and risk management plans were developed in line with national guidance	Yes
Staff knew how to respond to emergency situations.	Yes
Receptionists were aware of 'red flag' sepsis symptoms that might be reported by patients and how to respond.	Yes
The practice had equipment available to enable assessment of patients with presumed sepsis.	Yes
There were systems in place to enable the assessment of patients with presumed sepsis in line with NICE guidance.	Yes
The impact on safety was assessed and monitored when the practice carried out changes to the service or the staff.	Yes
Explanation of any 'No' answers:	

Information to deliver safe care and treatment

Individual care records, including clinical data, were written and managed in line with current guidance and relevant legislation.	Yes
The care records we saw demonstrated that information needed to deliver safe care and treatment was made available to relevant staff in an accessible way.	Yes
Referral letters contained specific information to allow appropriate and timely referrals.	Yes
Referrals to specialist services were documented.	Yes
The practice had a documented approach to the management of test results and this was managed in a timely manner.	Yes
The practice demonstrated that when patients use multiple services, all the information needed for their ongoing care was shared appropriately and in line with relevant protocols.	Yes
Explanation of any 'No' answers:	

Safe and appropriate use of medicines

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU).(01/07/2016 to 30/06/2017)(NHSBSA)	1.06	0.98	0.98	Comparable to other practices
Percentage of antibiotic items prescribed that are Co-Amoxiclav, Cephalosporins or Quinolones.(01/07/2016 to 30/06/2017) (NHSBSA)	11.6%	9.8%	8.9%	Comparable to other practices

Medicine Management	
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Yes
Staff had the appropriate authorisations in place to administer medicines (including PGDS or PSDs).	
Prescriptions (pads and computer prescription paper) were kept securely and monitored.	Yes
There was a process for the management of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Yes
The practice monitored the prescribing of controlled drugs. (For example, audits for unusual prescribing, quantities, dose, formulations and strength).	Yes
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team CD Accountable Officer.	Yes
If the practice had controlled drugs on the premises there were systems for the safe ordering, checks on receipt, storage, administration, balance checks and disposal of these medicines in line with national guidance.	NA
Up to date local prescribing guidelines were in use. Clinical staff were able to access a local microbiologist for advice.	Yes
For remote or online prescribing there were effective protocols in place for identifying and verifying the patient in line with GMC guidance.	Yes
The practice held appropriate emergency medicines and .risk assessments were in place to determine the range of medicines held.	Yes
The practice had arrangements to monitor the stock levels and expiry dates of emergency medicines/medical gases	Yes
There was medical oxygen on site	Yes
The practice had a defibrillator	Yes
Both were checked regularly and this was recorded.	Yes
Medicines that required refrigeration were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective in use.	Yes

Dispensing practices only	
There was a GP responsible for providing effective leadership for the dispensary?	Yes
Access to the dispensary was restricted to authorised staff only.	Yes
The practice had clear Standard Operating Procedures for their dispensary staff to follow.	Yes
The practice had a clear system of monitoring compliance with Standard Operating Procedures.	Yes
Prescriptions were signed before medicines were dispensed and handed out to patents. There was a risk assessment or surgery policy for exceptions such as acute prescriptions.	Yes
If the dispensary provided medicines in weekly or monthly blister packs (Monitored Dosage Systems) there were systems to ensure appropriate and correct information on medicines were supplied with the pack.	Yes
Staff were aware of medicines that were not suitable for inclusion in such packs and had access to appropriate resources to identify these medicines. Where such medicines had been identified staff provided alternative options that kept patients safe.	Yes
The home delivery service, or remote collection points, had been risk assessed (including for safety, security, confidentiality and traceability).	Yes
Information was provided to patients in accessible formats e.g. large print labels, braille labels, information in variety of languages etc.	Yes
There was the facility for dispensers to speak confidentially to patients and protocols described process for referral to clinicians.	Yes
Any other comments on dispensary services:	

Track record on safety and lessons learned and improvements made

Significant events	
There was a system for recording and acting on significant events	Yes
Staff understood how to report incidents both internally and externally	Yes
There was evidence of learning and dissemination of information	Yes
Number of events recorded in last 12 months.	5
Number of events that required action	5

Example(s) of significant events recorded and actions by the practice;

Event	Specific action taken
Patient prescribed incorrect dosage of medicine by hospital	Patient reviewed by practice as feeling unwell. Patient had emailed the practice nurse as feeling so unwell and was advised to stop taking medicines. After several emails between the practice nurses, the diabetic specialist nurse and hospital consultant an appropriate medicines review was made.

Safety Alerts	
There was a system for recording and acting on safety alerts	Yes
Staff understand how to deal with alerts	Yes

Comments on systems in place:

Safety Alerts were received by the practice manager and then emailed to all staff. Further discussion took place at weekly clinical meetings to ensure actions had been taken as required.

Prescribing alerts were received by the GP lead for the dispensary and prescribing. These again were discussed at clinical meetings and any actions taken were recorded.

Effective

Effective needs assessment, care and treatment

Prescribing				
Indicator	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU). (01/07/2016 to 30/06/2017) (NHSBSA)	0.79	0.99	0.90	Comparable to other practices

Diabetes Indicators				
Indicator	Practice performance	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	69.1%	82.4%	79.5%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
	9.5% (37)	19.5%	12.4%	
Indicator	Practice performance	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2016 to 31/03/2017) (QOF)	80.8%	81.6%	78.1%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
	5.1% (20)	11.9%	9.3%	
Indicator	Practice performance	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2016 to 31/03/2017) (QOF)	79.7%	82.3%	80.1%	Comparable to other practices
QOF Exceptions	(2.5)		10	
	9.2% (36)	14.8%	13.3%	

Other long term conditions				
Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions. (01/04/2016 to 31/03/2017) (QOF)	73.0%	75.8%	76.4%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
	0.7% (3)	12.2%	7.7%	
Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with COPD who had a review undertaken including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	40.2%	91.7%	90.4%	Significant Variation (negative)
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
	2.8% (5)	13.7%	11.4%	
Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less (01/04/2016 to 31/03/2017) (QOF)	Practice 84.3%			
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or	84.3% Practice Exception rate (number of exceptions)	84.5% CCG Exception rate	83.4% England Exception rate	comparison Comparable to
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less (01/04/2016 to 31/03/2017) (QOF)	84.3% Practice Exception rate (number of	84.5% CCG Exception rate 5.2%	83.4% England Exception rate 4.0%	Comparable to other practices
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less (01/04/2016 to 31/03/2017) (QOF)	84.3% Practice Exception rate (number of exceptions)	84.5% CCG Exception rate	83.4% England Exception rate	comparison Comparable to
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less (01/04/2016 to 31/03/2017) (QOF) QOF Exceptions	Practice Exception rate (number of exceptions) 2.3% (16) Practice	84.5% CCG Exception rate 5.2% CCG	83.4% England Exception rate 4.0% England	Comparison Comparable to other practices England
The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less (01/04/2016 to 31/03/2017) (QOF) QOF Exceptions Indicator In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy.	Practice Exception rate (number of exceptions) 2.3% (16) Practice	84.5% CCG Exception rate 5.2% CCG average	83.4% England Exception rate 4.0% England average	Comparison Comparable to other practices England comparison Comparable to

The practice were aware of where they were outliers in QOF performance and were reviewing their patient record coding entries to ensure a more effective submission for the current year. Data shared with us demonstrated the issues were coding related.

Child Immunisation				
Indicator	Numerator	Denominator	Practice %	Comparison to WHO target
Percentage of children aged 1 with completed primary course of 5:1 vaccine. (01/04/2016 to 31/03/2017) (NHS England)	52	55	94.5%	Met 90% Minimum (no variation)
The percentage children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2016 to 31/03/2017) (NHS England)	38	45	84.4%	Below 90% Minimum (variation negative)
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2016 to 31/03/2017) (NHS England)	38	45	84.4%	Below 90% Minimum (variation negative)
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (first dose of MMR) (01/04/2016 to 31/03/2017) (NHS England)	40	45	88.9%	Below 90% Minimum (variation negative)

Cancer Indicators				
Indicator	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening who were screened adequately within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64 (01/04/2016 to 31/03/2017) (Public Health England)	72.2%	75.0%	72.1%	Comparable to other practices
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (PHE)	76.3%	76.5%	70.3%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %) _(PHE)	57.7%	60.6%	54.6%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (PHE)	65.0%	64.0%	71.2%	N/A

Mental Health Indicators				
Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	96.4%	93.8%	90.3%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
Indicator	9.7% (3) Practice	15.9% CCG average	12.5% England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	96.4%	92.9%	90.7%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
Indicator	9.7% (3) Practice	13.5% CCG average	10.3% England average	England comparison
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	91.7%	84.5%	83.7%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
	5.3% (2)	7.0%	6.8%	

Monitoring care and treatment

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	527	551	539
Overall QOF exception reporting	4.8%	6.7%	5.7%

Effective staffing

Question	Y/N
The registered person provided assurances that staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Yes
The learning and development needs of staff were assessed	Yes
The provider had a programme of learning and development.	Yes
There was an induction programme for new staff. This included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Yes
Staff had access to appraisals, one to one, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Yes
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses and pharmacists.	Yes

Any further comments or notable training.

The new practice manager had encouraged further training for staff to develop their personal skills and increase patient satisfaction. For example, staff had received training in having difficult conversations with patients.

All clinicians had access to an intranet programme devised by one of the partners which provided evidence and best practice guidance on every common treatment; these included well as online links. The organisation of practice information and policies was effective in supporting staff in their daily roles.

Coordinating care and treatment

Indicator	Y/N
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2016 to 31/03/2017) (QOF)	Yes

Helping patients to live healthier lives

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with physical and/or mental health conditions whose notes record smoking status in the preceding 12 months (01/04/2016 to 31/03/2017) (QOF)	93.0%	94.8%	95.3%	Comparable to other practices
QOF Exceptions	Practice Exception rate (number of exceptions)	CCG Exception rate	England Exception rate	
Indicator	0.5% (7) Practice	1.0% CCG average	0.8% England average	England comparison
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2016 to 31/03/2017) (PHE)	56.0%	51.4%	51.6%	Comparable to other practices

Caring

Kindness, respect and compassion

CQC comments cards	
Total comments cards received	5
Number of CQC comments received which were positive about the service	5
Number of comments cards received which were mixed about the service	0
Number of CQC comments received which were negative about the service	0

Examples of feedback received:

Source	Feedback
For example, Comments cards, NHS Choices	Patients comments included that all staff were friendly and helpful, staff were very caring and were prepared to go the extra mile to help them

National GP Survey results

Practice population size	Surveys sent out	% of practice population	Surveys returned	Survey Response rate%
5,545	227	About 7%	113	49.78%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that they would definitely or probably recommend their GP surgery to someone who has just moved to the local area (01/01/2017 to 31/03/2017) (GP Patient Survey)	78.9%	86.6%	78.9%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a GP, the GP was good or very good at listening to them (01/01/2017 to 31/03/2017) (GPPS)	86.0%	92.3%	88.8%	Comparable to other practices
The percentage of respondents to the GP patient survey who answered positively to question 22 "Did you have confidence and trust in the GP you saw or spoke to?" (01/01/2017 to 31/03/2017) (GPPS)	92.8%	97.4%	95.5%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a GP, the GP was good or very good at treating them with care and concern (01/01/2017 to 31/03/2017) (GPPS)	86.9%	90.5%	85.5%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a nurse, the nurse was good or very good at listening to them (01/01/2017 to 31/03/2017) (GPPS)	95.6%	93.4%	91.4%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a nurse, the nurse was good or very good at treating them with care and concern (01/01/2017 to 31/03/2017) (GPPS)	93.6%	93.8%	90.7%	Comparable to other practices

The practice carries out its own patient survey/patient feedback exercises No

Date of exercise	Summary of results

Any additional evidence			

Involvement in decisions about care and treatment

Examples of feedback received:

Source	Feedback
Interviews with patients	We spoke with four patients on the day of inspection, they all told us the GPs and nurses discussed their treatment with them.

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a GP, the GP was good or very good at explaining tests and treatments (01/01/2017 to 31/03/2017) (GPPS)	85.2%	90.9%	86.4%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a GP, the GP was good or very good at involving them in decisions about their care (01/01/2017 to 31/03/2017) (GPPS)	81.1%	87.8%	82.0%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a nurse, the nurse was good or very good at explaining tests and treatments (01/01/2017 to 31/03/2017) (GPPS)	95.4%	92.7%	89.9%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they saw or spoke to a nurse, the nurse was good or very good at involving them in decisions about their care (01/01/2017 to 31/03/2017) (GPPS)	89.5%	89.8%	85.4%	Comparable to other practices

Interpretation services were available for patients who did not have English as a first language. Yes

Patient information leaflets and notices were available in the patient waiting area which told patients how to access support groups and organisations. Yes

Information leaflets were available in easy read format. Yes

Information about support groups was available on the practice website. Yes

Carers	Narrative
Percentage and number of carers identified	The practice had identified 36 patients as carers this was about 0.6% of its population.
How the practice supports carers	The practice had recently trained a member of staff as a care navigator to identify additional carers. The practice offered flu vaccines and health checks as required.
How the practice supports recently bereaved patients	The GP contacted the family and offered support.

Privacy and dignity

Curtains were provided in consulting rooms to maintain patients' privacy and dignity during examinations, investigations and treatments. Yes

	Narrative
Arrangements to ensure confidentiality at the reception desk	The reception area was completely separate from the waiting area consequently increasing patient privacy when arriving at the practice.

Consultation and treatment room doors were closed during consultations. Yes

A private room was available if patients were distressed or wanted to discuss sensitive issues. Yes

Examples of specific feedback received:

Responsive

Responding to and meeting people's needs

Practice Opening Times	
Day	Time
Monday	08:30-18:00
Tuesday	08:30-18:00
Wednesday	08:30-19:15
Thursday	08:30-18:00
Friday	08:30-18:00

Appointments available

The practice offered;

- Pre-booked
- on-the-day
- sit and wait
- Telephone

Extended hours opening

The practice offered extended hours on a Wednesday evening with two GPs and a nurse offering appointments.

Home visits	
The practice had a system to assess whether a home visit was clinically necessary and the urgency of the need for medical attention	Yes

If yes, describe how this was done

All urgent home visit requests were allocated to the duty GP for assessment. If a home visit was required patients were seen by the GP.

Timely access to the service

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who were 'Very satisfied' or 'Fairly satisfied' with their GP practices opening hours. (01/01/2017 to 31/03/2017)	79.0%	84.0%	80.0%	Comparable to other practices
The percentage of respondents to the GP patient survey who gave a positive answer to "Generally, how easy is it to get through to someone at your GP surgery on the phone?" (01/01/2017 to 31/03/2017)	85.7%	79.3%	70.9%	Comparable to other practices
The percentage of respondents to the GP patient survey who stated that the last time they wanted to see or speak to a GP or nurse from their GP surgery they were able to get an appointment (01/01/2017 to 31/03/2017)	79.2%	82.1%	75.5%	Comparable to other practices
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2017 to 31/03/2017)	75.6%	81.9%	72.7%	Comparable to other practices

Examples of feedback received from patients:

Source	Feedback
Patient comment cards	The comment cards we received stated patients could be seen or receive a telephone call on the same day.
NHS Choices	Brilliant caring team of GPS, Nurses and admin staff. Staff try to be flexible with appointments to fit in around work.

Listening and learning from complaints received

The complaints policy and procedures were in line with recognised guidance and contractual obligations. Yes (See *My expectations for raising concerns and complaints* and *NHS England Complaints* policy)

Information was available to help patients understand the complaints system. Yes

Complaints		
Number of complaints received in the last year.	9	
Number of complaints we examined	3	
Number of complaints we examined that were satisfactorily handled in a timely way	3	
Number of complaints referred to the Parliamentary and Health Service Ombudsman	0	

Additional comments:

Many complaints were centred on an individual working at the practice. The partners had taken appropriate steps to resolve this problem.

Well-led

Leadership capacity and capability

Vision and strategy

Practice Vision and values

The practice aims to provide healthcare that ensures mutual respect between doctor and patient, and emphasises holistic care for the patient and their family.

Culture

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff Interviews	All feedback from staff was positive. Staff said they felt supported and were proud to work at the practice. Training was available and they were encouraged to offer feedback and make suggestions which were acted upon.

Examples of changes made by the practice as a result of feedback from staff

Source	Example
Reception Staff	The practice had increased the number of staff based on reception during busy
	times so that staff can respond to patients in a more timely way.

Examples of the practice responding to incidents and concerns and how they communicate with patients and those involved (consider duty of candour)

Source	Example
record	Following a complaint from a patient who was unhappy with appointment system and also a lack of communication from the practice and hospital an investigation into a software issue on the Clinical System was carried out by the GP partner to clarify situation. The situation was resolved between the GP and the patient and an apology given.

Examples of concerns raised by staff and addressed by the practice

Source	Example	
Nursing Staff	Nurses were concerned that they were keeping patients waiting for appointments. This led to the length of appointment time allocated for each dependant on the treatment being received. For example, longer appoint times were now available when they were carrying out baby immunisation	ment
The practice's speaking up policies are in line with the NHSI National Raising Issues Policy. Yes		

Examples of action taken by the practice to promote the safety and wellbeing of staff

Source	Example
	The practice had a comprehensive range of risk assessments that covered all areas of the practice premises and staff working conditions. These were regularly checked and updated as needed.
	The practice made safety training for staff part of its mandatory training, both on induction and ongoing. For example, fire safety training, infection prevention and control and manual handling procedures.

Examples of action taken by the practice to promote equality and diversity for staff

Source	Example
Training record	Staff received training in equality and diversity

Examples of service developments implemented in past 2 years

Development area	Impact
Whole practice	In the past seven months there had been a new management structure and they had developed new processes to improve upon the quality of care for patients and working practices of staff. This included: • The employment of three salaried GPs • The formation of a Patient Participation Group for the Practice • Redesigned meetings schedules for best use of clinician times • Redesigned appointments systems, for improved access. • Installation of a TV screen in the waiting area for better communication with the patients • The implementation of on-line consultations to give another access point for the patients to the practice • Changed clinical IT system • The implementation electronic test requests • Migrated to an electronic dictation process • Upgrading the heating system

Appropriate and accurate information

Staff whose responsibilities include making statutory notifications understand what this	
entails	Yes

Engagement with patients, the public, staff and external partners

Examples of methods of engagement

	Method	Impact
Patients		Ongoing assessment of services and discussion of any suggested improvements. For example, following patient's comments about the heating, an upgraded system had been installed for patient comfort.
Public	Practice website.	This allowed current and future patients to learn about their services, how to access them and give general information about how the practice operated.
Staff	Open door policy. Staff meetings and minutes. Staff appraisal.	Open and transparent communication. Staff felt able to raise concerns and involved in service development.
External partners	Good communication channels, for example email and electronic software systems.	This enabled services to be planned and delivered effectively and for better sustainability of service provision in the future

Feedback from Patient Participation Group;

Feedback

The Patient Participation group is new in its formation. It has ten members and meets very six to eight weeks.

Continuous improvement and innovation

Examples of innovation and improvements	Impact on patients
patients.	The new online facility will allow patients to book and cancel appointments, order repeat prescriptions, and have access to the information the practice held about them. Patients also had access to an e consult service which will allowed patients to get self-help advice on numerous common conditions.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a z-score, a statistical tool which shows the deviation from the England average. It gives us a statistical measurement of a practice's performance in relation to the England average, and measures this in standard deviations. We calculate a z-score for each indicator, thereby highlighting the practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are +2 or more or -2 or less are at significant levels, warranting further enquiry.

N.B. Not all indicators are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for banding variation:

Significant variation (positive)

- Variation (positive)
- Comparable to other practices
- Variation (negative)
- Significant variation (negative)

Note: for the following indicators the variation bands are different:

Child Immunisation indicators. These are scored against the World Health Organisation target of 95%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: http://www.cgc.org.uk/what-we-do/how-we-use-information/monitoring-gp-practices