# **Care Quality Commission**

## **Inspection Evidence Table**

## New Eltham Medical Centre (1-635610999)

Inspection date: 9 October 2018

Date of data download: 08 October 2018

### Safe

#### Safety systems and processes

Safeguarding	Y/N
Disclosure and Barring Service checks were undertaken where required	Yes
Explanation of answer: The practice recruitment policy had been updated and it now included a clear rationale for checking. The practice also has a DBS checks protocol in place which set out the type of checks to out for clinical and non-clinical staff, and the frequency at which the practice had agreed these checks.	be carried

## **Effective**

Families, children and young people

Child Immunisation				
Indicator	Numerator	Denominator	Practice %	Comparison to WHO target
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib)((i.e. three doses of DTaP/IPV/Hib) (01/04/2016 to 31/03/2017)(NHS England)	128	134	95.5%	Met 95% WHO based target (significant variation positive)
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2016 to 31/03/2017) (NHS England)	125	139	89.9%	Below 90% minimum (variation negative)
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2016 to 31/03/2017) (NHS England)	126	139	90.6%	Met 90% minimum (no variation)
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2016 to 31/03/2017) (NHS England)	127	139	91.4%	Met 90% minimum (no variation)

# Caring

Carers	Narrative
Percentage and number of carers identified	78 patients identified as carers. This is equivalent to 0.9%.
How the practice supports carers	People with caring responsibilities are offered support and advice in the practice, and signposted to support also available in the local community.

# Responsive

### Timely access to the service

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2018 to 31/03/2018)	61.7%	68.4%	70.3%	Comparable with other practices
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2018 to 31/03/2018)	48.4%	66.0%	68.6%	Comparable with other practices
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2018 to 31/03/2018)	55.4%	63.0%	65.9%	Comparable with other practices
The percentage of respondents to the GP patient survey who were satisfied with the type of appointment (or appointments) they were offered (01/01/2018 to 31/03/2018)	58.6%	66.7%	74.4%	Comparable with other practices
Any additional evidence or comments				

#### Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as comparable, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as comparable to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

	Variation Band	Z-score threshold
1	Significant variation (positive)	Z ≤-3
2	Variation (positive)	-3 < Z ≤ -2
3	Comparable to other practices	-2 < Z < 2
4	Variation (negative)	2 ≤ Z < 3
5	Significant variation (negative)	Z ≥3
6	No data	Null

Note: for the following indicators the variation bands are different:

Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <a href="http://www.cqc.org.uk/what-we-do/how-we-use-information/monitoring-gp-practices">http://www.cqc.org.uk/what-we-do/how-we-use-information/monitoring-gp-practices</a>

#### Glossary of terms used in the data.

- COPD: Chronic Obstructive Pulmonary Disease
- PHE: Public Health England
- QOF: Quality and Outcomes Framework (see <a href="https://qof.digital.nhs.uk/">https://qof.digital.nhs.uk/</a>).
- RCP: Royal College of Physicians.
- STAR-PU: Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.(See NHS Choices for more details).