Care Quality Commission

Inspection Evidence Table

Dr D. Pal & Dr M. Pal (1-547683230)

Inspection date: 8 January 2019

Date of data download: 07 January 2019

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2017/18.

Safe Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial	
There was a lead member of staff for safeguarding processes and procedures.	Υ	
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Υ	
There were policies covering adult and child safeguarding.	Υ	
Policies took account of patients accessing any online services.	Υ	
Policies and procedures were monitored, reviewed and updated.	Υ	
Policies were accessible to all staff.	Υ	
Partners and staff were trained to appropriate levels for their role (for example, level three for GPs, including locum GPs).	Υ	
There was active and appropriate engagement in local safeguarding processes.		
There were systems to identify vulnerable patients on record.	Υ	
There was a risk register of specific patients.		
Disclosure and Barring Service (DBS) checks were undertaken where required.	Υ	
Staff who acted as chaperones were trained for their role.	Υ	
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y	
Since the last inspection the following has been put in place:		

Safeguarding Y/N/Partial

• There were now practice specific comprehensive risk assessments in relation to safety issues for the main and branch surgery.

- There was a system for receiving and acting on safety alerts.
- Policies and procedures had been reviewed to ensure they include up to date information.

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Υ
Staff vaccination was maintained in line with current Public Health England (PHE) guidance and if relevant to role.	Υ
There were systems to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	Υ
Staff had any necessary medical indemnity insurance.	Υ

Safety systems and records	Y/N/Partial
There was a record of portable appliance testing or visual inspection by a competent	Y
person. Date of last inspection/test:	19/4/18
There was a record of equipment calibration.	Υ
Date of last calibration:	19/4/18
There were risk assessments for any storage of hazardous substances for example, liquid nitrogen, storage of chemicals.	Y
There was a fire procedure.	Υ
There was a record of fire extinguisher checks.	Υ
Date of last check:	11/1/18
There was a log of fire drills.	Υ
Date of last drill:	11/1/18
There was a record of fire alarm checks.	Υ
Date of last check:	Weekly
There was a record of fire training for staff.	Υ
There were fire marshals.	Υ
A fire risk assessment had been completed.	Υ
Date of completion:	11/1/18
Actions from fire risk assessment were identified and completed.	Υ
Health and safety	Y/N/Partial

Premises/security risk assessment had been carried out.	Υ
Date of last assessment:	2/11/18
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment:	Y 2/11/18

Explanation of any answers and additional evidence:

There were now practice specific comprehensive risk assessments in relation to safety issues for the main and branch surgery. Specific health and safety assessments for the main surgery concerning the building and facilities were held centrally by the building management team and regularly monitored and updated if required.

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
There was an infection risk assessment and policy.	Υ
Staff had received effective training on infection prevention and control.	Υ
Date of last infection prevention and control audit: Main Surgery	20/12/18
Date of last infection prevention and control audit: Branch	7/1/19
The practice had acted on any issues identified in infection prevention and control audits.	Υ
The arrangements for managing waste and clinical specimens kept people safe.	Y
Endough the second of the seco	•

Explanation of any answers and additional evidence:

Since the last inspection the practice had reviewed the infection, prevention and control policy (IPC), established a lead for this and was partaking in the CCG led infection prevention and control programme. Staff had also received training in IPC.

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Υ
There was an effective induction system for temporary staff tailored to their role.	Υ
Comprehensive risk assessments were carried out for patients.	Υ
Risk management plans for patients were developed in line with national guidance.	Υ
Panic alarms were fitted and administrative staff understood how to respond to the alarm and the location of emergency equipment.	Υ
Clinicians knew how to identify and manage patients with severe infections including sepsis.	Υ
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Υ

There was a process in the practice for urgent clinical review of such patients.	Υ
There was equipment available to enable assessment of patients with presumed sepsis or other clinical emergency.	Υ
There were systems to enable the assessment of patients with presumed sepsis in line with National Institute for Health and Care Excellence (NICE) guidance.	Υ
When there were changes to services or staff the practice assessed and monitored the impact on safety.	Y

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Υ
There was a system for processing information relating to new patients including the summarising of new patient notes.	Υ
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Υ
Referral letters contained specific information to allow appropriate and timely referrals.	Υ
Referrals to specialist services were documented.	Υ
There was a system to monitor delays in referrals.	Υ
There was a documented approach to the management of test results and this was managed in a timely manner.	Υ
The practice demonstrated that when patients use multiple services, all the information needed for their ongoing care was shared appropriately and in line with relevant protocols.	Y

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/10/2017 to 30/09/2018) NHS Business Service Authority - NHSBSA)	0.79	1.02	0.94	No statistical variation
The number of prescription items for co- amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected	3.3%	8.4%	8.7%	Variation (positive)

Indicator	Practice	CCG average	England average	England comparison
antibacterial drugs (BNF 5.1 sub-set). (01/10/2017 to 30/09/2018) (NHSBSA)				

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Υ
Blank prescriptions were kept securely and their use monitored in line with national guidance.	Υ
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Y
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Y
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	Υ
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
The practice had arrangements to monitor the stock levels and expiry dates of emergency medicines/medical gases.	Υ
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Υ
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Υ

Explanation of any answers and additional evidence:

The systems for managing and storing medicines, including vaccines, medical gases, emergency medicines and equipment, minimised risks. Since the last inspection the practice had reviewed the emergency medicines kept on both sites and for home visits in accordance with good practice guidelines. The practice kept the main stocks of prescription stationery securely and there was now a system in place to monitor use.

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Υ
Υ
Υ
Υ
Υ
Eight
Eight

Since the last inspection all staff members had completed training on identifying and prioritising significant events, and the protocol for these had been reviewed. The practice had also introduced a significant event questionnaire for staff to consolidate their learning. Significant events were now a standing agenda item at team meetings.

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Cold Chain failure, vaccine fridge had	Significant event raised. Public Health England and CCG
been switched off.	contacted. Vaccine manufacturers contacted. All vaccines were
	removed and labelled not for use. Significant event shared with
	all staff. Notice put by fridge switch to advise not to be turned
	off or unplugged.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Υ
Staff understood how to deal with alerts.	Υ

Explanation of any answers and additional evidence:

Since the last inspection a safety alerts policy had been created and was accessible to staff members through the shared drive. Safety alerts were shared to staff immediately dependent on risk and were also discussed and reviewed at practice meetings.

There was a recent MHRA drug safety alert (Nov 2018) about a diurectic medicine being linked with non -melanoma skin cancers. The practice undertook searches of patients and they were contacted to offer discussion and a change in medication.

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Υ
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Υ
Patients' treatment was regularly reviewed and updated.	Υ
There were appropriate referral pathways were in place to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Υ

Explanation of any answers and additional evidence:

The practice worked with the community link worker (CLW). The CLW took referrals for patients who need extra help, but not necessarily medical help. It varied from advice on benefits to social issues such as loneliness and not knowing which services were available and how they could be accessed. This service worked in co-operation with Age UK so that patients over 65 would be linked to the services available through them. We saw examples of how this had benefitted patients by signposting them to the appropriate service.

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/10/2017 to 30/09/2018) (NHSBSA)	1 11	0.91	0.81	No statistical variation

Older people

Population group rating: Good

- Older patients who were frail or may be vulnerable received a full assessment of their physical, mental and social needs. The practice used an appropriate tool to identify patients aged 65 and over who were living with moderate or severe frailty. Those identified as being frail had a clinical review including a review of medication.
- Patients aged over 75 were invited for a health check. If necessary they were referred to other services such as voluntary services and supported by an appropriate care plan.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.

 Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.

People with long-term conditions

Population group rating: Good

- Patients with long-term conditions had a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice had arrangements for adults with newly diagnosed cardiovascular disease including
 the offer of high-intensity statins for secondary prevention, people with suspected hypertension
 were offered ambulatory blood pressure monitoring and patients with atrial fibrillation were
 assessed for stroke risk and treated as appropriate.
- The practice was able to demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension)

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	74.5%	80.8%	78.8%	No statistical variation
Exception rate (number of exceptions).	5.1% (8)	15.1%	13.2%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2017 to 31/03/2018) (QOF)	89.0%	81.4%	77.7%	No statistical variation
Exception rate (number of exceptions).	1.9% (3)	8.5%	9.8%	N/A
	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2017 to 31/03/2018) (QOF)	82.6%	79.8%	80.1%	No statistical variation
Exception rate (number of exceptions).	5.1% (8)	13.8%	13.5%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2017 to 31/03/2018) (QOF)	78.2%	76.9%	76.0%	No statistical variation
Exception rate (number of exceptions).	1.7% (2)	9.7%	7.7%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	92.2%	92.2%	89.7%	No statistical variation
Exception rate (number of exceptions).	3.0% (2)	10.1%	11.5%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2017 to 31/03/2018) (QOF)	86.6%	84.9%	82.6%	No statistical variation
Exception rate (number of exceptions).	0.8% (3)	4.2%	4.2%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2017 to 31/03/2018) (QOF)	80.0%	90.5%	90.0%	No statistical variation
Exception rate (number of exceptions).	12.5% (5)	5.0%	6.7%	N/A

Families, children and young people Population gro

Population group rating: Good

- Childhood immunisations were carried out in line with the national childhood vaccination programme. Uptake rates for the vaccines given were in line with the target percentage of 90%.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation. This was done by phone.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib)((i.e. three doses of DTaP/IPV/Hib) (01/04/2017 to 31/03/2018) (NHS England)	30	32	93.8%	Met 90% minimum (no variation)
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2017 to 31/03/2018) (NHS England)	19	21	90.5%	Met 90% minimum (no variation)
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2017 to 31/03/2018) (NHS England)	19	21	90.5%	Met 90% minimum (no variation)
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2017 to 31/03/2018) (NHS England)	19	21	90.5%	Met 90% minimum (no variation)

Working age people (including those recently retired and students)

Population group rating: Good

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to	70.0%	74.9%	71.7%	No statistical variation

49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)				
Females, 50-70, screened for breast cancer				
in last 36 months (3-year coverage, %)	70.5%	71.4%	70.1%	N/A
(01/04/2017 to 31/03/2018) (PHE)				
Persons, 60-69, screened for bowel cancer in				
last 30 months (2.5-year coverage,	54.0%	57.9%	54.6%	N/A
%)(01/04/2017 to 31/03/2018) _(PHE)				
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	80.0%	72.8%	70.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	33.3%	42.6%	51.9%	No statistical variation

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice held a register of patients living in vulnerable circumstances including asylum seekers and those with a learning disability.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

- The practice maintained a register for those patients who experience mental ill health, they were called for regular reviews and there was an alert on their record when they were booked for an appointment with a GP.
- The practice assessed and monitored the physical health of people with mental illness, severe
 mental illness, and personality disorder by providing access to health checks, interventions for
 physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs
 of dementia. When dementia was suspected there was an appropriate referral for diagnosis.

• The practice offered annual health checks to patients with a learning disability.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	92.0%	91.6%	89.5%	No statistical variation
Exception rate (number of exceptions).	3.8% (1)	15.7%	12.7%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	92.0%	93.3%	90.0%	No statistical variation
Exception rate (number of exceptions).	3.8% (1)	12.2%	10.5%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	81.8%	84.5%	83.0%	No statistical variation
Exception rate (number of exceptions).	0 (0)	8.1%	6.6%	N/A

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	548.8	545.7	537.5
Overall QOF exception reporting (all domains)	2.7%	5.8%	5.8%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Υ
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

- Regular audits were undertaken to improve the services and the quality of care to patients. There
 was a member of the CCG medicine management team who supported the practice. They regularly
 attended the surgery and kept them up to date with any alerts or the monitoring of the certain
 medication if necessary. They also kept them informed about any savings they could make by
 switching a medicine to a generic type. The changes were made according to the local guidelines
 and were evidence based.
- The practice was actively involved in quality improvement activity. Where appropriate, clinicians
 took part in local and national improvement initiatives. The practice worked within the Greater
 Manchester Primary Care Standards and we saw evidence their performance had demonstrated
 compliance with these standards. The practice regularly submitted a data return for the Wigan
 Borough quality and engagement scheme to support these standards.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

experience to carry out their roles.	
	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Υ
The learning and development needs of staff were assessed.	Υ
The practice had a programme of learning and development.	Υ
Staff had protected time for learning and development.	Υ
There was an induction programme for new staff.	Υ
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2017 to 31/03/2018)	Υ
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Υ

Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Υ
Staff discussed changes to care or treatment with patients and their carers as necessary.	Υ
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Y

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	97.4%	96.1%	95.1%	No statistical variation
Exception rate (number of exceptions).	0 (0)	0.8%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Υ
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
The practice monitored the process for seeking consent appropriately.	Υ
Explanation of any answers and additional evidence:	

- The practice monitored the process for seeking consent appropriately and undertook checks of patient records to ensure this was recorded in an accurate and consistent manner.
- Staff were aware of the need to request consent to share records with referrals in line with General Data Protection Regulation principles.

Caring

Rating: Good

Kindness, respect and compassion

Staff treated patients with kindness, respect and compassion. Feedback from patients was positive about the way staff treated people.

	Y/N/Partial
Staff understood and respected the personal, cultural, social and religious needs of patients.	Υ
Patients were given appropriate and timely information to cope emotionally with their care, treatment or condition.	Y
CQC comments cards	
Total comments cards received.	11
Number of CQC comments received which were positive about the service.	11
Number of comments cards received which were mixed about the service.	0
Number of CQC comments received which were negative about the service.	0

Source	Feedback
CQC Comment Cards	Patients consistently reported they were treated with care and respect.
Friends and Family Test	Patients consistently said they were extremely or highly likely to recommend the practice.
Patient Interviews	All patients we spoke with said they were treated in an appropriate manner and with dignity and respect.
SMS Survey	The practice sent a text message to patients after they had received a consultation.
response	The responses were similar to those of the friends and family test.

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
2498	375	100	26.7%	4.00%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very	71.6%	89.9%	89.0%	Variation (negative)

Indicator	Practice	CCG average	England average	England comparison
good at listening to them (01/01/2018 to 31/03/2018)				
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at treating them with care and concern (01/01/2018 to 31/03/2018)	69.5%	88.1%	87.4%	Variation (negative)
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they had confidence and trust in the healthcare professional they saw or spoke to (01/01/2018 to 31/03/2018)	90.3%	96.5%	95.6%	No statistical variation
The percentage of respondents to the GP patient survey who responded positively to the overall experience of their GP practice (01/01/2018 to 31/03/2018)	67.6%	88.0%	83.8%	No statistical variation

Any additional evidence or comments

The practice acknowledged that some indicators were lower than local and national averages. This was discussed at practice meetings and with the patient participation group (PPG). We saw evidence of the practice plan to introduce its own practice survey.

Question	Y/N
The practice carries out its own patient survey/patient feedback exercises.	N

Involvement in decisions about care and treatment

Staff helped patients to be involved in decisions about care and treatment.

		Y/N/Partial
Staff communicated with patients in a way that helped them to understand their care, treatment and condition, and any advice given.		
Staff helped patients and their carers find further information and access community and advocacy services.		
Source	Feedback	
Interviews with patients	Patients reported they were involved in decisions about their treatment	and care.

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they were involved as much as they wanted to be in decisions about their care and treatment (01/01/2018 to 31/03/2018)	87.7%	93.4%	93.5%	No statistical variation

	Y/N/Partial
Interpretation services were available for patients who did not have English as a first language.	Y
Patient information leaflets and notices were available in the patient waiting area which told patients how to access support groups and organisations.	Y
Information leaflets were available in other languages and in easy read format.	Υ
Information about support groups was available on the practice website.	Υ

Carers	Narrative
Percentage and number of carers identified.	78 (3% of the practice population)
How the practice supported carers.	The practice had carers packs available and offered carers health checks.
	Staff told us that if families had experienced bereavement, their usual GP contacted them and all staff in the practice were notified of this. This call was either followed by a patient consultation at a flexible time and location to meet the family's needs and/or by giving them advice on how to find a support service.

Privacy and dignity

The practice respected / did not always respect patients' privacy and dignity.

	Y/N/Partial
Curtains were provided in consulting rooms to maintain patients' privacy and dignity during examinations, investigations and treatments.	Y
Consultation and treatment room doors were closed during consultations.	Υ
A private room was available if patients were distressed or wanted to discuss sensitive issues.	Y
There were arrangements to ensure confidentiality at the reception desk.	Υ

Explanation of any answers and additional evidence:

• The chairs in the reception area were situated away from the reception desk. There were measures in place to ensure people could not see computer screens

Responsive

Rating: Good

Y/N/Partial

Responding to and meeting people's needs

The practice organised and delivered services to meet patients' needs.

The importance of flexibility, informed choice and co services provided.	ntinuity of care was reflec	cted in the	
The facilities and premises were appropriate for the services being delivered.			
The practice made reasonable adjustments when patie	ents found it hard to access	s services. Y	
The practice provided effective care coordination for or who had complex needs. They supported them outside the practice.			
Care and treatment for patients with multiple leapproaching the end of life was coordinated with other		patients Y	
Practice Opening Times			
Day	Tim	ne	
Opening times:	la 4 di di Constantino	Daniel	
Manday	Main Surgery	Branch	
Monday	8am to 6.30pm	8am to 6.30pm	
Tuesday	8am to 6.30pm	8am to 6.30pm	
Wednesday	8am to 6.30pm	8am to 1pm	
Thursday Friday	8am to 6.30pm 8am to 6.30pm	8am to 6.30pm 8am to 6.30pm	
rnuay	oani to o.sopin	oani to o.supin	
Appointments available:			
Monday	8.30am to 5.30pm	8.30am to 5.30pm	
Tuesday	8.30am to 5.30pm	8.30am to 5.30pm	
Wednesday	8.30am to 5.30pm	8.30am to 12.30pm	
Thursday	8.30am to 5.30pm	8.30am to 5.30pm	
Friday	8.30am to 5.30pm	8.30am to 5.30pm	
The practice offers extended hours every other Tuesday until 7.30pm at the branch.	ay until 7.30pm at the main	surgery and every oth	
Patients requiring a GP outside of normal working how would be directed to the local out of hours service who Trust—through NHS 111. Additionally, patients could a and Sundays through the Wigan GP access alliance a	ich was provided by Bridg ccess GP services in the e	ewater NHS Foundation vening and on Saturday	

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
2498	375	100	26.7%	4.00%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that at their last general practice appointment, their needs were met (01/01/2018 to 31/03/2018)	87.2%	96.0%	94.8%	No statistical variation

Any additional evidence or comments

Patients reported they were able to get an appointment when they needed it and their needs were met.

Older people

Population group rating: Good

Findings

- All patients had a named GP who supported them in whatever setting they lived, whether it was at home or in a care home or supported living scheme.
- The practice was responsive to the needs of older patients, and offered home visits and urgent appointments for those with enhanced needs. The GP and practice nurse also accommodated home visits for those who had difficulties getting to the practice.
- There was a medicines delivery service for housebound patients provided by a local pharmacy.

People with long-term conditions

Population group rating: Good

- Patients with a long-term condition received an annual review to check their health and medicines needs were being appropriately met. Multiple conditions were reviewed at one appointment, and consultation times were flexible to meet each patient's specific needs.
- The practice held regular meetings with the local district nursing team to discuss and manage the needs of patients with complex medical issues.

Families, children and young people

Population group rating: Good

Findings

- We found there were systems to identify and follow up children living in disadvantaged circumstances and who were at risk, for example, children and young people who had a high number of accident and emergency (A&E) attendances. Records we looked at confirmed this.
- All parents or guardians calling with concerns about a child under the age of 18 were offered a same day appointment when necessary.

Working age people (including those recently retired and students)

Population group rating: Good

Findings

• The needs of this population group had been identified and the practice had adjusted the services it offered to ensure these were accessible, flexible and offered continuity of care. For example, there were extended opening hours.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- The practice held a register of patients living in vulnerable circumstances including asylum seekers and those with a learning disability.
- The practice adjusted the delivery of its services to meet the needs of patients with a learning disability.

People experiencing poor mental health

Population group rating: Good

(including people with dementia)

- Staff interviewed had a good understanding of how to support patients with mental health needs and those patients living with dementia.
- The practice was aware of support groups within the area and signposted their patients to these accordingly.

Timely access to the service

People were able access care and treatment in a timely way.

National GP Survey results

	Y/N/Partial
Patients with urgent needs had their care prioritised.	Υ
The practice had a system to assess whether a home visit was clinically necessary and the urgency of the need for medical attention.	Y
Appointments, care and treatment were only cancelled or delayed when absolutely necessary.	Y

Explanation of any answers and additional evidence:

• All home visit requests would be triaged by the GP to decide if a home visit was necessary.

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2018 to 31/03/2018)	87.7%	n/a	70.3%	-
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2018 to 31/03/2018)	74.1%	74.4%	68.6%	No statistical variation
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2018 to 31/03/2018)	68.1%	73.0%	65.9%	No statistical variation
The percentage of respondents to the GP patient survey who were satisfied with the type of appointment (or appointments) they were offered (01/01/2018 to 31/03/2018)	73.9%	78.6%	74.4%	No statistical variation

Listening and learning from concerns and complaints

Complaints were listened and responded to and used to improve the quality of care.

Complaints	
Number of complaints received in the last year.	Four
Number of complaints we examined.	Four
Number of complaints we examined that were satisfactorily handled in a timely way.	Four
Number of complaints referred to the Parliamentary and Health Service Ombudsman.	0

	Y/N/Partial
Information about how to complain was readily available.	Υ
There was evidence that complaints were used to drive continuous improvement.	Υ
Explanation of any answers and additional evidence:	
Since the last inspection the practice had introduced a system for recording all complaints including verbal complaints. These were reviewed at the monthly practice meeting	

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Υ
They had identified the actions necessary to address these challenges.	Υ
Staff reported that leaders were visible and approachable.	Υ
There was a leadership development programme, including a succession plan.	Partial

Explanation of any answers and additional evidence:

- The lead GP had the skills and experience to run the practice.
- There was a range of regular meetings which included clinical meetings.
- Staff said that the leadership in the practice supported them to deliver the best care and motivated them to succeed.
- Staff met regularly to discuss any issues or complex cases and to offer and receive peer support
- There was now a business plan in place for the practice.

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Υ
There was a realistic strategy to achieve their priorities.	Υ
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Υ

Explanation of any answers and additional evidence:

Since the last inspection the practice had implemented a strategy and supporting business plan. They included the PPG, patients and staff groups to be involved in the development of the strategy. It included agreed vision and values, practice development plans and joint goals influenced by changes to the primary care systems including new models of care and the GP 5 year forward vision.

Culture

The practice had a culture which drove high quality sustainable care.

	V/N/Dowtiel
	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Υ
Staff reported that they felt able to raise concerns without fear of retribution.	Υ
There was a strong emphasis on the safety and well-being of staff.	Υ
There were systems to ensure compliance with the requirements of the duty of candour.	Υ
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Υ
Explanation of any answers and additional evidence:	_

The provider was aware of and had systems to ensure compliance with the requirements of the duty of candour.

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff Interviews	 Staff stated they felt respected, supported and valued. They were proud to work in the practice. Staff told us they could raise concerns and were encouraged to do so. They told us there were good positive relationships between staff and teams.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

Y/N/Partial
Υ
Υ
Υ

Explanation of any answers and additional evidence:

- Learning from complaints and significant events: There were effective systems and processes in place to identify themes and trends. Appropriate action was taken as a result of complaints and significant events. Learning was shared with all relevant staff members.
- Practice specific policies: There were a range of both clinical and administrative policies, that were easily accessible for all staff, that supported the delivery of good quality and sustainable
- Communication was effective and organised through structured, minuted meetings.

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Υ
There were processes to manage performance.	
There was a systematic programme of clinical and internal audit.	
There were effective arrangements for identifying, managing and mitigating risks.	
A major incident plan was in place.	
Staff were trained in preparation for major incidents.	Partial
When considering service developments or changes, the impact on quality and sustainability was assessed.	Υ

Explanation of any answers and additional evidence:

- The provider had undertaken several risk assessments relevant to the provision of clinical care, including infection control and premises risk assessments. Recommendations from risk assessments had been actioned.
- Staff were aware of actions to be taken in response to major incidents but had received no formal training. This has been requested from the CCG.

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to adjust and improve performance.	Υ
Performance information was used to hold staff and management to account.	Υ
Our inspection indicated that information was accurate, valid, reliable and timely.	Υ
There were effective arrangements for identifying, managing and mitigating risks.	Υ
Staff whose responsibilities included making statutory notifications understood what this entails.	Υ

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Υ
Staff views were reflected in the planning and delivery of services.	Υ
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y

Feedback from Patient Participation Group.

Feedback

- The practice had a patient participation group (PPG)
- Patients were encouraged to join the PPG through information in the reception area and on the practice website.
- The PPG met regularly and minutes of meetings were taken.
- There was a flyer produced by the PPG to encourage new members to join.

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Υ
Learning was shared effectively and used to make improvements.	Υ
Explanation of any answers and additional evidence:	•

• Leaders and managers encouraged staff to take time out to review individual and team objectives, processes and performance.

Examples of continuous learning and improvement

- There was a focus on continuous learning and improvement at all levels within the practice.
- All staff received individualised training opportunities which are discussed at their appraisals.
- The practice now had a quality improvement plan in place to benefit the patient population. This
 was by utilising existing systems in place, more use of the PPG, and better use of digital
 technology.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique, we can be 95%

confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

	Variation Band	Z-score threshold
1	Significant variation (positive)	Z ≤-3
2	Variation (positive)	-3 < Z ≤ -2
3	No statistical variation	-2 < Z < 2
4	Variation (negative)	2 ≤ Z < 3
5	Significant variation (negative)	Z ≥3
6	No data	Null

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices

Glossary of terms used in the data.

- COPD: Chronic Obstructive Pulmonary Disease
- PHE: Public Health England
- QOF: Quality and Outcomes Framework
- STAR-PU: Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.