

Care Quality Commission

Inspection Evidence Table

Halfway Surgery (1-5009593770)

Inspection date: 2 October 2019

Date of data download: 23 September 2019

Overall rating: **Good**

We rated the practice as Good overall because:

- The arrangements for medicines management had improved and were now helping to keep patients safe.

Safe

Rating: Good

We rated the practice as Good for providing safe services because: <ul style="list-style-type: none">The arrangements for medicines management had improved and were now helping to keep patients safe.

Safety systems and processes
The provider had made sufficient improvements to their safe systems and processes.

Safety systems and records	
The practice had designated fire marshals.	Yes
Explanation of any answers and additional evidence	
Records showed that fire marshal training had been delivered at the practice on 20 November 2018.	

Medicines management	
-----------------------------	--

Conclusion
The provider had made improvements to the arrangements for managing medicines.

Medicines management	
Medicines that required refrigeration were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective in use.	Yes
Explanation of any answers and additional evidence	
Records showed that the temperature of designated medicine refrigerators had not gone outside of the acceptable limits (of between two and eight degrees centigrade) since our last inspection on 30 October 2018.	

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a “z-score” (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique, we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have “Met 90% minimum” have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link:
<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.