

Care Quality Commission

Inspection Evidence Table

Leacroft Medical Practice (1-548084556)

Inspection date: 19 September 2019

Date of data download: 16 September 2019

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2017/18.

Safe

Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
There was a lead member of staff for safeguarding processes and procedures.	Y
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Y
There were policies covering adult and child safeguarding which were accessible to all staff.	Y
Policies took account of patients accessing any online services.	Y
Policies and procedures were monitored, reviewed and updated.	Y
Partners and staff were trained to appropriate levels for their role.	Y
There was active and appropriate engagement in local safeguarding processes.	Y
The Out of Hours service was informed of relevant safeguarding information.	Y
There were systems to identify vulnerable patients on record.	Y
Disclosure and Barring Service (DBS) checks were undertaken where required.	Y
Staff who acted as chaperones were trained for their role.	Y
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Y
Explanation of any answers and additional evidence: The practice had separate leads for safeguarding children and adults. The practice had a register of its most vulnerable patients and these could be offered priority appointment.	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Y
Staff vaccination was maintained in line with current Public Health England (PHE) guidance if relevant to role.	Y
There were systems to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	Y
Explanation of any answers and additional evidence: N/A	

Safety systems and records	Y/N/Partial
There was a record of portable appliance testing or visual inspection by a competent person. Date of last inspection/test: 11/04/2019	Y
There was a record of equipment calibration. Date of last calibration: 09/07/2019	Y
There were risk assessments for any storage of hazardous substances for example, liquid nitrogen, storage of chemicals.	Y
There was a fire procedure.	Y
There was a record of fire extinguisher checks. Date of last check: 18/09/2019	Y
There was a log of fire drills. Date of last drill: 02/05/2019	Y
There was a record of fire alarm checks. Date of last check: 18/09/2019	Y
There was a record of fire training for staff. Date of last training: Various dates	Y
There were fire marshals.	Y
A fire risk assessment had been completed. Date of completion: 14/03/2019	Y
Actions from fire risk assessment were identified and completed.	Y
Explanation of any answers and additional evidence:	
The practice had Control of Substances Hazardous to Health (COSHH) statements for all products. They had a training session booked for 26/10/2019 and planned to complete a practice risk assessment following this session.	

Health and safety	Y/N/Partial
Premises/security risk assessment had been carried out. Date of last assessment: 11/02/2019	Y
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: 11/02/2019	Y
Explanation of any answers and additional evidence: The practice had a cryotherapy vessel for storing liquid nitrogen. This was held within a locked room inside of a treatment room. The room had ventilation via a window. However, this was locked and the information with the vessel whilst discussing asphyxiation did not contain a risk assessment for the use of the vessel. Following the inspection, the practice sent the risk assessment carried out by an external company to ensure the room was adequate for use. This had involved two visits to the premises by the contractor.	

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
There was an infection risk assessment and policy.	Y
Staff had received effective training on infection prevention and control.	Y
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: 15/02/2019	Y
The practice had acted on any issues identified in infection prevention and control audits.	Y
There was a system to notify Public Health England of suspected notifiable diseases.	Y
The arrangements for managing waste and clinical specimens kept people safe.	Y
Explanation of any answers and additional evidence: All staff have been given an infection control booklet as part of their induction.	

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Y
There was an effective induction system for temporary staff tailored to their role.	Y
Comprehensive risk assessments were carried out for patients.	Y
Risk management plans for patients were developed in line with national guidance.	Y
The practice was equipped to deal with medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Y
Clinicians knew how to identify and manage patients with severe infections including sepsis.	Y

Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Y
There was a process in the practice for urgent clinical review of such patients.	Y
When there were changes to services or staff the practice assessed and monitored the impact on safety.	Y
<p>Explanation of any answers and additional evidence:</p> <p>The paramedic practitioner had developed practical training scenarios for all staff. Scenarios had been developed for acutely unwell and collapsed patients and staff participated in role play.</p>	

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Y
There was a system for processing information relating to new patients including the summarising of new patient notes.	Y
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Y
Referral letters contained specific information to allow appropriate and timely referrals.	Y
Referrals to specialist services were documented and there was a system to monitor delays in referrals.	Y
There was a documented approach to the management of test results and this was managed in a timely manner.	Y
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Y
The practice demonstrated that when patients use multiple services, all the information needed for their ongoing care was shared appropriately and in line with relevant protocols.	Y
Explanation of any answers and additional evidence: N/A	

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) (NHS Business Service Authority - NHSBSA)	0.62	0.81	0.87	Tending towards variation (positive)
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/07/2018 to 30/06/2019) (NHSBSA)	9.3%	10.3%	8.6%	No statistical variation
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract infection (01/01/2019 to 30/06/2019) (NHSBSA)	5.27	6.42	5.63	No statistical variation
Average daily quantity of oral NSAIDs prescribed per Specific Therapeutic Group Age-sex Related Prescribing Unit (STAR-PU) (01/01/2019 to 30/06/2019) (NHSBSA)	1.25	1.68	2.08	No statistical variation

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Y
Blank prescriptions were kept securely and their use monitored in line with national guidance.	Y
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Y
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Y
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Y
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Y

Medicines management	Y/N/Partial
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Y
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Y
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Y
If the practice had controlled drugs on the premises there were appropriate systems and written procedures for the safe ordering, receipt, storage, administration, balance checks and disposal of these medicines, which were in line with national guidance.	N/A
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Y
For remote or online prescribing there were effective protocols for verifying patient identity.	N/A
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Y
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Y
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Y
<p data-bbox="57 1126 807 1160">Explanation of any answers and additional evidence:</p> <p data-bbox="57 1216 1509 1359">We noted that a small number of patients on a high-risk medicine had received their repeat prescription before they had their blood test. All had a test three months ago. The prescribing GP had reviewed each person and provided a rationale for this decision. We were given assurances that all of these patients were monitored regularly and were stable on their current medicines.</p>	

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Y
Staff knew how to identify and report concerns, safety incidents and near misses.	Y
There was a system for recording and acting on significant events.	Y
Staff understood how to raise concerns and report incidents both internally and externally.	Y
There was evidence of learning and dissemination of information.	Y
Number of events recorded in last 12 months:	11
Number of events that required action:	11
Explanation of any answers and additional evidence: The practice had a comprehensive significant event template to record the event, actions taken and learning points. For example, following a patient collapse the practice reviewed the actions of staff at a meeting. This included what went well and not so well. The practice took action to enhance the equipment available and the training for staff. A resuscitation lead was appointed, and simulation training drills were undertaken.	

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Patient sent home to wait for triage call.	Practice reviewed their systems for chest pain, stroke and sepsis and staff received refresher training.
Patient used the self service BP machine in practice and reported information to practice reception staff. Low pulse not flagged up to clinical team by admin team when entering reading.	Protocol had been put in place for alerting clinicians to out of range BP readings from the waiting room machine but not pulse measurements. Protocol was updated, and supervisors, practice and compliance managers were informed of the change of process to ensure this information was passed to the clinician in future.

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Y
Staff understood how to deal with alerts.	Y
Explanation of any answers and additional evidence: We saw examples of actions taken on recent alerts for example, regarding sodium valproate. Appropriate actions had been taken to review each patient in line with current national guidance.	

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y
Explanation of any answers and additional evidence: N/A	

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) <small>(NHSBSA)</small>	0.73	0.74	0.75	No statistical variation

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

People with long-term conditions

Population group rating: Good

Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- The practice had a designated GP lead for diabetes to supervise and mentor the nursing team, with protected weekly meeting time to discuss individual patients.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	85.7%	80.4%	78.8%	No statistical variation
Exception rate (number of exceptions).	22.4% (178)	13.6%	13.2%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2017 to 31/03/2018) (QOF)	74.0%	80.6%	77.7%	No statistical variation
Exception rate (number of exceptions).	15.3% (122)	10.0%	9.8%	N/A
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2017 to 31/03/2018) (QOF)	88.5%	84.0%	80.1%	Tending towards variation (positive)
Exception rate (number of exceptions).	14.8% (118)	13.7%	13.5%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2017 to 31/03/2018) <small>(QOF)</small>	78.6%	79.2%	76.0%	No statistical variation
Exception rate (number of exceptions).	8.5% (51)	6.4%	7.7%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2017 to 31/03/2018) <small>(QOF)</small>	96.1%	91.7%	89.7%	Tending towards variation (positive)
Exception rate (number of exceptions).	38.6% (64)	15.5%	11.5%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2017 to 31/03/2018) <small>(QOF)</small>	83.2%	85.7%	82.6%	No statistical variation
Exception rate (number of exceptions).	5.8% (77)	3.7%	4.2%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2017 to 31/03/2018) <small>(QOF)</small>	82.8%	89.4%	90.0%	No statistical variation
Exception rate (number of exceptions).	1.0% (1)	5.2%	6.7%	N/A

Any additional evidence or comments

The practice was aware of its higher exception rate in some indicators (COPD and diabetes). They had increased the number of home visits to target those patients who found it difficult to access the practice.

Findings

- The practice had met the minimum 90% target for three of four childhood immunisation uptake indicators. The practice had met the WHO based national target of 95% (the recommended standard for achieving herd immunity) for one of four childhood immunisation uptake indicators.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	131	137	95.6%	Met 95% WHO based target
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	129	141	91.5%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	129	141	91.5%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	128	141	90.8%	Met 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information:
<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Working age people (including those recently retired and students)

Population group rating: **Good**

Findings

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)	63.1%	N/A	N/A	Below 70% uptake
Females, 50-70, screened for breast cancer in last 36 months (3-year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	65.3%	65.2%	69.9%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2017 to 31/03/2018) (PHE)	47.9%	51.2%	54.4%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	64.7%	65.5%	70.2%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	48.8%	55.0%	51.9%	No statistical variation

Any additional evidence or comments

The practice reviewed their data for cervical cancer screening and information shared with the inspectors on the day of the inspection. This unverified data indicated that the practice had achieved 88.6%.

People whose circumstances make them vulnerable

Population group rating: **Good**

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

People experiencing poor mental health (including people with dementia)

Population group rating: **Good**

Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff had received dementia training.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	96.3%	92.2%	89.5%	No statistical variation
Exception rate (number of exceptions).	30.8% (12)	22.1%	12.7%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	100.0%	93.2%	90.0%	Variation (positive)
Exception rate (number of exceptions).	17.9% (7)	18.4%	10.5%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2017 to 31/03/2018) (QOF)	85.0%	83.7%	83.0%	No statistical variation
Exception rate (number of exceptions).	7.0% (3)	7.7%	6.6%	N/A

Any additional evidence or comments

Since the inspection, updated data for 2018/19 has been made available to demonstrate that the exception rate in the first indicated had reduced from 30.8% to 11.6% (5 patients)

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	556.8	547.6	537.5
Overall QOF score (as a percentage of maximum)	99.6%	98.0%	96.2%
Overall QOF exception reporting (all domains)	11.0%	6.4%	5.8%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Y
Quality improvement activity was targeted at the areas where there were concerns.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in

past two years

- The practice undertook an audit of patients prescribed a medicine used to treat breast cancer and the potential interactions with medicines prescribed for depression. The audits confirmed that no patient was prescribed the anti-depressants of concern. Clinicians had updated their awareness of the prescribing guidelines.
- The practice had a number of first cycle audits underway. There had been a limited number of opportunities to complete audits due to significant staffing pressures. We noted that a programme of audit was underway.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Y
The learning and development needs of staff were assessed.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y
Explanation of any answers and additional evidence: The practice employed paramedic practitioners and one of these staff members was also involved in training students at the practice and as part of the national programme of university training for this discipline.	

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2017 to 31/03/2018) (QOF)	Y
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Y
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Y
Explanation of any answers and additional evidence: N/A	

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Y
Explanation of any answers and additional evidence:	
The practice had taken part in the Making Every Contact Count (MECC) initiative to assist patients to make behavioural changes in areas such as smoking cessation, diet and exercise.	
Staff provided signposting to other services including counselling services who were based at the practice.	
The practice ran a chair-based yoga scheme in house to assist older patients to improve their flexibility and mobility.	

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2017 to 31/03/2018) <small>(QOF)</small>	95.5%	95.6%	95.1%	No statistical variation
Exception rate (number of exceptions).	0.5% (12)	0.7%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
The practice monitored the process for seeking consent appropriately.	Y
Policies for any online services offered were in line with national guidance.	Y
Explanation of any answers and additional evidence: N/A	

Caring

Rating: Good

Kindness, respect and compassion

Staff treated patients with kindness, respect and compassion. Feedback from patients was positive about the way staff treated people.

	Y/N/Partial
Staff understood and respected the personal, cultural, social and religious needs of patients.	Y
Staff displayed understanding and a non-judgemental attitude towards patients.	Y
Patients were given appropriate and timely information to cope emotionally with their care, treatment or condition.	Y
Explanation of any answers and additional evidence: Staff had received training in equality and diversity. Patients were signposted to other services to assist with healthcare and social care support when appropriate.	

CQC comments cards	
Total comments cards received.	15
Number of CQC comments received which were positive about the service.	14
Number of comments cards received which were mixed about the service.	1
Number of CQC comments received which were negative about the service.	0

Source	Feedback
CQC Comment cards	<p>Respondents told us that the practice staff were caring, friendly and very helpful. All felt that they had been treated well.</p> <p>One respondent told us that they had felt patronised by a staff member who answered the phone. However, they felt the clinical staff were very friendly and they had been listened to.</p>
Patient interviews	All six patients we spoke with told us that they were very happy with the care and treatment they received. Staff were described as friendly, supportive and kind.

National GP Survey results

Note: The questions in the 2018 GP Survey indicators have changed. Ipsos MORI have advised that the new survey data must not be directly compared to the past survey data, because the survey methodology changed in 2018.

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
11038	374	123	32.9%	1.11%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at listening to them (01/01/2019 to 31/03/2019)	85.1%	84.9%	88.9%	No statistical variation
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at treating them with care and concern (01/01/2019 to 31/03/2019)	81.5%	82.7%	87.4%	No statistical variation
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they had confidence and trust in the healthcare professional they saw or spoke to (01/01/2019 to 31/03/2019)	90.8%	93.4%	95.5%	No statistical variation
The percentage of respondents to the GP patient survey who responded positively to the overall experience of their GP practice (01/01/2019 to 31/03/2019)	72.1%	77.3%	82.9%	No statistical variation

Question	Y/N
The practice carries out its own patient survey/patient feedback exercises.	Y

Any additional evidence
The practice had undertaken a survey of the frailty nurse service which was being provided in the practice. Feedback from patients who received their support was very positive. The nurse was described as caring, supportive and very helpful.

Involvement in decisions about care and treatment

Staff helped patients to be involved in decisions about care and treatment.

	Y/N/Partial
Staff communicated with patients in a way that helped them to understand their care, treatment and condition, and any advice given.	Y
Staff helped patients and their carers find further information and access community and advocacy services.	Y
Explanation of any answers and additional evidence: The practice had linked into local initiatives and produced a surgery guide booklet for patients with learning difficulties, autism or another support need to help them navigate the practice and reduce anxiety.	

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they were involved as much as they wanted to be in decisions about their care and treatment (01/01/2019 to 31/03/2019)	91.4%	89.6%	93.4%	No statistical variation

	Y/N/Partial
Interpretation services were available for patients who did not have English as a first language.	Y
Patient information leaflets and notices were available in the patient waiting area which told patients how to access support groups and organisations.	Y
Information leaflets were available in other languages and in easy read format.	Y
Information about support groups was available on the practice website.	Y
Explanation of any answers and additional evidence: The practice had information leaflets including the practice brochure in large print. They had booked training to support patients with autism and pictorial/easy read booklets were available for patients who found these helpful.	

Carers	Narrative
Percentage and number of carers identified.	181 carers approximately 1.6% of the practice population.
How the practice supported carers (including young carers).	Information and advice was available in the practice and on the practice website. The practice had trained staff to assist patients with signposting to additional support services.
How the practice supported recently bereaved patients.	Bereaved families would receive a call from the practice and the practice would also write to them.

Privacy and dignity

The practice respected always respect patients' privacy and dignity.

	Y/N/Partial
Curtains were provided in consulting rooms to maintain patients' privacy and dignity during examinations, investigations and treatments.	Y
Consultation and treatment room doors were closed during consultations.	Y
A private room was available if patients were distressed or wanted to discuss sensitive issues.	Y
There were arrangements to ensure confidentiality at the reception desk.	Y
Explanation of any answers and additional evidence: N/A	

Responsive

Rating: Good

Responding to and meeting people's needs

The practice organised and delivered services to meet patients' needs.

	Y/N/Partial
The practice understood the needs of its local population and had developed services in response to those needs.	Y
The importance of flexibility, informed choice and continuity of care was reflected in the services provided.	Y
The facilities and premises were appropriate for the services being delivered.	Y
The practice made reasonable adjustments when patients found it hard to access services.	Y
There were arrangements in place for people who need translation services.	Y
The practice complied with the Accessible Information Standard.	Y
Explanation of any answers and additional evidence: N/A	

Practice Opening Times	
Day	Time
Opening times:	
Monday	08:00 to 18:30
Tuesday	08:00 to 18:30
Wednesday	08:30 to 20:00
Thursday	08:00 to 18:30
Friday	08:00 to 18:30
Saturday	08:00 to 12:00
Appointments available:	
The practice was part of a federation and hosted the local improved access hub on a Wednesday and Saturday morning.	

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
11038	374	123	32.9%	1.11%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that at their last general practice appointment, their needs were met (01/01/2019 to 31/03/2019)	91.0%	92.0%	94.5%	No statistical variation

Older people

Population group rating: Good

Findings

- All patients had a named GP who supported them in whatever setting they lived.
- The practice was responsive to the needs of older patients and offered home visits and urgent appointments for those with enhanced needs and complex medical issues.
- The practice provided effective care coordination to enable older patients to access appropriate services.
- The practice recruited a dedicated frailty nurse with the specific aim of providing improved and proactive care for their most frail and elderly patients.
- The practice was part of the local social prescribing pilot scheme, which had focused mainly on socially isolated elderly patients. This scheme had expanded to be town-wide.
- The practice had started to run a chair-based yoga scheme in house to assist older patients to improve their flexibility and mobility.

People with long-term conditions

Population group rating: Good

Findings

- Patients with multiple conditions had their needs reviewed in one appointment.
- The practice had a priority 'pop up' to alert staff when booking appointments that the patient had complex needs and a 20-minute appointment was offered.
- Staff had attended Making Every Contact Count (MECC) workshops in conjunction with the local council. This initiative was set up to support staff to assist patients with behavioural changes to improve health and wellbeing.
- The practice provided effective care coordination to enable patients with long-term conditions to access appropriate services.
- The practice liaised regularly with the local district nursing team and community matrons to discuss and manage the needs of patients with complex medical issues.
- Care and treatment for people with long-term conditions approaching the end of life was coordinated with other services.

Families, children and young people

Population group rating: Good

Findings

- Additional appointments were available until 8pm on a Wednesday and Saturday mornings for school age children so that they did not need to miss school.
- We found there were systems to identify and follow up children living in disadvantaged circumstances and who were at risk, for example, children and young people who had a high number of accident and emergency (A&E) attendances. Records we looked at confirmed this.
- All parents or guardians calling with concerns about a child were offered a same day appointment when necessary.
- The practice's paramedic practitioner had visited the local school to talk to the schoolchildren about accident awareness and working on ambulances.
- The practice ran an annual campaign to improve asthma management for children. Asthma Smart Kids is an educational event where children are taught to use their inhalers correctly with the help of cartoon videos and interaction with the nursing team, and they are awarded a certificate for being "Asthma Smart."

Working age people (including those recently retired and students)

Population group rating: Good

Findings

- The needs of this population group had been identified and the practice had adjusted the services it offered to ensure these were accessible, flexible and offered continuity of care.
- The practice was open until 8pm on a Wednesday and Saturday mornings between 8am and 12 noon. Pre-bookable appointments were also available to all patients at additional locations within the area, as the practice was a member of a GP federation.
- The practice promoted its online service which allowed patient to submit questions to the practice.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- The practice held a register of patients living in vulnerable circumstances including homeless people, travellers and those with a learning disability.
- People in vulnerable circumstances were easily able to register with the practice, including those with no fixed abode such as homeless people and travellers.
- The practice provided effective care coordination to enable patients living in vulnerable circumstances to access appropriate services.
- The practice adjusted the delivery of its services to meet the needs of patients with a learning disability.
- The practice had priority patient pop-ups and patient status alert icons to easily identify patients such as carers or those with communication difficulties;
- Longer appointments and home visits were offered to patients who found it difficult to access the practice.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

Findings

- Priority appointments were allocated when necessary to those experiencing poor mental health.
- Staff interviewed had a good understanding of how to support patients with mental health needs and those patients living with dementia.
- The practice was aware of support groups within the area and signposted their patients to these accordingly.
- The practice team had received training from the Alzheimer's Society to become dementia-friendly. This had led to improved signage, improved support for families via appointments with a Dementia Support Worker, and a dedicated noticeboard to provide information about support services that are dementia-related.

Timely access to the service

People were able to access care and treatment in a timely way.

National GP Survey results

	Y/N/Partial
Patients with urgent needs had their care prioritised.	Y
The practice had a system to assess whether a home visit was clinically necessary and the urgency of the need for medical attention.	Y
Appointments, care and treatment were only cancelled or delayed when absolutely necessary.	Y
Explanation of any answers and additional evidence:	
Additional home visits were provided to patients who found it difficult to access the practice.	

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2019 to 31/03/2019)	51.8%	N/A	68.3%	No statistical variation
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2019 to 31/03/2019)	51.3%	57.8%	67.4%	No statistical variation
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2019 to 31/03/2019)	61.0%	54.1%	64.7%	No statistical variation
The percentage of respondents to the GP patient survey who were satisfied with the type of appointment (or appointments) they were offered (01/01/2019 to 31/03/2019)	65.6%	68.8%	73.6%	No statistical variation

Any additional evidence or comments

In July 2018 the practice contracted with a new supplier to improve telephone services. This included a live call monitoring dashboard and virtual queue for up to 100 patients.

The practice had upgraded their website to improve accessibility for patients with the facility to submit queries online.

Source	Feedback
CQC Comment cards	All of the comment cards we received had no concerns about accessing the service and getting an appointment.
Patient interviews	The six patients we spoke with commented that they found it easy to make an appointment.

Listening and learning from concerns and complaints

Complaints were listened and responded to and used to improve the quality of care.

Complaints	
Number of complaints received in the last year.	8
Number of complaints we examined.	8
Number of complaints we examined that were satisfactorily handled in a timely way.	8
Number of complaints referred to the Parliamentary and Health Service Ombudsman.	0

	Y/N/Partial
Information about how to complain was readily available.	Y
There was evidence that complaints were used to drive continuous improvement.	Y

Example(s) of learning from complaints.

Complaint	Specific action taken
Patient unhappy with experience of consultation with clinician.	The practice reviewed the complaint and provided a formal response which included an apology and another appointment. Clinician involved was offered support and mentoring.
Patient unhappy with appointment times and lack of flexibility. Long wait for referral.	The practice apologised and provided an explanation for the delay. The practice made attempts to expedite the referral.

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y
Explanation of any answers and additional evidence: N/A	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Y
There was a realistic strategy to achieve their priorities.	Y
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y
Explanation of any answers and additional evidence: The practice leaders told us of the challenges the practice had faced, and they had developed strategies to address them. We were told of the substantial rise in the staffing levels over the last few years and the positive impact this was now having on the practice. The practice looked at new ways of working and developing new roles. For example, the introduction of the paramedic practitioner and frailty nurse roles. The practice held an away day with all staff to develop the core strategy, vision and values statement and their 2018-2023 business plan. We saw evidence of the planning for this day and the information collection and the resulting business plan.	

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y
Explanation of any answers and additional evidence: N/A	

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff interviews	Staff told us they received the training they needed for their roles and had protected time to do so. The practice ensured staff had regular appraisals. Staff told us that they had been given opportunities to develop their skills and potential.
Staff interviews	Staff we spoke with told us they felt they were part of a very inclusive team that worked well together and was supported by the management team. They said the GPs and practice manager were approachable and helpful. Staff told us they had no hesitation in raising concerns or discussing issues.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y
Explanation of any answers and additional evidence: N/A	

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Y
There were processes to manage performance.	Y
There was a systematic programme of clinical and internal audit.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y
Explanation of any answers and additional evidence: N/A	

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to adjust and improve performance.	Y
Performance information was used to hold staff and management to account.	Y
Our inspection indicated that information was accurate, valid, reliable and timely.	Y
There were effective arrangements for identifying, managing and mitigating risks.	Y
Staff whose responsibilities included making statutory notifications understood what this entails.	Y
Explanation of any answers and additional evidence: N/A	

Engagement with patients, the public, staff and external partners

The practice involved staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Y
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y
Explanation of any answers and additional evidence: N/A	

Feedback from Patient Participation Group.

Feedback

We spoke with two members of the PPG. They were positive about the work the PPG had done and the relationship they had with the practice staff team. We were told that the practice management engaged well with them.

The PPG had carried out activities to engage with the practice population. For example, attending Flu clinic days and organising and hosting educational events for the patient population on subjects such as a talk on glaucoma. One member spent some time observing the call handling and commented that the telephone access had improved. They had been consulted on the development of the new practice website and found it easier to use. The PPG were exploring ways of working with other patient groups in the new primary care network (PCN).

Continuous improvement and innovation

There were systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y
Explanation of any answers and additional evidence:	
Regular practice meetings were held to share information, discuss changes in practice and learn from significant events.	

Examples of continuous learning and improvement

The practice had regular clinical and team meetings to discuss incidents, complaints and plan for the future. Learning from incidents was disseminated to the team.

The practice had developed a new website to make navigation and signposting to information easier.

The practice was in the process of reorganisation of their practice documentation and information using TeamNet (A web-based platform for sharing, exchanging and collaborating in Primary Care groups)

The practice had engaged with plans to develop primary care networks (PCN) and was leading on some of this development work. (PCNs are a key part of the NHS Long Term Plan, with all general practices being required to be in a network since June 2019)

The practice looked at new ways of working. For example, the introduction of paramedic practitioners and a frailty nurse.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link:
<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.