

Care Quality Commission

Inspection Evidence Table

Brannel Surgery (1-556834809)

Inspection date: 14 November 2019

Date of data download: 01 November 2019

Overall rating: Good

Please note: Due to the clinical systems supplier being unable to publish Quality Outcomes Framework (QOF) data for 2018/19, any QOF data in this report is unverified data extracted directly from the practice's clinical system.

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Yes
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Yes
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Yes
We saw no evidence of discrimination when staff made care and treatment decisions.	Yes
Patients' treatment was regularly reviewed and updated.	Yes
There were appropriate referral pathways to make sure that patients' needs were addressed.	Yes
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Yes
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Yes

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) (NHSBSA)	0.75	0.84	0.75	No statistical variation

Older people

Population group rating: Good

Findings
<ul style="list-style-type: none"> The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs. The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs. The practice carried out structured annual medication reviews for older patients. Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs. Health checks, including frailty assessments, were offered to patients over 75 years of age. Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

People with long-term conditions

Population group rating: Good

Findings
<ul style="list-style-type: none"> Patients with long-term conditions were offered a structured annual review at the practice or their own home if they could not attend due to frailty. The review checked that their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care. Staff who were responsible for reviews of patients with long-term conditions had received specific training. GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma. The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions. The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension. Adults with newly diagnosed cardio-vascular disease were offered statins. Patients with suspected hypertension were offered ambulatory blood pressure monitoring. Patients with atrial fibrillation were assessed for stroke risk and treated appropriately. Patients with COPD were offered rescue packs. Patients with asthma were offered an asthma management plan.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-	91.3%	83.1%	79.3%	-

HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)				
Exception rate (number of exceptions).	25.6% (90)	21.0%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) (Unverified Practice Data)	78.4%	80.6%	78.1%	-
Exception rate (number of exceptions).	7.1% (24)	14.1%	9.4%	N/A
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) (Unverified Practice Data)	89.9%	80.7%	81.3%	-
Exception rate (number of exceptions).	10.3% (36)	17.2%	12.7%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) (Unverified Practice Data)	81.8%	73.6%	75.9%	-
Exception rate (number of exceptions).	2.6% (16)	10.3%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)	95%	88.7%	89.6%	-
Exception rate (number of exceptions).	5.5% (7)	12.9%	11.2%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) (Unverified Practice Data)	83.9%	82.7%	83.0%	-
Exception rate (number of exceptions).	3.6% (27)	6.1%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug	92.2%	89.6%	91.1%	-

therapy (01/04/2018 to 31/03/2019) (Unverified Practice Data)				
Exception rate (number of exceptions).	3.2% (3)	5.3%	5.9%	N/A

Families, children and young people

Population group rating: Good

Findings

- The practice has met the WHO based national target of 95% target for all four childhood immunisation uptake indicators.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	49	51	96.1%	Met 95% WHO based target
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	68	70	97.1%	Met 95% WHO based target
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	68	70	97.1%	Met 95% WHO based target
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	68	70	97.1%	Met 95% WHO based target

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Working age people (including those recently retired and students)

Population group rating: **Good**

Findings

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)	76.7%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	78.5%	75.7%	72.1%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2017 to 31/03/2018) (PHE)	61.5%	60.4%	57.3%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	72.2%	62.7%	69.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	40.0%	52.1%	51.9%	No statistical variation

Any additional evidence or comments

- Cervical screening rates were below the 80% national target. We discussed this with the practice who told us that they had since changed the way they recall patients for screening by sending text messages as well as letters. The practice provided unverified QOF figures for 2018-2019 which showed a screening rate of 81.6%.

People whose circumstances make them vulnerable

Population group rating: **Good**

Findings

- Same day appointments and longer appointments were offered when required.

- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

People experiencing poor mental health Population group rating: Good (including people with dementia)

Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff had received dementia training in the last 12 months.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)	94.1%	92.9%	89.4%	-
Exception rate (number of exceptions).	5.6% (1)	14.7%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)	94.4%	89.1%	90.2%	-
Exception rate (number of exceptions).	0.0% (0)	12.5%	10.1%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)	88.2%	82.1%	83.6%	-
Exception rate (number of exceptions).	10.5% (2)	7.6%	6.7%	N/A

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	556.7%	No Data	539.2
Overall QOF score (as a percentage of maximum)	99.6%	No Data	96.4%
Overall QOF exception reporting (all domains)	9.2%	No Data	No Data

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Yes
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Yes
Quality improvement activity was targeted at the areas where there were concerns.	Yes
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Yes

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Yes
The learning and development needs of staff were assessed.	Yes
The practice had a programme of learning and development.	Yes
Staff had protected time for learning and development.	Yes
There was an induction programme for new staff.	Yes
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Partial
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Yes
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable, although this had not been needed to be implemented for some time.	Yes
<ul style="list-style-type: none"> The practice had assigned staff mandatory training through an online training resource. Feedback from staff included that it was sometimes a challenge to complete the online training as they did not have protected time for this, although they were given time off in lieu if they completed training 	

at home.

- Not all staff had received regular appraisals. The practice had an action plan to ensure all staff received an appraisal from a nominated GP with outstanding appraisals booked to take place during the month of our inspection.
- The practice was previously inspected in February 2015 and in the report published in April 2015 we reported the practice to be good overall and good in providing safe, effective, caring, responsive and well-led services. Although we found no breaches of regulation we did note that the practice should ensure that all clinical staff receive training in the Mental Capacity Act (MCA). The MCA is a legal framework which supports patients who needs assistance to make important decisions. At this inspection we saw that all staff had received appropriate training.

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) (Unverified Practice Data)	Yes
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Yes
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Yes
Patients received consistent, coordinated, person-centred care when they moved between services.	Yes
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Yes

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Yes
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Yes
Patients had access to appropriate health assessments and checks.	Yes
Staff discussed changes to care or treatment with patients and their carers as necessary.	Yes
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Yes
<ul style="list-style-type: none"> • A social prescriber worked from the practice each week and signposted patients to services available to them. For example, we saw evidence that patients newly diagnosed with diabetes were 	

given appropriate information and advice. They were also referred to the Diabetes Education and Self-Management for Ongoing and Newly Diagnosed programme (DESMOND).

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) (Unverified Practice Data)	95.8%	94.0%	95.0%	-
Exception rate (number of exceptions).	0.9% (12)	0.8%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Yes
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Yes
The practice monitored the process for seeking consent appropriately.	Yes
Policies for any online services offered were in line with national guidance.	Yes
<ul style="list-style-type: none"> Where required, consent was obtained and recorded on patient records and we saw that this included a record of assessment and evidenced that any relevant risks had been discussed with the patient. The practice was due to update their online services. Patients would be able to request advice and treatment from a GP, access self-help information, prescription requests, access personal records and book appointments. 	

Responsive

Rating: Good

Responding to and meeting people's needs

The practice organised and delivered services to meet patients' needs.

	Y/N/Partial
The practice understood the needs of its local population and had developed services in response to those needs.	Yes
The importance of flexibility, informed choice and continuity of care was reflected in the services provided.	Yes
The facilities and premises were appropriate for the services being delivered.	Yes
The practice made reasonable adjustments when patients found it hard to access services.	Yes
There were arrangements in place for people who need translation services.	Yes
The practice complied with the Accessible Information Standard.	Yes

Practice Opening Times	
Day	Time
Opening times:	
Monday	7:30am to 6pm
Tuesday	7:30am to 6pm
Wednesday	7:30am to 6pm
Thursday	8am to 6pm
Friday	8am to 6pm
Phone lines were open from 8:30am to 6pm with calls diverted to an answering service between 8am and 8:30am and from 6pm to 6.30pm. Patients were diverted to the out of hours service between 6.30pm and 8am.	
Appointments available:	
Monday	7:30am to 12pm & 2pm to 5:30pm
Tuesday	7:30am to 12pm & 2pm to 5:30pm
Wednesday	7:30am to 12pm & 2pm to 5:30pm
Thursday	8am to 12pm & 2pm to 5:30pm
Friday	8am to 12pm & 2pm to 5:30pm
Further appointments are also available at other local practices between 6pm and 8pm during the week and between 9am and 12pm at the weekend.	

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
5,336	255	113	44.3%	2.12%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that at their last general practice appointment, their needs were met (01/01/2019 to 31/03/2019)	99.2%	95.8%	94.5%	Tending towards variation (positive)

Older people

Population group rating: Good

Findings

- All patients had a named GP who supported them in whatever setting they lived.
- The practice was responsive to the needs of older patients and offered home visits and urgent appointments for those with enhanced needs and complex medical issues.
- The practice provided effective care coordination to enable older patients to access appropriate services.
- GPs were aware of the religious and cultural observances of some patients, and if the circumstances should arise, they would be able to respond quickly to provide the necessary death certification to enable prompt burial in line with families' wishes when bereavement occurred.
- There was a medicines delivery service for housebound patients.

People with long-term conditions

Population group rating: Good

Findings

- Patients with multiple conditions had their needs reviewed in one appointment. The practice had recently introduced a system of carrying out these reviews during the month in which the patient had been born.
- The practice provided effective care coordination to enable patients with long-term conditions to access appropriate services.
- The practice liaised regularly with the local district nursing team and community matrons to discuss and manage the needs of patients with complex medical issues.
- Care and treatment for people with long-term conditions approaching the end of life was coordinated with other services.

Families, children and young people

Population group rating: Good

Findings

- Nurse appointments were available until 5:30pm for school age children so that they did not need to miss school. They could also attend the clinics which started at 7:30am on Monday, Tuesday and Wednesday.
- We found there were systems to identify and follow up children living in disadvantaged circumstances and who were at risk, for example, children and young people who had a high number of accident and emergency (A&E) attendances. Records we looked at confirmed this.
- All parents or guardians calling with concerns about a child were offered a same day appointment when necessary.

Working age people (including those recently retired and students)

Population group rating: Good

Findings

- The needs of this population group had been identified and the practice had adjusted the services it offered to ensure these were accessible, flexible and offered continuity of care.
- Pre-bookable appointments were also available to patients at additional locations within the area, as the practice was a member of a Primary Care Network. Appointments were available on Saturday, Sunday and bank holidays from 8.00am until 8.00pm by using the improved access hubs.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- The practice held a register of patients living in vulnerable circumstances including homeless people, travellers and those with a learning disability.
- People in vulnerable circumstances were easily able to register with the practice, including those with no fixed abode such as homeless people and travellers. The practice had some such patients on their list and allowed them to use the practice address as a postal address.
- The practice provided effective care coordination to enable patients living in vulnerable circumstances to access appropriate services.
- The practice adjusted the delivery of its services to meet the needs of patients with a learning disability.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

Findings

- Priority appointments were allocated when necessary to those experiencing poor mental health.
- Staff interviewed had a good understanding of how to support patients with mental health needs and those patients living with dementia.
- The practice was aware of support groups within the area and signposted their patients to these accordingly.

Timely access to the service

People were able to access care and treatment in a timely way.

National GP Survey results

	Y/N/Partial
Patients with urgent needs had their care prioritised.	Yes
The practice had a system to assess whether a home visit was clinically necessary and the urgency of the need for medical attention.	Yes
Appointments, care and treatment were only cancelled or delayed when absolutely necessary.	Yes
<ul style="list-style-type: none">• The reception team followed procedures to identify patients requiring medical attention and would	

inform the duty doctor of any potentially life-threatening conditions.

- Urgent appointments were available during morning and afternoon clinics. However, if a patient needed to be seen after the clinics had finished, the duty doctor would often see them.

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2019 to 31/03/2019)	99.1%	N/A	68.3%	Significant Variation (positive)
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2019 to 31/03/2019)	87.3%	74.7%	67.4%	Tending towards variation (positive)
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2019 to 31/03/2019)	89.0%	70.0%	64.7%	Variation (positive)
The percentage of respondents to the GP patient survey who were satisfied with the type of appointment (or appointments) they were offered (01/01/2019 to 31/03/2019)	84.5%	81.0%	73.6%	No statistical variation

Listening and learning from concerns and complaints

Complaints were listened and responded to and used to improve the quality of care.

Complaints	
Number of complaints received in the last year.	6
Number of complaints we examined.	3
Number of complaints we examined that were satisfactorily handled in a timely way.	3
Number of complaints referred to the Parliamentary and Health Service Ombudsman.	0

	Y/N/Partial
Information about how to complain was readily available.	Yes
There was evidence that complaints were used to drive continuous improvement.	Yes

Example(s) of learning from complaints.

Complaint	Specific action taken
A patient had expected a medicine to be dispensed on the day it was requested. They had not been informed that it would	Staff were spoken to and reminded of the need to confirm with patients that prescription requests would be processed within 48 hours.

not be dealt with until the following day.	
--	--

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels and they were able to demonstrate that they had the capacity and skills to deliver high quality sustainable care.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Yes
They had identified the actions necessary to address these challenges.	Yes
Staff reported that leaders were visible and approachable.	Partial
There was a leadership development programme, including a succession plan.	Yes
<ul style="list-style-type: none">Feedback from staff included that they felt part of a strong team and supported by the GPs and management team. However, they also told us that communication between management and staff could be improved.The practice had attempted, unsuccessfully, to recruit a permanent female GP. As a result, the practice had ensured that the practice nurses had the skills and knowledge to manage women's health issues. However, if locum GP cover was required, the practice tried to secure the services of a female GP if possible.The practice had, however, employed a locum female GP for half a day per week between October and March to assist with winter pressures.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Yes
There was a realistic strategy to achieve their priorities.	Yes
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Yes
Staff knew and understood the vision, values and strategy and their role in achieving them.	Yes
Progress against delivery of the strategy was monitored.	Yes

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Yes

Staff reported that they felt able to raise concerns without fear of retribution.	Yes
There was a strong emphasis on the safety and well-being of staff.	Yes
There were systems to ensure compliance with the requirements of the duty of candour.	Yes
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Yes
The practice encouraged candour, openness and honesty.	Yes
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Yes
The practice had access to a Freedom to Speak Up Guardian.	Yes
Staff had undertaken equality and diversity training.	No
<ul style="list-style-type: none"> Although the practice had an equality and diversity policy, staff had not undertaken equality and diversity training as it was not currently part of the practice's mandatory training. 	

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff	<ul style="list-style-type: none"> The doctors are lovely and reception and dispensary work as a team. It is a happy practice. Sometimes not enough communication. Not sure that we are told enough about what is going on. Good place to work – all staff are friendly.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Yes
Staff were clear about their roles and responsibilities.	Yes
There were appropriate governance arrangements with third parties.	Yes
<ul style="list-style-type: none"> Policies and procedures were accessible to all staff on the practice's computer system. There was a system in place for investigating, reviewing and learning from complaints and significant events. Outcomes were formally documented and discussed during staff meetings. 	

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
--	-------------

There were comprehensive assurance systems which were regularly reviewed and improved.	Yes
There were processes to manage performance.	Yes
There was a systematic programme of clinical and internal audit.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
A major incident plan was in place.	Yes
Staff were trained in preparation for major incidents.	Yes
When considering service developments or changes, the impact on quality and sustainability was assessed.	Yes
<ul style="list-style-type: none"> The practice had undertaken several risk assessments including infection control and premises risk assessments. Recommendations from risk assessments had been actioned. There were health and safety systems in place and equipment was maintained in line with guidance. 	

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to adjust and improve performance.	Yes
Performance information was used to hold staff and management to account.	Yes
Our inspection indicated that information was accurate, valid, reliable and timely.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
Staff whose responsibilities included making statutory notifications understood what this entails.	Yes

If the practice offered online services:

	Y/N/Partial
The provider was registered as a data controller with the Information Commissioner's Office.	Yes
Patient records were held in line with guidance and requirements.	Yes
Any unusual access was identified and followed up.	Yes

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Yes
The practice had an active Patient Participation Group.	Yes

Staff views were reflected in the planning and delivery of services.	Partial
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Yes
<ul style="list-style-type: none"> The practice sought patient feedback by utilising national and internal patient surveys and the NHS Friends and Family test (FFT). The FFT is an opportunity for patients to provide feedback on the services that provide their care and treatment. The practice reviewed the comments to identify areas for improvement. Feedback from staff included that they did not always feel able to contribute their views or suggestions at meetings or discussions. There was a general feeling that communication could be improved and improvements could be made to action on staff views. 	

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Yes
Learning was shared effectively and used to make improvements.	Yes

Examples of continuous learning and improvement

- The practice was aware that their antibiotic prescribing had been high. However, completed audits showed that whilst their prescribing rate was higher than the national average, it was lower than the clinical commissioning group (CCG) averages.
- Prescribing of antibiotics for urinary tract infections (UTIs) was higher than national and CCG averages. The practice reviewed this and identified that all prescribing had been appropriate.
- The practice was also aware that they had high levels of opioid prescribing. The practice conducted reviews for all patients prescribed these medicines which resulted in all but one of the patients now taking opioids at below the national guidelines.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > 1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.