Care Quality Commission

Inspection Evidence Table

River Wey Medical Practice (1-530013247)

Inspection date: 20 November 2019

Date of data download: 15 November 2019

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2018/19.

Effective Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Υ
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) (NHSBSA)	1 11	0.83	0.75	No statistical variation

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. The practice had also utilised a frailty questionnaire which had been devised by the federation of five Farnham GP practices (which included River Wey Medical Practice). The practice had handed out 29 of these surveys to patients and had identified seven who had not previously met the criteria for a frailty review. Those identified received a full assessment of their physical, mental and social needs, in conjunction with the federation integrated care team.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

People with long-term conditions

Population group rating: Good

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- The practice had recognised it had a low achievement for a specific diabetes register indicator in 2017/18 and had audited and changed the process for reviews for this patient group. The 2018/19 achievement was an improvement on the previous achievement.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma. We also saw an audit of inhaler use to improve quality for this population group.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered the use of blood pressure monitoring equipment to use at home.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs and patients with asthma were offered an asthma management plan.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	80.6%	81.1%	79.3%	No statistical variation
Exception rate (number of exceptions).	1.9% (7)	8.9%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) (QOF)	82.3%	77.7%	78.1%	No statistical variation
Exception rate (number of exceptions).	5.0% (18)	8.1%	9.4%	N/A

	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) (QOF)	84.2%	85.1%	81.3%	No statistical variation
Exception rate (number of exceptions).	4.1% (15)	9.9%	12.7%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) (QOF)	77.9%	74.2%	75.9%	No statistical variation
Exception rate (number of exceptions).	3.5% (15)	4.8%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	93.2%	91.0%	89.6%	No statistical variation
Exception rate (number of exceptions).	7.0% (11)	10.7%	11.2%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) (QOF)	84.3%	81.3%	83.0%	No statistical variation
Exception rate (number of exceptions).	2.7% (28)	2.7%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) (QOF)	91.1%	92.6%	91.1%	No statistical variation
Exception rate (number of exceptions).	5.8% (9)	4.8%	5.9%	N/A

Families, children and young people

Population group rating: Good

- The practice had met the minimum 90% target for all four childhood immunisation uptake indicators but had not met the WHO based national target of 95% (the recommended standard for achieving herd immunity).
- The practice had arranged a teddy bear clinic to encourage children aged two and three to attend for their nasal flu vaccine. Children brought their teddy bears and the practice waiting room was arranged to be age appropriate with a child size table and chairs with drinks and snacks. The practice told us approximately 60 children attended to receive their nasal flu vaccine in one day which had improved their uptake rates from the previous year from 22% to 32%. The coverage would have been higher if more flu vaccine had been available for the clinic.
- One of the practice nurses had undertaken an audit of paediatric emergency department attendances. They linked the number of attendances to a lack of education and knowledge of health services and the practice was planning to hold a patient education event on this topic in the future.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments
 following an appointment in secondary care or for immunisation and would liaise with health
 visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	98	105	93.3%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	67	73	91.8%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	68	73	93.2%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	69	73	94.5%	Met 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information:

 $\underline{\text{https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices}}$

Working age people (including those recently retired and students)

Population group rating: Good

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.
- The practice had commenced using digital platforms for online access to care and treatment such as e-consult. They were planning to commence with another digital service in 2020.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)	77.8%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	76.9%	73.1%	72.1%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	59.7%	62.2%	57.3%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	61.1%	77.0%	69.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	54.1%	43.5%	51.9%	No statistical variation

Any additional evidence or comments

The practice was aware of their below target uptake for cervical cytology screening. They had recall processes in place to ensure eligible women had been called for their screening. If patients did not make an appointment or attend, they were contacted by one of the nursing team by phone. Patients could make appointments at any time during core working hours, or through the extended hours service (including at weekends). The practice computer system had alerts and flags for patients who were overdue their screening for the nurses and GPs to arrange their screening appointment when they attended for another reason.

We were shown more up to date data for March 2019 to June 2019 (from Public Health England) which showed the practice had achieved 79.1% uptake.

The nursing team told us there was a regular audit of inadequate cytology samples (samples that could not be tested) but did not have an audit trail to ensure every sample sent, had received a result. The practice told patients to call them if they had not received the results by eight weeks after the test. This relied on patients recalling their test dates and making a call to the practice at the correct time. There was a risk that a test sample could go missing or not be received without the practices knowledge if the patient did not inform them.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.
- The practice reviewed young patients at local residential homes.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

- The practice assessed and monitored the physical health of people with mental illness, severe
 mental illness, and personality disorder by providing access to health checks, interventions for
 physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking'
 services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs
 of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff were offered dementia training as part of their induction.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	91.7%	93.9%	89.4%	No statistical variation
Exception rate (number of exceptions).	14.3% (6)	10.7%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	100.0%	94.1%	90.2%	Variation (positive)
Exception rate (number of exceptions).	11.9% (5)	8.4%	10.1%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	89.1%	83.0%	83.6%	No statistical variation
Exception rate (number of exceptions).	6.8% (4)	7.4%	6.7%	N/A

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	556.9	No Data	539.2
Overall QOF score (as a percentage of maximum)	99.6%	No Data	96.4%
Overall QOF exception reporting (all domains)	3%	No Data	No Data

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Y
Quality improvement activity was targeted at the areas where there were concerns.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

Audit of urinary tract infection prescribing

An audit of prescribing for uncomplicated urinary tract infections was undertaken in October 2019. The audit reviewed if prescribing had been carried out in line with local guidelines. This was a repeat audit which had been undertaken annually since 2017.

The practice had set a 90% minimum target of compliance and had achieved 37% in the 2018/19 audit. This year's audit (2019/20) had identified an increase in prescribing compliance to 59%, although it was still below the 90% standard.

The results were due to be shared at a November 2019 clinical meeting along with a reminder to prescribing clinicians to review the local guidelines. The practice was also due to share the results with the federation of five GP practices in the Farnham area as some of the non-compliance noted was prescribed by clinicians working at the same day appointment service. (Patients from River Wey Medical Practice could access the same day service if they requested a same day appointment and there wasn't any appointment availability at the surgery).

Metformin prescribing audit

The practice carried out searches of patients with type two diabetes who were prescribed metformin (a medication to lower blood sugar levels). The individual notes were then reviewed to ensure that a specific blood level test had been taken and the result was within guideline amounts to continue prescribing the metformin.

The audit had been undertaken in October 2018 and repeated in October 2019. Both years the practice had identified 100% of patients had the appropriate blood test result which enabled the safe, continued prescribing of the metformin.

Minor surgery internal audit

An audit of minor surgery carried out between September 2018 and September 2019 showed 100% had received histology results and 100% had a signed consent in the patient records.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Y
The learning and development needs of staff were assessed.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Υ
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Υ

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019)	Y
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Υ
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Υ
Patients received consistent, coordinated, person-centred care when they moved between services.	Y
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Y

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Y

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	96.4%	94.4%	95.0%	No statistical variation
Exception rate (number of exceptions).	0.4% (7)	0.6%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
The practice monitored the process for seeking consent appropriately.	Y
Policies for any online services offered were in line with national guidance.	Y

Well-led Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Υ
There was a realistic strategy to achieve their priorities.	Υ
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Υ

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
	Staff told us they enjoyed working at the practice and felt they could raise concerns or issues without fear of retribution. They told us they were supported
	and valued, and leaders were approachable and visible.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Υ
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Υ
There were processes to manage performance.	Υ
There was a systematic programme of clinical and internal audit.	Υ
There were effective arrangements for identifying, managing and mitigating risks.	Υ
A major incident plan was in place.	Y
Staff were trained in preparation for major incidents.	Y
When considering service developments or changes, the impact on quality and sustainability was assessed.	Y

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

	Y/N/Partial
Staff used data to adjust and improve performance.	Υ
Performance information was used to hold staff and management to account.	Υ
Our inspection indicated that information was accurate, valid, reliable and timely.	Υ
There were effective arrangements for identifying, managing and mitigating risks.	Υ
Staff whose responsibilities included making statutory notifications understood what this entails.	Y

If the practice offered online services:

	Y/N/Partial
The provider was registered as a data controller with the Information Commissioner's Office.	Υ
Patient records were held in line with guidance and requirements.	Y
Any unusual access was identified and followed up.	Υ
Explanation of any answers and additional evidence: The practice showed us an example of email contact where the patient identity was challenged, and the practice took steps to ensure confidentiality and privacy.	

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Υ
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y

Feedback from Patient Participation Group (PPG).

Feedback

We spoke with one member of the PPG who told us the practice held regular meetings and actively sought the views and opinions of the PPG members. The PPG had suggested a review of the practice website and changes to the outgoing telephone message had been implemented following feedback. The PPG had also held sessions in the waiting area to encourage and support patients with online access, including getting them logged onto the system.

Continuous improvement and innovation

There were systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y

Examples of continuous learning and improvement

The practice had held an away day for the GP partners and management team in April 2019. They had discussed and identified a one year plan called River Wey 2020, which outlined the practice goals and areas for improvement for the coming year.

The practice had held a patient education event in November 2019 to talk to patients about sepsis. The event was promoted via the PPG and had a good attendance. Feedback was positive about the event and the practice had planned more for the future and covering different topics.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤-3
Variation (positive)	>-3 and ≤-2
Tending towards variation (positive)	>-2 and ≤-1.5
No statistical variation	<1.5 and >-1.5
Tending towards variation (negative)	≥1.5 and <2
Variation (negative)	≥2 and <3
Significant variation (negative)	≥3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: https://www.cgc.org.uk/quidance-providers/qps/how-we-monitor-qp-practices

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- COPD: Chronic Obstructive Pulmonary Disease
- PHE: Public Health England
- QOF: Quality and Outcomes Framework
- STAR-PU: Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.