Care Quality Commission

Inspection Evidence Table

Neasham Road Surgery (1-556507991)

Inspection date: 5th February 2020

Date of data download: 30 January 2020

Overall rating: Good

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

| | Y/N/Partial |
|--|-------------|
| The practice had systems and processes to keep clinicians up to date with current evidence-based practice. | Y |
| Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing. | Y |
| Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way. | Υ |
| We saw no evidence of discrimination when staff made care and treatment decisions. | Υ |
| Patients' treatment was regularly reviewed and updated. | Y |
| There were appropriate referral pathways to make sure that patients' needs were addressed. | Y |
| Patients were told when they needed to seek further help and what to do if their condition deteriorated. | Y |
| The practice used digital services securely and effectively and conformed to relevant digital and information security standards. | Y |

| Prescribing | Practice performance | CCG average | England average | England comparison |
|--|----------------------|----------------|-----------------|--------------------------|
| Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/10/2018 to 30/09/2019) (NHSBSA) | 0.77 | 0.76 | 0.74 | No statistical variation |

Older people

Population group rating: Good

- The practice used a clinical tool to identify older patients who were living with moderate or severe
 frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

- The practice participated in a multi-disciplinary team approach provided by Primary Healthcare Darlington (GP Federation) for patients in care homes, including health, medication and nutrition reviews on a regular basis
- The practice had a GP on call (duty doctor) all day with few appointments to help ensure that they
 were available to triage and visit at short notice during the day, ensuring patients were not waiting
 until the end of surgery
- The practice had access to wellbeing facilitators and could refer patients to this service. The service aimed to tackle social isolation, enhance quality of life, promote physical and mental health and encourage and empower independence.

People with long-term conditions

Population group rating: Good

- Patients with long-term conditions were offered a structured annual review in line with their birthday month to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training. The practice offered patients joint clinics with a diabetic specialist nurse and a telephone call follow up service to provide advice.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately. The
 practice was taking part in a pilot scheme whereby they ran monthly audits and reviews for
 patients treated for atrial fibrillation to ensure compliance with medication. The practice also
 performed opportunistic pulse checks to assist identification of patients with atrial fibrillation
 (this was facilitated by a prompt on the computer system for patients most at risk)
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan and a pharmacy led service to ensure inhaler technique
- Housebound patients were visited by practice nursing staff for their annual review.

| Diabetes Indicators | Practice | CCG average | England average | England comparison |
|--|-------------|----------------|--------------------|--|
| The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 74.0% | 82.9% | 79.3% | No statistical variation |
| Exception rate (number of exceptions). | 14.4% (101) | 14.1% | 12.8% | N/A |
| The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) (QOF) | 65.6% | 78.7% | 78.1% | Tending towards variation (negative) |

| Exception rate (number of exceptions). | 15.0% (105) | 9.9% | 9.4% | N/A |
|--|-------------|------|------|-----|
|--|-------------|------|------|-----|

| | Practice | CCG average | England average | England comparison |
|---|------------|----------------|--------------------|--------------------------|
| The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) (QOF) | 76.5% | 85.0% | 81.3% | No statistical variation |
| Exception rate (number of exceptions). | 13.8% (97) | 13.1% | 12.7% | N/A |

| Other long-term conditions | Practice | CCG average | England average | England comparison |
|--|-------------|-------------|--------------------|--------------------------|
| The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) (QOF) | 73.9% | 75.1% | 75.9% | No statistical variation |
| Exception rate (number of exceptions). | 15.0% (103) | 6.5% | 7.4% | N/A |
| The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 90.6% | 90.3% | 89.6% | No statistical variation |
| Exception rate (number of exceptions). | 17.1% (57) | 9.4% | 11.2% | N/A |

| Indicator | Practice | CCG average | England average | England comparison |
|---|-----------|----------------|-----------------|--------------------------|
| The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) (QOF) | 85.3% | 85.6% | 83.0% | No statistical variation |
| Exception rate (number of exceptions). | 5.3% (75) | 3.3% | 4.0% | N/A |
| In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) (QOF) | 84.8% | 95.1% | 91.1% | No statistical variation |
| Exception rate (number of exceptions). | 0.7% (1) | 4.6% | 5.9% | N/A |

Any additional evidence or comments

- We discussed the tending toward negative variation in diabetes indicators with the practice. The practice told us that they had taken measures to improve this including training more members of the nursing team in diabetes care. They also have joint diabetic clinics with the diabetic specialist nurse and quarterly clinics with the diabetic consultant. Unvalidated data provided by the practice regarding performance so far this year (April 2019-February 2020) showed that they had already achieved 66% of this target with another 2 months to go before the year end.
- Exception reporting levels were discussed with the practice, the practice demonstrated that their
 procedures for exception reporting were adequate, patients were contacted 3 times by letter and
 were also contacted by telephone and by text messaging. Patients were only excepted at the end
 of the year if appropriate. The practice also had a higher than average number of patients from the
 travelling population who tended not to attend reviews because of their transient lifestyle.

Families, children and young people Population group rating: Good

- The practice had met the minimum 90% target for four of four childhood immunisation uptake indicators. The practice had met the WHO based national target of 95% (the recommended standard for achieving herd immunity) for one of the four childhood immunisation uptake indicators.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments
 following an appointment in secondary care or for immunisation and would liaise with health
 visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception, the practice had three family planning trained nurses.

• Staff had the appropriate skills and training to carry out reviews for this population group.

| Child Immunisation | Numerator | Denominator | Practice % | Comparison to WHO target of 95% |
|---|-----------|-------------|------------|---------------------------------------|
| The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) (i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England) | 146 | 154 | 94.8% | Met 90% minimum |
| The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England) | 130 | 143 | 90.9% | Met 90% minimum |
| The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England) | 130 | 143 | 90.9% | Met 90% minimum |
| The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England) | 130 | 143 | 90.9% | Met 90% minimum |

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information:

https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices

Working age people (including those recently retired and students)

Population group rating: Good

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.
- The practice took part of the 'No Fear' campaign to improve the take up of cervical screening rates.
 The objective of this campaign was to overcome the myths and barriers to women attending screening in order to educate and alleviate fears.

| Cancer Indicators | Practice | CCG average | England average | England comparison |
|---|----------|----------------|-----------------|--------------------------|
| The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). (01/07/2019 to 30/09/2019) (Public Health England) | 76.5% | N/A | 80% Target | Below 80% target |
| Females, 50-70, screened for breast cancer in last 36 months (3-year coverage, %) (01/04/2018 to 31/03/2019) (PHE) | 65.7% | 71.4% | 71.6% | N/A |
| Persons, 60-69, screened for bowel cancer in last 30 months (2.5-year coverage, %) (01/04/2018 to 31/03/2019) (PHE) | 56.8% | 59.5% | 58.0% | N/A |
| The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2018 to 31/03/2019) (PHE) | 53.3% | 68.5% | 68.1% | N/A |
| Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2018 to 31/03/2019) (PHE) | 56.4% | 61.9% | 53.8% | No statistical variation |

Any additional evidence or comments

We discussed the cervical screening results. We saw evidence that the nurses and GPs at the
practice reminded women to attend for cervical screening and performed opportunistic screening.
Public Health England data showed that for the year to date the practice had achieved screening
for 78% of women within 3.5 years recommended timescale and 74% of women within 5.5 years
recommended timescale. The practice told us that they had some hard to reach populations, for
example the travelling population, and were trying to promote cervical screening in several ways.

People whose circumstances make them vulnerable

Population group rating: Good

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.
- The practice had a high Polish population registered and they had a Polish speaking GP.

- There was a high proportion of patients from the travelling community and the practice had arrangements to assist with registration and treatment as a temporary resident if required.
- The practice provided care to two Syrian refugee families.
- Patients who had hearing loss could email in their request for an appointment.
- Patients who required help with benefits and who suffered from social isolation were offered the services of a Wellbeing Facilitator. They were able to signpost patients to voluntary agencies.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

- The practice assessed and monitored the physical health of people with mental illness, severe
 mental illness, and personality disorder by providing access to health checks, interventions for
 physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- Nurse Practitioners performed dementia reviews that including home visits for those who were housebound.
- All staff had received dementia training in the last 12 months.
- Patients with poor mental health, including dementia, were referred to appropriate services.

| Mental Health Indicators | Practice | CCG average | England average | England comparison |
|--|------------|----------------|-----------------|--------------------------|
| The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 91.7% | 91.9% | 89.4% | No statistical variation |
| Exception rate (number of exceptions). | 31.8% (28) | 14.1% | 12.3% | N/A |
| The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 87.9% | 92.2% | 90.2% | No statistical variation |
| Exception rate (number of exceptions). | 25.0% (22) | 12.2% | 10.1% | N/A |
| The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 86.3% | 83.0% | 83.6% | No statistical variation |
| Exception rate (number of exceptions). | 7.3% (8) | 8.1% | 6.7% | N/A |

Any additional evidence or comments

The local area had problems accessing information from secondary care regarding mental health reviews. The practice told us that if patients had been seen in secondary care they found it difficult to get them to come in to the practice. Patients were exception reported after three letters to invite them in.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided

| Indicator | Practice | CCG average | England average |
|--|----------|----------------|--------------------|
| Overall QOF score (out of maximum 559) | 545.6 | 554.2 | 539.2 |
| Overall QOF score (as a percentage of maximum) | 97.6% | 99.1% | 96.7% |
| Overall QOF exception reporting (all domains) | 7.1% | 5.9% | 5.9% |

| | Y/N/Partial |
|---|-------------|
| Clinicians took part in national and local quality improvement initiatives. | Υ |
| The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements. | Y |
| Quality improvement activity was targeted at the areas where there were concerns. | Υ |
| The practice regularly reviewed unplanned admissions and readmissions and took | Υ |

appropriate action.

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

An audit of inhalers used by patients with respiratory disease identified overuse in some patients. The practice set up a system to ensure that additional requests were reviewed by a GP to improve care for patients.

An audit of palliative care patients and their carers highlighted gaps in the offer of holistic support to carers. The practice was then able to act on this information and personalised a template on the computer system to help ensure that this information was captured, and the holistic support was offered.

Any additional evidence or comments

We saw evidence of seven audits completed in the last 12 months.

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

| | Y/N/Partial |
|--|-------------|
| Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme. | Υ |
| The learning and development needs of staff were assessed. | Υ |
| The practice had a programme of learning and development. | Υ |
| Staff had protected time for learning and development. | Υ |
| There was an induction programme for new staff. | Υ |
| Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015. | Υ |
| Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation. | Υ |
| The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates. | Y |
| There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable. | Y |

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

| Indicator | Y/N/Partial |
|--|-------------|
| The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) | Υ |
| We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment. | Y |
| Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved. | Y |
| Patients received consistent, coordinated, person-centred care when they moved between services. | Y |
| For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services. | Y |

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

| | Y/N/Partial |
|---|-------------|
| The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers. | Y |
| Staff encouraged and supported patients to be involved in monitoring and managing their own health. | Y |
| Patients had access to appropriate health assessments and checks. | Υ |
| Staff discussed changes to care or treatment with patients and their carers as necessary. | Υ |
| The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity. | Y |

| Smoking Indicator | Practice | CCG average | England average | England comparison |
|--|-----------|----------------|-----------------|--------------------------|
| The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF) | 93.8% | 95.3% | 95.0% | No statistical variation |
| Exception rate (number of exceptions). | 0.8% (21) | 0.6% | 0.8% | N/A |

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

| | Y/N/Partial |
|--|-------------|
| Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented. | Υ |
| Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision. | Y |
| The practice monitored the process for seeking consent appropriately. | Υ |
| Policies for any online services offered were in line with national guidance. | Υ |

Well-led Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels

| | Y/N/Partial |
|---|-------------|
| Leaders demonstrated that they understood the challenges to quality and sustainability. | Υ |
| They had identified the actions necessary to address these challenges. | Υ |
| Staff reported that leaders were visible and approachable. | Υ |
| There was a leadership development programme, including a succession plan. | Υ |

Explanation of any answers and additional evidence:

- We had feedback from five members of staff who all said that leaders were approachable and supportive.
- The practice had lost senior members of staff over the past couple of years due to sickness and retirement and had a succession plan. Salaried GPs and Nurse practitioners had been recruited and the practice had tried to use the same locums to promote continuity of care for patients.

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

| | Y/N/Partial |
|---|-------------|
| The practice had a clear vision and set of values that prioritised quality and sustainability. | Υ |
| There was a realistic strategy to achieve their priorities. | Υ |
| The vision, values and strategy were developed in collaboration with staff, patients and external partners. | Y |
| Staff knew and understood the vision, values and strategy and their role in achieving them. | Y |
| Progress against delivery of the strategy was monitored. | Υ |

Explanation of any answers and additional evidence:

- We saw minutes of practice meetings involving all staff members which gave the opportunity to discuss vision, values and strategy and discussion around how to achieve them.
- The practice also provided evidence of regular meetings for all staff groups.

Culture

The practice had a culture which drove high quality sustainable care

| <u> </u> | |
|--|-------------|
| | Y/N/Partial |
| There were arrangements to deal with any behaviour inconsistent with the vision and values. | Y |
| Staff reported that they felt able to raise concerns without fear of retribution. | Υ |
| There was a strong emphasis on the safety and well-being of staff. | Υ |
| There were systems to ensure compliance with the requirements of the duty of candour. | Υ |
| When people were affected by things that went wrong they were given an apology and informed of any resulting action. | Y |
| The practice encouraged candour, openness and honesty. | Υ |
| The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy. | Y |
| The practice had access to a Freedom to Speak Up Guardian. | Υ |
| Staff had undertaken equality and diversity training. | Υ |
| | |

Explanation of any answers and additional evidence:

• Staff felt valued by leaders and management. They told us that they were rewarded at Christmas time and that the practice provided a private health care policy for all employed staff which included dental and eye care. The practice also held events to raise charity funds and organised regular staff nights out and a summer event.

Examples of feedback from staff or other evidence about working at the practice

| Source | Feedback |
|----------------------|--|
| Staff | Seven staff, including non-clinical staff and clinical staff told us that there was an |
| questionnaires/staff | open and honest culture and that leaders were supportive and approachable. |
| interviews | |

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

| | Y/N/Partial |
|---|-------------|
| There were governance structures and systems which were regularly reviewed. | Υ |
| Staff were clear about their roles and responsibilities. | Υ |
| There were appropriate governance arrangements with third parties. | Υ |

Explanation of any answers and additional evidence:

The practice had devised standard operating procedures for reception staff which dealt with issues they may face in an easy point of reference.

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

| | Y/N/Partial |
|--|-------------|
| There were comprehensive assurance systems which were regularly reviewed and improved. | Y |
| There were processes to manage performance. | Υ |
| There was a systematic programme of clinical and internal audit. | Υ |
| There were effective arrangements for identifying, managing and mitigating risks. | Υ |
| A major incident plan was in place. | Υ |
| Staff were trained in preparation for major incidents. | Υ |
| When considering service developments or changes, the impact on quality and sustainability was assessed. | Υ |

Explanation of any answers and additional evidence:

- Staff were trained in preparation for major incidents, there had been a recent event where the practice had no power for two days (Dec 2019) and we saw a debrief document with future improvements.
- The practice had a succession plan and had recruited a nurse practitioner to do identified work including reviews for housebound and frail patients.
- The practice computer system was the same across the locality and this helped ensure effective access to information was shared.

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making

| | Y/N/Partial |
|--|-------------|
| Staff used data to adjust and improve performance. | Υ |
| Performance information was used to hold staff and management to account. | Υ |
| Our inspection indicated that information was accurate, valid, reliable and timely. | Υ |
| There were effective arrangements for identifying, managing and mitigating risks. | Υ |
| Staff whose responsibilities included making statutory notifications understood what this entails. | Υ |

If the practice offered online services:

| | Y/N/Partial |
|--|-------------|
| The provider was registered as a data controller with the Information Commissioner's Office. | Υ |

| Patient records were held in line with guidance and requirements. | Υ |
|---|---|
| Any unusual access was identified and followed up. | Υ |

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

| | Y/N/Partial |
|--|-------------|
| Patient views were acted on to improve services and culture. | Υ |
| The practice had an active Patient Participation Group. | Υ |
| Staff views were reflected in the planning and delivery of services. | Υ |
| The practice worked with stakeholders to build a shared view of challenges and of the needs of the population. | Y |

Explanation of any answers and additional evidence:

Examples of improvements following involvement of staff and patients included;

- E-consultations patients could access advice over a 24-hour period via the e-consultation service. This was accessed via the website and a response would be with the patient by the end of the next working day.
- The introduction of a dedicated email prescription service patients can send in their requests at any time of the day. They receive an acknowledgement and the Practice can keep an audit trail.
- Increase in the number of on the day appointments with nurse practitioners.
- Increase in the number of pre-bookable appointments with a GP.
- The development of a urinary tract infection protocol devised by administration staff.

Feedback from Patient Participation Group.

Feedback

We spoke with one member of the Patient Participation Group. He stated that the practice was open and honest and involved them in planning new services. They met quarterly and were keen to work together with the practice to improve the representation of patients in the group.

Any additional evidence

 We saw evidence of open and supportive communication between the practice and the Patient Participation Group.

Continuous improvement and innovation

There were systems and processes for learning, continuous improvement and innovation.

| | Y/N/Partial |
|--|-------------|
| There was a strong focus on continuous learning and improvement. | Y |
| Learning was shared effectively and used to make improvements. | Υ |

Explanation of any answers and additional evidence:

• The practice was committed to ensuring staff were trained in up to date initiatives. Staff had recently completed the behaviour change approach 'making every contact count' training.

Examples of continuous learning and improvement

- A dedicated staff member has taken on the role of Cancer Champion to promote and improve screening up take.
- The practice has increased the members of the nursing team to ensure cover for respiratory disease and diabetes reviews
- The health care assistant is trained to deliver foot checks for diabetic patients and spirometry for respiratory patients.
- The practice was very involved in the development of the primary care network and senior staff
 were also directors of the federation, Primary Health Care Darlington. There was a strong desire to
 improve care and services for patients in Darlington.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practices performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

| Variation Bands | Z-score threshold |
|--------------------------------------|-------------------|
| Significant variation (positive) | ≤-3 |
| Variation (positive) | >-3 and ≤-2 |
| Tending towards variation (positive) | >-2 and ≤-1.5 |
| No statistical variation | <1.5 and >-1.5 |
| Tending towards variation (negative) | ≥1.5 and <2 |
| Variation (negative) | ≥2 and <3 |
| Significant variation (negative) | ≥3 |

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period
 (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored
 against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: https://www.cqc.org.uk/quidance-providers/gps/how-we-monitor-qp-practices

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- COPD: Chronic Obstructive Pulmonary Disease
- PHE: Public Health England
- QOF: Quality and Outcomes Framework
- STAR-PU: Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.