

Care Quality Commission

Inspection Evidence Table

The Woodberry Practice (1-542413793)

Inspection date: 10 December 2019

Date of data download: 25 January 2020

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2018/19.

Effective

Rating: Good

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Y
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Y
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Y
We saw no evidence of discrimination when staff made care and treatment decisions.	Y
Patients' treatment was regularly reviewed and updated.	Y
There were appropriate referral pathways to make sure that patients' needs were addressed.	Y
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Y
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Y

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU)	0.18	0.53	0.74	Significant Variation (positive)

Prescribing	Practice performance	CCG average	England average	England comparison
(01/10/2018 to 30/09/2019) (NHSBSA)				

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- Older patients were given longer appointments where necessary and were prioritised for home visits.

People with long-term conditions

Population group rating: Good

Findings

- The practice's Quality and Outcomes Framework (QOF performance for the indicator relating to hypertension was 74% and this was lower than the CCG average of 81% and England average of 83%. The practice was aware outcomes were lower than CCG and national averages and told us patients who did not respond to 3 written invitations were excepted in line with guidance. The practice said as a result of the low score it had recently added an extra step to their recall process. We were told that now a monthly report would also be generated to identify patients who had been invited but not attended the practice. A member of staff would then follow up these patients with a telephone call and text message reminding the patients to attend. The practice said this added measure had been positive and more patients were attending the practice for hypertension reviews. It was confident that their QOF performance for this indicator would improve in the next set of results.
- The QOF allows practices to exception-report (exclude) specific patients from data collected to calculate achievement scores. Patients can be exception-reported from individual indicators for various reasons, for example if they do not attend appointments or where the treatment is judged to be inappropriate by the GP (for instance, if treatment cannot be prescribed due to side-effects). The practice had high exception reporting for some long-term conditions' (see below evidence table) indicators in comparison to CCG and England averages. We reviewed records of 20 excepted and found they were excepted in line with guidance.
- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Patients could attend the practice for blood tests and anticoagulation services rather than going

to the local hospital.

- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.
- GP's and Nurses were trained in caring for patients with long-term conditions and the practice had recently trained its clinicians in carrying out group consultations for patients with long-term conditions.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	79.2%	74.3%	79.3%	No statistical variation
Exception rate (number of exceptions).	11.2% (47)	6.2%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) (QOF)	79.4%	81.6%	78.1%	No statistical variation
Exception rate (number of exceptions).	6.0% (25)	3.9%	9.4%	N/A
	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) (QOF)	83.4%	80.1%	81.3%	No statistical variation
Exception rate (number of exceptions).	19.1% (80)	6.6%	12.7%	N/A
Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on	69.9%	75.1%	75.9%	No statistical

the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) <small>(QOF)</small>				variation
Exception rate (number of exceptions).	2.9% (12)	1.6%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	86.5%	91.6%	89.6%	No statistical variation
Exception rate (number of exceptions).	23.7% (23)	6.2%	11.2%	N/A
Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	74.0%	81%	83.0%	Variation (negative)
Exception rate (number of exceptions).	1.5% (17)	2.3%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) <small>(QOF)</small>	87.0%	88.1%	91.1%	No statistical variation
Exception rate (number of exceptions).	5.3% (6)	6.1%	5.9%	N/A

Families, children and young people

Population group rating: Good

Findings

- The practice met the minimum 90% target for all four childhood immunisation uptake indicators (please see below evidence table).
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.

- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	91	100	91.0%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	91	97	93.8%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	90	97	92.8%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	89	97	91.8%	Met 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information:
<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Working age people (including those recently retired and students)

Population group rating: Good

Findings

- The practice was aware it had not met the 80% national uptake target for cervical screening. Although the uptake rate was above the CCG average. The practice informed us it had experienced cultural barriers with some population groups who expressed reluctance to engage with the cervical screening programme. We saw the practice ran regular reports to identify patients who were due for cervical screening tests. These patients would be called and texted by the practice inviting them for a cervical screening test; if the patient did not respond they would be given a further telephone call and sent reminder letters.
- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.

- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.
- The local clinical commissioning group had commissioned an extended hours service, which operated between 6.30pm and 8pm on weeknights and from 8am to 8pm at weekends at four “Hub” locations across the Enfield borough. The practice was one of the premises that hosted the Hub service. Patients could book appointments with the service by contacting the practice.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). (01/07/2019 to 30/09/2019) (Public Health England)	72.2%	N/A	80% Target	Below 80% target
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2018 to 31/03/2019) (PHE)	64.9%	68.9%	71.6%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2018 to 31/03/2019) (PHE)	59.2%	49.4%	58.0%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2018 to 31/03/2019) (PHE)	70.0%	79.8%	68.1%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2018 to 31/03/2019) (PHE)	60.0%	52.5%	53.8%	No statistical variation

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

**People experiencing poor mental health
(including people with dementia)**

Population group rating: Good

Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff had received dementia training in the last 12 months.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	90.8%	90.7%	89.4%	No statistical variation
Exception rate (number of exceptions).	22.6% (19)	5.8%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	84.1%	90.5%	90.2%	No statistical variation
Exception rate (number of exceptions).	17.9% (15)	4.2%	10.1%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)	75.0%	83.6%	83.6%	No statistical variation
Exception rate (number of exceptions).	3.0% (1)	3.8%	6.7%	N/A

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	526.0	535.0	539.2
Overall QOF score (as a percentage of maximum)	94.1%	95.7%	96.7%
Overall QOF exception reporting (all domains)	5.9%	4.4%	5.9%

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Y
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Y
Quality improvement activity was targeted at the areas where there were concerns.	Y
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Y

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

<p>The practice had undertaken several clinical audits in the last two years, including 2-cycle clinical audits, for example:</p> <ul style="list-style-type: none">Following a safety alert notification an audit was undertaken in respect of prescribing sodium valproate to pregnant women. This is a medicine used primarily to treat epilepsy and bipolar disorder and to prevent migraine headaches, but which exposes children in the womb to a high risk of serious developmental disorders and/or congenital malformations. The aim of the audit was to determine whether women patients of child bearing age had been prescribed sodium valproate, and if so, whether they had been reviewed or referred to a specialist service to discuss the risks associated with taking this medication whilst pregnant. At the time of receiving the safety alert the practice carried out a search and identified patients who were at risk, a list was generated, and the practice was tasked with contacting these patients and inviting them in for a review. The practice carried out another search approximately one month later and found that all patients identified to be at risk had been contacted and were given the appropriate advice.

Effective staffing

The practice was able to demonstrate that/ staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Y
The learning and development needs of staff were assessed.	Y
The practice had a programme of learning and development.	Y
Staff had protected time for learning and development.	Y
There was an induction programme for new staff.	Y
Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Y
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Y
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Y
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Y

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) (QOF)	Yes
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Y
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Y
Patients received consistent, coordinated, person-centred care when they moved between services.	Y
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Y

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Y
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Y
Patients had access to appropriate health assessments and checks.	Y
Staff discussed changes to care or treatment with patients and their carers as necessary.	Y
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Y

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	92.7%	95.2%	95.0%	No statistical variation
Exception rate (number of exceptions).	1.1% (21)	0.6%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Y
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Y
The practice monitored the process for seeking consent appropriately.	Y
Policies for any online services offered were in line with national guidance.	Y

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Y
They had identified the actions necessary to address these challenges.	Y
Staff reported that leaders were visible and approachable.	Y
There was a leadership development programme, including a succession plan.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• There was a designated lead for each clinical and non-clinical area. For example, there were practice leads for safeguarding, clinical governance, complaints, performance monitoring, administrative staff and infection control.• The practice held clinical and non-clinical meetings regularly. We saw all meetings were appropriately minuted and actions were logged, monitored and feedback was sought and noted.• We saw evidence of the management interacting with its staff and keeping them informed of changes and current issues via email and meetings.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Y
There was a realistic strategy to achieve their priorities.	Y
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Y
Staff knew and understood the vision, values and strategy and their role in achieving them.	Y
Progress against delivery of the strategy was monitored.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none">• The practice operated a no blame culture where everyone was encouraged to speak up about any concerns or when things went wrong.	

Culture

The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Y
Staff reported that they felt able to raise concerns without fear of retribution.	Y
There was a strong emphasis on the safety and well-being of staff.	Y
There were systems to ensure compliance with the requirements of the duty of candour.	Y
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Y
The practice encouraged candour, openness and honesty.	Y
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Y
The practice had access to a Freedom to Speak Up Guardian.	Y
Staff had undertaken equality and diversity training.	Y

Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff interviews	We spoke with several members of staff during the inspection, each of whom told us they felt well supported and they had access to the equipment, tools and training necessary to enable them to perform their roles well. We were told staff were given protected time to enable them to undertake training and carry out non-clinical duties. Staff reported there were good, effective working relationships between managers and staff and clinical and non-clinical staff.

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Y
Staff were clear about their roles and responsibilities.	Y
There were appropriate governance arrangements with third parties.	Y
Explanation of any answers and additional evidence: <ul style="list-style-type: none"> The practice had a suite of practice specific policies including, child and adult safeguarding, infection and prevention control and significant events. There was a system for these to be regularly reviewed by the management team. 	

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

		Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.		Y
There were processes to manage performance.		Y
There was a systematic programme of clinical and internal audit.		Y
There were effective arrangements for identifying, managing and mitigating risks.		Y
A major incident plan was in place.		Y
Staff were trained in preparation for major incidents.		Y
When considering service developments or changes, the impact on quality and sustainability was assessed.		Y
Examples of actions taken to address risks identified within the practice		
Medical Emergencies	Staff had received training in basic life support. Emergency medicines and equipment were in place, these were checked regularly, and trained staff knew how to use them.	
Significant events and complaints	Complaints and significant events we reviewed were appropriately acknowledged, investigated and responded to in a timely manner. Learning was shared amongst all staff members.	
Infection prevention control	Staff had undertaken training in infection prevention and control, and the practice carried out annual infection prevention and control audits. The practice acted on any areas identified for improvement or rectification within the audits.	

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision making.

		Y/N/Partial
Staff used data to adjust and improve performance.		Y
Performance information was used to hold staff and management to account.		Y
Our inspection indicated that information was accurate, valid, reliable and timely.		Y
There were effective arrangements for identifying, managing and mitigating risks.		Y
Staff whose responsibilities included making statutory notifications understood what this entails.		Y

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Y
The practice had an active Patient Participation Group.	Y
Staff views were reflected in the planning and delivery of services.	Y
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Y

Feedback from Patient Participation Group.

Feedback
<ul style="list-style-type: none"> The PPG met quarterly and members we spoke to told us the practice listened to the PPG and they felt valued and involved in decisions the practice was making.

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Y
Learning was shared effectively and used to make improvements.	Y

Examples of continuous learning and improvement

Buggy Shelter

- We were told a recurring comment made on the Friends and Family questionnaire showed parents did not like leaving buggies unattended outside the practice. As a result of this feedback, the practice provided a buggy shelter and ensured locks were available which meant buggies could be left securely outside regardless of weather conditions.

Surgery Signage

- The practice received feedback from new patients and patients using the Hub service which indicated they had difficulty in locating the practice. As a result, the practice has put up new signs to ensure the location could be easily identified as a GP surgery.

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a "z-score" (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > 1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have "Met 90% minimum" have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link:

<https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.